



2 0 2 3   D O O R   H A R D W A R E

# OMNIA

MANUFACTURERS OF FINE LOCKSETS & ARCHITECTURAL HARDWARE

Suggested Retail Prices Effective February 1, 2023



The story of

# OMNIA

Over 55 years ago, our company's founder, Alberto R. Comini came to this country with a vision to introduce beautifully designed and crafted Italian architectural hardware to the U.S. market. To this day, OMNIA has steadfast ties to Italy, and while now helmed by the next generation of Comini family members, we continue to stay true to our founding principle of forging our own path.

It is all the people behind our products that make up the OMNIA family, including our fiercely loyal employees, and our customers and vendors with whom we have fostered long-standing relationships. As our business grows, so does our family tree and new opportunities are greeted with Italian hospitality and warmth.

Over the course of our history, OMNIA has built a legacy upon developing products innovative in both design and technological advancement. Our focus is always on what lies ahead, and we constantly challenge ourselves to stay in the forefront of our industry.



OMNIA products are meticulously fabricated from the finest brass materials and premium-grade stainless steel to meet exceptional standards and a finished project of your dreams. Choose hardware that is expressly YOU, and come to know the look and feel of OMNIA.

**This catalog showcases our current product offerings, shown with suggested retail prices that are subject to change at any time.**



# Products Overview

For ease of navigation, this is a **live PDF**. Listings below are linked to their respective pages, and any page numbers referenced within the catalog's text or graphics will take you to those pages when clicked on. You can return to this contents page at any time by clicking on any catalog page number.

<b>FINISHES</b>	<b>3</b>	<b>ENTRANCE HANDLESETS</b>	<b>82-85</b>
<b>LATCHSETS</b>	<b>4-37</b>	<b>HINGES</b>	<b>86-88</b>
Modern Latchsets	5-10	<b>CREMONE BOLTS</b>	<b>89</b>
Stainless Steel Latchsets	11-14	<b>PRODUCT DATA</b>	<b>90-116</b>
PVD Stainless Steel Latchsets	15	Modern Latchsets Product Data	91-93
Traditions Latchsets	16-20	Stainless Steel/PVD Latchsets Product Data	94-95
ARC Latchsets	21-23	Traditions Latchsets Product Data	96
Prodigy Latchsets	24-27	ARC Latchsets Product Data	97
Classico Latchsets	28-30	Prodigy Latchsets Product Data	98-99
Privacy Bolts	31-33	Classico Latchsets Product Data	100
Interior Mortise Locks	34-36	Interior Mortise Locks Product Data	101
Mortise Deadlocks	37	Mortise Deadlocks Product Data	102
<b>AUXILIARY DEADBOLTS</b>	<b>38-41</b>	Auxiliary Deadbolts Product Data	103
Brass Auxiliary Deadbolts	39-40	Mortise Locksets Product Data	104-106
Stainless Steel Auxiliary Deadbolts	41	Deadbolt Locksets Product Data	107
<b>MORTISE &amp; DEADBOLT LOCKSETS</b>	<b>42-63</b>	OMNIA +  level Product Data	108
Lockset Options	43	Narrow Backset Locksets Product Data	109
Modern Locksets	44-50	Pocket Door Hardware Product Data	110
Stainless Steel Locksets	51-53	Multipoint Trim Product Data	111-112
Traditions Locksets	54-57	Entrance Handlesets Product Data	113-114
ARC Locksets	58-59	Deadbolt Handlesets Product Data	115
Prodigy Locksets	60-62	Hinges Product Data	116
Classico Locksets	63	<b>COMPONENT PARTS</b>	<b>117-119</b>
<b>OMNIA+  level</b>	<b>64-67</b>	<b>OMNIA TERMS &amp; CONDITIONS</b>	<b>120</b>
<b>NARROW BACKSET LOCKSETS</b>	<b>68-71</b>		
<b>POCKET DOOR HARDWARE</b>	<b>72-75</b>		
<b>MULTIPOINT TRIM</b>	<b>76-80</b>		



**OMNIA + **  
 Look for this red symbol throughout this catalog to find our new smart lock products powered by  level





# OMNIA Finishes



**US3**  
POLISHED  
BRASS,  
LACQUERED



**US26**  
POLISHED  
CHROME  
PLATED



**BAS**  
SIENA BRASS,  
LACQUERED



**US3A**  
POLISHED  
BRASS,  
UNLACQUERED



**US26D**  
SATIN CHROME  
PLATED



**BPS**  
VENETIAN  
NICKEL,  
LACQUERED



**US4**  
SATIN BRASS,  
LACQUERED



**US32**  
POLISHED  
STAINLESS  
STEEL



**D**  
FLORENTINE  
BRASS,  
LACQUERED



**US5**  
ANTIQUE  
BRASS,  
LACQUERED



**US32D**  
SATIN  
STAINLESS  
STEEL



**ETR**  
ETRUSCAN  
BRONZE,  
LACQUERED



**US5A**  
ANTIQUE  
BRONZE,  
UNLACQUERED



**SB**  
SHADED  
BRONZE,  
LACQUERED



**PBL**  
PVD  
BLACK



**US10B**  
BLACK,  
OIL-RUBBED,  
LACQUERED



**TB**  
TUSCAN  
BRONZE,  
LACQUERED



**PDB**  
PVD DARK  
BRONZE



**US14**  
POLISHED,  
NICKEL PLATED,  
LACQUERED

**PLEASE CHECK  
EACH PRODUCT  
TO MAKE SURE A  
FINISH IS AVAILABLE  
FOR A PARTICULAR  
DESIGN.**



**PSG**  
PVD SATIN  
GOLD



**US15**  
SATIN,  
NICKEL PLATED,  
LACQUERED




**PTT**  
PVD  
TITANIUM

# LATCHSETS

## Stainless Steel or Solid Brass Trim

### MODERN




### STAINLESS STEEL



### TRADITIONS



### ARC



### *Prodigy*



### CLASSICO



OMNIA's latchsets in this program are packaged complete with knobs or levers, specified roses, tubular latch, a metal spring loaded sub-rose, spindle, and all mounting hardware. An installation template is included. Lever latchsets are supplied with extra heavy duty latches.


Functions are passage, privacy, and single dummy. These latchsets are designed both for new installations and for replacement hardware on doors with a standard 2<sup>1</sup>/<sub>8</sub>" bore. Backsets of 2<sup>3</sup>/<sub>8</sub>" and 2<sup>3</sup>/<sub>4</sub>" are available.

The designs range from traditional to contemporary to ornate in a selection of finishes to complement any design motif.





# MODERN

36



	Function*	US3 US26 US26D	US10B US14 US15
<b>36M</b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$220</b> <b>77</b>	<b>\$255</b> <b>99</b>
<b>36S</b> <i>Shown</i> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$247</b> <b>90</b>	<b>\$294</b> <b>109</b>
<b>36M50</b> ** 2" dia. rose	PA/PR SD	<b>\$220</b> <b>77</b>	<b>\$255</b> <b>99</b>
<b>36S50</b> ** 2" sq. rose	PA/PR SD	<b>\$247</b> <b>90</b>	<b>\$294</b> <b>109</b>


42



Specify RH or LH.


	Function*	US3 US26 US26D	US10B US14 US15
<b>42M</b> <i>Shown</i> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$225</b> <b>80</b>	<b>\$260</b> <b>102</b>
<b>42S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$252</b> <b>94</b>	<b>\$306</b> <b>123</b>
<b>42M50</b> ** 2" dia. rose	PA/PR SD	<b>\$225</b> <b>80</b>	<b>\$260</b> <b>102</b>
<b>42S50</b> ** 2" sq. rose	PA/PR SD	<b>\$252</b> <b>94</b>	<b>\$306</b> <b>123</b>

171



	Function*	US26 US26D	US10B US14 US15
<b>171M</b> <i>Shown</i> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$222</b> <b>78</b>	<b>\$257</b> <b>100</b>
<b>171S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$249</b> <b>92</b>	<b>\$296</b> <b>110</b>
<b>171M50</b> ** 2" dia. rose	PA/PR SD	<b>\$222</b> <b>78</b>	<b>\$257</b> <b>100</b>
<b>171S50</b> ** 2" sq. rose	PA/PR SD	<b>\$249</b> <b>92</b>	<b>\$296</b> <b>110</b>

198/60



	Function*	US26 US26D	US10B US14 US15
<b>198/60M</b> <i>Shown</i> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$253</b> <b>96</b>	<b>\$288</b> <b>114</b>
<b>198/60S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$280</b> <b>110</b>	<b>\$334</b> <b>135</b>
<b>198/60M50</b> ** 2" dia. rose	PA/PR SD	<b>\$253</b> <b>96</b>	<b>\$288</b> <b>114</b>
<b>198/60S50</b> ** 2" sq. rose	PA/PR SD	<b>\$280</b> <b>110</b>	<b>\$334</b> <b>135</b>



\*PA = Passage PR = Privacy SD = Single Dummy

\*\*This rose will not cover 2 1/8" hole.

Suggested retail prices effective February 1, 2023.

# MODERN

226



Specify RH or LH.



**226M** *Shown*  
2 9/16" dia. rose  
(covers 2 1/8" hole)

Function\*  
PA/PR  
SD

US26  
US26D  
**\$309**  
**122**

US10B  
US15  
**\$353**  
**150**



**226S**  
2 9/16" sq. rose  
(covers 2 1/8" hole)

PA/PR  
SD

**\$336**  
**142**

**\$392**  
**166**



**226M50\*\***  
2" dia. rose

PA/PR  
SD

**\$309**  
**122**

**\$353**  
**150**




**226S50\*\***  
2" sq. rose

PA/PR  
SD


**\$336**  
**142**

**\$392**  
**166**

227



Specify RH or LH.



**227M**  
2 9/16" dia. rose  
(covers 2 1/8" hole)

Function\*  
PA/PR  
SD

US26  
US26D  
**\$281**  
**108**

US10B  
US15  
**\$328**  
**137**



**227S** *Shown*  
2 9/16" sq. rose  
(covers 2 1/8" hole)

PA/PR  
SD

**\$307**  
**128**

**\$367**  
**153**



**227M50\*\***  
2" dia. rose

PA/PR  
SD

**\$281**  
**108**

**\$328**  
**137**




**227S50\*\***  
2" sq. rose

PA/PR  
SD

**\$307**  
**128**

**\$367**  
**153**

237



**237M** *Shown*  
2 9/16" dia. rose  
(covers 2 1/8" hole)

Function\*  
PA/PR  
SD

US26  
US26D  
**\$237**  
**86**

US10B  
US14 US15  
**\$282**  
**89**



**237S**  
2 9/16" sq. rose  
(covers 2 1/8" hole)

PA/PR  
SD

**\$262**  
**105**

**\$321**  
**123**



**237M50\*\***  
2" dia. rose

PA/PR  
SD

**\$237**  
**86**

**\$282**  
**89**




**237S50\*\***  
2" sq. rose

PA/PR  
SD

**\$262**  
**105**

**\$321**  
**123**

281



**281M** *Shown*  
2 9/16" dia. rose  
(covers 2 1/8" hole)

Function\*  
PA/PR  
SD

US26  
US26D  
**\$216**  
**76**

US10B  
US14 US15  
**\$261**  
**103**



**281S**  
2 9/16" sq. rose  
(covers 2 1/8" hole)

PA/PR  
SD

**\$243**  
**90**

**\$307**  
**124**



**281M50\*\***  
2" dia. rose

PA/PR  
SD

**\$216**  
**76**

**\$261**  
**103**



**281S50\*\***  
2" sq. rose

PA/PR  
SD

**\$243**  
**90**

**\$307**  
**124**



\*PA = Passage PR = Privacy SD = Single Dummy

\*\*This rose will not cover 2 1/8" hole.

Suggested retail prices effective February 1, 2023.

# MODERN

364



**364M** *Shown*  
2 9/16" dia. rose  
(covers 2 1/8" hole)

Function\*

PA/PR  
SD

US26  
US26D  
**\$225**  
**80**

US10B US14  
US15  
**\$260**  
**102**



**364S**  
2 9/16" sq. rose  
(covers 2 1/8" hole)

PA/PR  
SD

**\$252**  
**94**

**\$306**  
**123**



**364M50\*\***  
2" dia. rose

PA/PR  
SD

**\$225**  
**80**

**\$260**  
**102**





**364S50\*\***  
2" sq. rose

PA/PR  
SD

**\$252**  
**94**

**\$306**  
**123**

368



**368M**  
2 9/16" dia. rose  
(covers 2 1/8" hole)

Function\*

PA/PR  
SD

US3 US26  
US26D  
**\$230**  
**82**

US10B US14  
US15  
**\$265**  
**105**



**368S** *Shown*  
2 9/16" sq. rose  
(covers 2 1/8" hole)

PA/PR  
SD

**\$257**  
**96**

**\$304**  
**114**



**368M50\*\***  
2" dia. rose

PA/PR  
SD

**\$230**  
**82**

**\$265**  
**105**





**368S50\*\***  
2" sq. rose

PA/PR  
SD

**\$257**  
**96**

**\$304**  
**114**

369



**369M**  
2 9/16" dia. rose  
(covers 2 1/8" hole)

Function\*

PA/PR  
SD

US3A US4  
US26 US26D  
**\$263**  
**98**

US10B US14  
US15  
**\$291**  
**117**



**369S** *Shown*  
2 9/16" sq. rose  
(covers 2 1/8" hole)

PA/PR  
SD

**\$290**  
**112**

**\$330**  
**127**



**369M50\*\***  
2" dia. rose

PA/PR  
SD

**\$263**  
**98**

**\$291**  
**117**




**369S50\*\***  
2" sq. rose

PA/PR  
SD

**\$290**  
**112**

**\$330**  
**127**

375



Specify RH or LH.



**375M**  
2 9/16" dia. rose  
(covers 2 1/8" hole)

Function\*

PA/PR  
SD

US3A US4  
US26 US26D  
**\$263**  
**98**

US10B US14  
US15  
**\$291**  
**117**



**375S**  
2 9/16" sq. rose  
(covers 2 1/8" hole)

PA/PR  
SD

**\$290**  
**112**

**\$330**  
**127**



**375M50\*\*** *Shown*  
2" dia. rose

PA/PR  
SD

**\$263**  
**98**

**\$291**  
**117**



**375S50\*\***  
2" sq. rose

PA/PR  
SD

**\$290**  
**112**

**\$330**  
**127**

\*PA = Passage PR = Privacy SD = Single Dummy

\*\*This rose will not cover 2 1/8" hole.

Suggested retail prices effective February 1, 2023.




# MODERN

381




	Function*	US3A US26	US4 US26D	US10B US15	US14 US15
<b>381M</b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$263 98		\$291 117	
<b>381S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	\$290 113		\$330 128	
<b>381M50**</b> 2" dia. rose	PA/PR SD	\$263 98		\$291 117	
<b>381S50** Shown</b> 2" sq. rose	PA/PR SD	\$290 113		\$330 128	

762



	Function*	US3 US26D	US26 US26D	US10B US15	US14 US15
<b>762M Shown</b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$235 85		\$270 108	
<b>762S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	\$262 99		\$316 129	
<b>762M50**</b> 2" dia. rose	PA/PR SD	\$235 85		\$270 108	
<b>762S50**</b> 2" sq. rose	PA/PR SD	\$262 99		\$316 129	

890



	Function*	US3 US26D	US26 US26D	US10B US15	US14 US15
<b>890M Shown</b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$199 67		\$207 90	
<b>890S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	\$226 81		\$253 111	
<b>890M50**</b> 2" dia. rose	PA/PR SD	\$199 67		\$207 90	
<b>890S50**</b> 2" sq. rose	PA/PR SD	\$226 81		\$253 111	

892



	Function*	US3 US26D	US26 US26D	US10B US15	US14 US15
<b>892M Shown</b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$204 69		\$240 93	
<b>892S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	\$231 83		\$286 114	
<b>892M50**</b> 2" dia. rose	PA/PR SD	\$204 69		\$240 93	
<b>892S50**</b> 2" sq. rose	PA/PR SD	\$231 83		\$286 114	


\*PA = Passage PR = Privacy SD = Single Dummy

\*\*This rose will not cover 2 1/8" hole.

Suggested retail prices effective February 1, 2023.


# MODERN

905




	Function*	US26 US26D	US15
<b>905M <i>Shown</i></b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$242</b> 88	<b>\$253</b> 93
<b>905S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$269</b> 102	<b>\$299</b> 114
<b>905M50**</b> 2" dia. rose	PA/PR SD	<b>\$242</b> 88	<b>\$253</b> 93
<b>905S50**</b> 2" sq. rose	PA/PR SD	<b>\$269</b> 102	<b>\$299</b> 114

914




	Function*	US26 US26D	US10B US15	US14 US15
<b>914M</b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$285</b> 110	<b>\$328</b> 136	<b>\$328</b> 136
<b>914S <i>Shown</i></b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$311</b> 123	<b>\$367</b> 145	<b>\$367</b> 145
<b>914M50**</b> 2" dia. rose	PA/PR SD	<b>\$285</b> 110	<b>\$328</b> 136	<b>\$328</b> 136
<b>914S50**</b> 2" sq. rose	PA/PR SD	<b>\$311</b> 123	<b>\$367</b> 145	<b>\$367</b> 145

915




	Function*	US26 US26D	US15
<b>915M <i>Shown</i></b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$273</b> 104	<b>\$290</b> 111
<b>915S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$300</b> 118	<b>\$336</b> 132
<b>915M50**</b> 2" dia. rose	PA/PR SD	<b>\$273</b> 104	<b>\$290</b> 111
<b>915S50**</b> 2" sq. rose	PA/PR SD	<b>\$300</b> 118	<b>\$336</b> 132

923



923 is also available in these split finishes, where BN and 10B are the barrel finish colors.



	Function*	US3A US26	US4 US26D	US10B 14-BN	US15 4-10B
<b>923M <i>Shown</i></b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$324</b> 127		<b>\$368</b> 153	<b>\$368</b> 153
<b>923S</b> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$350</b> 143		<b>\$406</b> 166	<b>\$406</b> 166
<b>923M50**</b> 2" dia. rose	PA/PR SD	<b>\$324</b> 127		<b>\$368</b> 153	<b>\$368</b> 153
<b>923S50**</b> 2" sq. rose	PA/PR SD	<b>\$350</b> 143		<b>\$406</b> 166	<b>\$406</b> 166


\*PA = Passage PR = Privacy SD = Single Dummy





\*\*This rose will not cover 2 1/8" hole.

Suggested retail prices effective February 1, 2023.

# MODERN

943



	Function*	US3 US26	US4 US26D	US10B US15	US14
 <b>943M</b> 2 9/16" dia. rose (covers 2 1/8" hole)	PA/PR SD		<b>\$237</b> <b>84</b>		<b>\$269</b> <b>107</b>
 <b>943S</b> <i>Shown</i> 2 9/16" sq. rose (covers 2 1/8" hole)	PA/PR SD		<b>\$260</b> <b>98</b>		<b>\$315</b> <b>128</b>
 <b>943M50**</b> 2" dia. rose	PA/PR SD		<b>\$237</b> <b>84</b>		<b>\$269</b> <b>107</b>
 <b>943S50**</b> 2" sq. rose	PA/PR SD		<b>\$260</b> <b>98</b>		<b>\$315</b> <b>128</b>

## MODERN Rose Options in Detail

All roses are concealed screw mounted and interlock onto a cassette.

### 2 1/8" Bore



**M**

**677**

Modern

2 9/16" Diameter  
3/8" Projection

**S**

**622**

Square

2 9/16" Square  
7/16" Projection

**982**

Cassette for Pre-Drilled Doors

for 2 1/8" Bore



### 1 5/8" Bore



**M50**

**477**

Modern 50

2" Diameter  
3/8" Projection

**S50**

**477S**

Square 50

2" Square  
3/8" Projection

**981**

Small Format Cassette

for 1 5/8" Bore





\*PA = Passage PR = Privacy SD = Single Dummy

\*\*This rose will not cover 2 1/8" hole.

Suggested retail prices effective February 1, 2023.

# STAINLESS STEEL

10



**10** *Shown*  
2 7/16" dia. rose  
(covers 2 7/8" hole)

Function*	US32D	PBL	PDB	PSG	PTT
PA/PR	\$130	\$179			
SD	46	64			



**10S**  
2 7/16" square rose  
(covers 2 7/8" hole)

PA/PR	\$147	\$202			
SD	64	79			




**10M52\*\***  
2" dia. rose

PA	\$130	N/A			
SD	46	N/A			

PVD  
Finishes  
Available:



11



**11** *Shown*  
2 7/16" dia. rose  
(covers 2 7/8" hole)

Function*	US32	US32D
PA/PR	\$161	\$130
SD	58	46



**11S**  
2 7/16" square rose  
(covers 2 7/8" hole)



PA/PR	N/A	\$147
SD	N/A	64



**11M52\*\***  
2" dia. rose

PA	\$161	\$130
SD	58	46

12



**12**  
2 7/16" dia. rose  
(covers 2 7/8" hole)

Function*	US32	US32D	PBL	PDB	PSG	PTT
PA/PR	\$163	\$130	\$179			
SD	62	46	64			



**12S** *Shown*  
2 7/16" square rose  
(covers 2 7/8" hole)

PA/PR	N/A	\$147	\$202			
SD	N/A	64	79			





**12M52\*\***  
2" dia. rose

PA	\$163	\$130	N/A			
SD	62	46	N/A			

PVD  
Finishes  
Available:



14



**14** *Shown*  
2 7/16" dia. rose  
(covers 2 7/8" hole)

Function*	US32D
PA/PR	\$237
SD	98



**14S**  
2 7/16" square rose  
(covers 2 7/8" hole)

PA/PR	\$264
SD	116



**14M52\*\***  
2" dia. rose

PA	\$237
SD	98


**\*\*This rose will not cover 2 1/8" hole. To accomplish privacy function, use separate #6000, #6001, or #6001S bolt. See page 31.**

\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.

# STAINLESS STEEL

15



**15 Shown**  
2 7/16" dia. rose  
(covers 2 1/8" hole)

**Function\*** US32D

PA/PR **\$254**  
SD **106**



**15S**  
2 7/16" square rose  
(covers 2 1/8" hole)



PA/PR **\$281**  
SD **124**



**15M52\*\***  
2" dia. rose

PA **\$254**  
SD **106**

18



**18 Shown**  
2 7/16" dia. rose  
(covers 2 1/8" hole)

**Function\*** US32D

PA/PR **\$276**  
SD **117**



**18S**  
2 7/16" square rose  
(covers 2 1/8" hole)



PA/PR **\$303**  
SD **141**



**18M52\*\***  
2" dia. rose

PA **\$276**  
SD **117**

19



**19 Shown**  
2 7/16" dia. rose  
(covers 2 1/8" hole)

**Function\*** US32D

PA/PR **\$298**  
SD **128**



**19S**  
2 7/16" square rose  
(covers 2 1/8" hole)



PA/PR **\$325**  
SD **146**



**19M52\*\***  
2" dia. rose

PA **\$298**  
SD **128**

22



**22**  
2 7/16" dia. rose  
(covers 2 1/8" hole)

**Function\*** US32D

PA/PR **\$167**  
SD **62**

**PBL PDB**  
**PSG PTT**

PVD  
Finishes  
Available:

**PBL**

**PDB**

**PSG**

**PTT**



**22S Shown**  
2 7/16" square rose  
(covers 2 1/8" hole)

PA/PR **\$194**  
SD **80**



**22M52\*\***  
2" dia. rose

PA **\$167**  
SD **62**

**\*\*This rose will not cover 2 1/8" hole. To accomplish privacy function, use separate #6000, #6001, or #60001S bolt. See page 31.**



\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.



# STAINLESS STEEL

23



**23 Shown**  
2 7/16" dia. rose  
(covers 2 1/8" hole)

**Function\*** US32D

PA/PR **\$231**  
SD **94**



**23S**  
2 7/16" square rose  
(covers 2 1/8" hole)


PA/PR **\$258**  
SD **112**



**23M52\*\***  
2" dia. rose

PA **\$231**  
SD **94**

25



**25**  
2 7/16" dia. rose  
(covers 2 1/8" hole)

**Function\*** US32 US32D PBL PDB PSG PTT  
PVD Finishes Available:

PA/PR **\$261** **\$218** **\$277**  
SD **113** **90** **106**



**25S**  
2 7/16" square rose  
(covers 2 1/8" hole)

PA/PR **N/A** **\$247** **\$309**  
SD **N/A** **107** **122**




**25M52\*\* Shown**  
2" dia. rose

PA **\$261** **\$218** **N/A**  
SD **113** **90** **N/A**



32



**32 Shown**  
2 7/16" dia. rose  
(covers 2 1/8" hole)

**Function\*** US32D

PA/PR **\$193**  
SD **78**



**32S**  
2 7/16" square rose  
(covers 2 1/8" hole)



PA/PR **\$220**  
SD **96**



**32M52\*\***  
2" dia. rose

PA **\$193**  
SD **78**

33



**33 Shown**  
2 7/16" dia. rose  
(covers 2 1/8" hole)

**Function\*** US32D

PA/PR **\$195**  
SD **79**



**33S**  
2 7/16" square rose  
(covers 2 1/8" hole)

PA/PR **\$222**  
SD **103**



**33M52\*\***  
2" dia. rose

PA **\$195**  
SD **79**


**\*\*This rose will not cover 2 1/8" hole. To accomplish privacy function, use separate #6000, #6001, or #6001S bolt. See page 31.**

\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.

# STAINLESS STEEL


43



**43**  
2 7/16" dia. rose  
(covers 2 1/8" hole)

Function*	US32D	PBL PSG	PDB PTT	PVD Finishes Available:
PA/PR SD	<b>\$225</b> <b>92</b>	<b>\$271</b> <b>106</b>		PBL
PA/PR SD	<b>\$252</b> <b>109</b>	<b>\$301</b> <b>122</b>		PDB
PA SD	<b>\$225</b> <b>92</b>	<b>N/A</b> <b>N/A</b>		PSG
				PTT

45



Specify RH or LH.



**45** *Shown*  
2 7/16" dia. rose  
(covers 2 1/8" hole)




**45S**  
2 7/16" square rose  
(covers 2 1/8" hole)



**45M52**\*\*  
2" dia. rose

Function*	US32D
PA/PR SD	<b>\$130</b> <b>46</b>
PA/PR SD	<b>\$157</b> <b>64</b>
PA SD	<b>\$130</b> <b>46</b>

47



**47** *Shown*  
2 7/16" dia. rose  
(covers 2 1/8" hole)



**47S**  
2 7/16" square rose  
(covers 2 1/8" hole)



**47M52**\*\*  
2" dia. rose

Function*	US32D
PA/PR SD	<b>\$130</b> <b>46</b>
PA/PR SD	<b>\$157</b> <b>64</b>
PA SD	<b>\$130</b> <b>46</b>

\*\*This rose will not cover 2 1/8" hole. To accomplish privacy function, use separate #6000, #6001, or #60001S bolt. See page 31.

## STAINLESS STEEL Rose Options in Detail

Larger roses are concealed screw mounted and interlock onto a cassette (see item #982 on page 10).

2 1/8" Bore



**401 (PA) 402 (PR)**  
**Modern**

2 7/16" Diameter • 3/8" Projection



**401S (PA) 402S (PR)**  
**S Square**

2 7/16" Square • 3/8" Projection



**099**  
**M52 Modern 52**

2" Diameter • 3/8" Projection

Roses thru bolt to each other at 1 1/2" spacing. Will not cover 2 1/8" hole.

\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.

PVD STAINLESS STEEL



10



**10** *Shown*  
2 7/16" dia. rose


Function*	PBL	PDB	PSG	PTT
PA/PR SD			<b>\$179</b>	<b>64</b>



**10S**  
2 7/16" square rose

PA/PR SD			<b>\$202</b>	<b>79</b>
-------------	--	--	--------------	-----------

12



**12** *Shown*  
2 7/16" dia. rose


Function*	PBL	PDB	PSG	PTT
PA/PR SD			<b>\$179</b>	<b>64</b>



**12S**  
2 7/16" square rose

PA/PR SD			<b>\$202</b>	<b>79</b>
-------------	--	--	--------------	-----------

22



**22**  
2 7/16" dia. rose


Function*	PBL	PDB	PSG	PTT
PA/PR SD			<b>\$219</b>	<b>81</b>



**22S** *Shown*  
2 7/16" square rose

PA/PR SD			<b>\$236</b>	<b>96</b>
-------------	--	--	--------------	-----------

25



**25** *Shown*  
2 7/16" dia. rose


Function*	PBL	PDB	PSG	PTT
PA/PR SD			<b>\$277</b>	<b>106</b>



**25S**  
2 7/16" square rose

PA/PR SD			<b>\$309</b>	<b>122</b>
-------------	--	--	--------------	------------

43



**43**  
2 7/16" dia. rose

Function*	PBL	PDB	PSG	PTT
PA/PR SD			<b>\$271</b>	<b>106</b>



**43S** *Shown*  
2 7/16" square rose

PA/PR SD			<b>\$301</b>	<b>122</b>
-------------	--	--	--------------	------------


All roses will cover a 2 1/8" hole.

\*PA = Passage PR = Privacy SD = Single Dummy




Suggested retail prices effective February 1, 2023.

# TRADITIONS



55





Specify RH or LH.


	Function*	US3 US26	US3A US26	US5A US14	US10B US15 SB
 <b>55/00</b> <i>Shown</i> 2 5/8" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$280</b> <b>112</b>		<b>\$325</b> <b>135</b>	
 <b>55/45</b> ** 1 3/4" (45 mm) dia. rose	PA SD	<b>\$263</b> <b>116</b>		<b>\$283</b> <b>125</b>	
 <b>55/55</b> ** 2 3/16" (55 mm) dia. rose	PA SD	<b>\$263</b> <b>116</b>		<b>\$283</b> <b>125</b>	



101




	Function*	US3 US26	US3A US26	US5A US14	US10B US15
 <b>101/00</b> <i>Shown</i> w/101 2 5/8" dia. octagonal rose (covers 2 1/8" hole)	PA/PR SD	<b>\$346</b> <b>146</b>		<b>\$358</b> <b>153</b>	
 <b>101/55</b> ** 2 3/16" (55 mm) dia. round rose	PA SD	<b>\$284</b> <b>126</b>		<b>\$296</b> <b>132</b>	




201



	Function*	US3 US26	US3A US26	US5A US14	US10B US15
 <b>201/00</b> <i>Shown</i> w/101 2 5/8" dia. octagonal rose (covers 2 1/8" hole)	PA/PR SD	<b>\$420</b> <b>181</b>		<b>\$452</b> <b>199</b>	
 <b>201/55</b> ** 2 3/16" (55 mm) dia. round rose	PA SD	<b>\$354</b> <b>161</b>		<b>\$385</b> <b>177</b>	

430



	Function*	US3 US26	US3A US26	US5A US14	US10B US15 SB
 <b>430/00</b> <i>Shown</i> 2 5/8" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$219</b> <b>78</b>		<b>\$258</b> <b>97</b>	
 <b>430/45</b> ** 1 3/4" (45 mm) dia. rose	PA SD	<b>\$198</b> <b>83</b>		<b>\$217</b> <b>92</b>	
 <b>430/55</b> ** 2 3/16" (55 mm) dia. rose	PA SD	<b>\$198</b> <b>83</b>		<b>\$217</b> <b>92</b>	


\*\*This rose will not cover 2 1/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.

\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.

# TRADITIONS

432



**432/00** *Shown*  
2 5/8" dia. rose  
(covers 2 1/8" hole)

Function*	US3 US26	US3A US26D	US5A US14	US10B US15	US10B US15 SB
PA/PR SD		<b>\$244</b> <b>90</b>			<b>\$282</b> <b>113</b>



**432/45**\*\*  
1 3/4" (45 mm)  
dia. rose


PA SD		<b>\$220</b> <b>94</b>			<b>\$240</b> <b>104</b>
----------	--	---------------------------	--	--	----------------------------



**432/55**\*\*  
2 3/16" (55 mm)  
dia. rose

PA SD		<b>\$220</b> <b>94</b>			<b>\$240</b> <b>104</b>
----------	--	---------------------------	--	--	----------------------------

442



**442/00** *Shown*  
2 5/8" dia. rose  
(covers 2 1/8" hole)

Function*	US3 US26	US3A US26D	US5A US14	US10B US15	US10B US15 SB
PA/PR SD		<b>\$224</b> <b>81</b>			<b>\$263</b> <b>103</b>



**442/45**\*\*  
1 3/4" (45 mm)  
dia. rose


PA SD		<b>\$201</b> <b>84</b>			<b>\$221</b> <b>94</b>
----------	--	---------------------------	--	--	---------------------------



**442/55**\*\*  
2 3/16" (55 mm)  
dia. rose

PA SD		<b>\$201</b> <b>84</b>			<b>\$221</b> <b>94</b>
----------	--	---------------------------	--	--	---------------------------

443



**443/00** *Shown*  
2 5/8" dia. rose  
(covers 2 1/8" hole)

Function*	US3 US26	US3A US26D	US5A US14	US10B US15	US10B US15 SB
PA/PR SD		<b>\$238</b> <b>88</b>			<b>\$278</b> <b>107</b>



**443/45**\*\*  
1 3/4" (45 mm)  
dia. rose


PA SD		<b>\$218</b> <b>93</b>			<b>\$237</b> <b>102</b>
----------	--	---------------------------	--	--	----------------------------



**443/55**\*\*  
2 3/16" (55 mm)  
dia. rose

PA SD		<b>\$218</b> <b>93</b>			<b>\$237</b> <b>102</b>
----------	--	---------------------------	--	--	----------------------------

472



**472/00** *Shown*  
2 5/8" dia. rose  
(covers 2 1/8" hole)

Function*	US3 US26	US3A US26D	US5A US14	US10B US15	US10B US15 SB
PA/PR SD		<b>\$233</b> <b>93</b>			<b>\$285</b> <b>117</b>



**472/45**\*\*  
1 3/4" (45 mm)  
dia. rose

PA SD		<b>\$225</b> <b>97</b>			<b>\$247</b> <b>107</b>
----------	--	---------------------------	--	--	----------------------------



**472/55**\*\*  
2 3/16" (55 mm)  
dia. rose

PA SD		<b>\$225</b> <b>97</b>			<b>\$247</b> <b>107</b>
----------	--	---------------------------	--	--	----------------------------

\*\*This rose will not cover 2 1/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.


\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.



# TRADITIONS

473



**473/00**  
2 5/8" dia. rose  
(covers 2 1/8" hole)

Function*	US3 US26	US3A US26	US5A US14	US10B US15
PA/PR SD	\$254 92		\$294 114	



**473/45\*\*** *Shown*  
1 3/4" (45 mm)  
dia. rose



PA SD	\$230 96		\$251 113	
----------	-------------	--	--------------	--



**473/55\*\***  
2 3/16" (55 mm)  
dia. rose

PA SD	\$230 96		\$251 113	
----------	-------------	--	--------------	--

570




Specify RH or LH.



**570/00** *Shown*  
2 5/8" dia. rose  
(covers 2 1/8" hole)

Function*	US3 US26	US3A US26	US5A US14	US10B US15	SB
PA/PR SD	\$268 95		\$304 120		

706



**706/00** *Shown*  
2 5/8" dia. rose  
(covers 2 1/8" hole)

Function*	US3 US26	US3A US26	US5A US14	US10B US15	SB
PA/PR SD	\$235 85		\$271 108		



**706/45\*\***  
1 3/4" (45 mm)  
dia. rose

PA SD	\$208 88		\$229 98		
----------	-------------	--	-------------	--	--



**706/55\*\***  
2 3/16" (55 mm)  
dia. rose


PA SD	\$208 88		\$229 98		
----------	-------------	--	-------------	--	--



**706/RT\*\***  
with rectangular  
rose

PA SD	\$221 95		\$247 108		
----------	-------------	--	--------------	--	--

752



**752/00** *Shown*  
2 5/8" dia. rose  
(covers 2 1/8" hole)

Function*	US3 US26	US3A US26	US5A US14	US10B US15	SB
PA/PR SD	\$205 70		\$241 92		



**752/45\*\***  
1 3/4" (45 mm)  
dia. rose

PA SD	\$178 73		\$198 83		
----------	-------------	--	-------------	--	--



**752/55\*\***  
2 3/16" (55 mm)  
dia. rose

PA SD	\$178 73		\$198 83		
----------	-------------	--	-------------	--	--


**\*\*This rose will not cover 2 1/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.**





\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.


# TRADITIONS




904




	Function*	US3 US26	US3A US26	US5A US14	US10B US15
 <b>904/00</b> 2 5/8" dia. rose (covers 2 5/8" hole)	PA/PR SD	<b>\$262</b>	<b>\$98</b>	<b>\$297</b>	<b>\$121</b>
 <b>904/45**</b> 1 3/4" (45 mm) dia. rose	PA SD	<b>\$234</b>	<b>\$101</b>	<b>\$255</b>	<b>\$111</b>
 <b>904/55**</b> 2 3/16" (55 mm) dia. rose	PA SD	<b>\$234</b>	<b>\$101</b>	<b>\$255</b>	<b>\$111</b>
 <b>904/RT**<i>Shown</i></b> with rectangular rose	PA SD	<b>\$248</b>	<b>\$109</b>	<b>\$272</b>	<b>\$121</b>




918




	Function*	US3 US26	US3A US26	US5A US14	US10B US15
 <b>918/00 <i>Shown</i></b> 2 5/8" dia. rose (covers 2 5/8" hole)	PA/PR SD	<b>\$214</b>	<b>\$74</b>	<b>\$249</b>	<b>\$99</b>
 <b>918/45**</b> 1 3/4" (45 mm) dia. rose	PA SD	<b>\$187</b>	<b>\$81</b>	<b>\$207</b>	<b>\$87</b>
 <b>918/55**</b> 2 3/16" (55 mm) dia. rose	PA SD	<b>\$187</b>	<b>\$81</b>	<b>\$207</b>	<b>\$87</b>




944



	Function*	US3 US26	US3A US26	US5A US14	US10B US15
 <b>944/00</b> 2 5/8" dia. rose (covers 2 5/8" hole)	PA/PR SD	<b>\$264</b>	<b>\$99</b>	<b>\$301</b>	<b>\$123</b>
 <b>944/45**<i>Shown</i></b> 1 3/4" (45 mm) dia. rose	PA SD	<b>\$237</b>	<b>\$103</b>	<b>\$259</b>	<b>\$113</b>
 <b>944/55**</b> 2 3/16" (55 mm) dia. rose	PA SD	<b>\$237</b>	<b>\$103</b>	<b>\$259</b>	<b>\$113</b>

946



	Function*	US3 US26	US3A US26	US5A US14	US10B US15
 <b>946/00 <i>Shown</i></b> 2 5/8" dia. rose (covers 2 5/8" hole)	PA/PR SD	<b>\$270</b>	<b>\$102</b>	<b>\$306</b>	<b>\$121</b>
 <b>946/45**</b> 1 3/4" (45 mm) dia. rose	PA SD	<b>\$245</b>	<b>\$110</b>	<b>\$265</b>	<b>\$116</b>
 <b>946/55**</b> 2 3/16" (55 mm) dia. rose	PA SD	<b>\$245</b>	<b>\$110</b>	<b>\$265</b>	<b>\$116</b>


**\*\*This rose will not cover 2 5/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.**




\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.

# TRADITIONS

970



	Function*	US3 US3A US26	US5A US10B US14 US15
 <b>970/00</b> 2 5/8" dia. rose (covers 2 1/8" hole)	PA/PR SD	<b>\$224</b> <b>89</b>	<b>\$263</b> <b>104</b>
 <b>970/45**</b> 1 3/4" (45 mm) dia. rose	PA SD	<b>\$200</b> <b>84</b>	<b>\$221</b> <b>94</b>
 <b>970/55** Shown</b> 2 3/16" (55 mm) dia. rose	PA SD	<b>\$200</b> <b>84</b>	<b>\$221</b> <b>94</b>

## TRADITIONS Rose Options in Detail

### Surface Mounted Roses

Smaller roses are surface mounted and will NOT cover 2 1/8" bore.



**592/45**  
Traditional  
1 3/4" Diameter  
3/8" Projection



**592B/45**  
Beaded  
1 3/4" Diameter  
3/8" Projection



**592/55**  
Traditional  
2 3/16" Diameter  
5/16" Projection



**592B/55**  
Beaded  
2 3/16" Diameter  
5/16" Projection



**836/00**  
Rectangular  
2" h x 1 5/8" w  
5/16" Projection

### Traditions Rose Covers

(For pre-drilled 2 1/8" hole)

Rose covers are concealed screw mounted and interlock onto a cassette (see item #982 on page 10).



**037R**  
Classical  
2 5/8" Diameter  
3/8" Projection



**101R**  
Octagonal  
2 5/8" Diameter  
(2 7/8" Diagonal)  
3/8" Projection



**577**  
Beaded  
2 5/8" Diameter  
3/8" Projection



**579**  
Roped  
2 5/8" Diameter  
1/2" Projection



**671**  
Traditional  
2 5/8" Diameter  
3/8" Projection

ARC roses shown on page 23 can also be used with Traditions levers and knobs.


\*\*This rose will not cover 2 1/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.

\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.

# ARC

508



**508BD67** *Shown*  
2 5/8" (67 mm)  
dia. rose

Function*	US3 US5	US3A US10B US15	US4 US14 US26
-----------	------------	-----------------------	---------------------


PA/PR SD			<b>\$296</b> <b>146</b>
-------------	--	--	----------------------------



**508BD50** \*\*  
2" (50 mm)  
dia. rose

PA/PR SD			<b>\$296</b> <b>146</b>
-------------	--	--	----------------------------

511



**511ML67** *Shown*  
2 5/8" (67 mm)  
dia. rose

Function*	US3 US5	US3A US10B US15	US4 US14 US26
-----------	------------	-----------------------	---------------------


PA/PR SD			<b>\$296</b> <b>146</b>
-------------	--	--	----------------------------



**511ML50** \*\*  
2" (50 mm)  
dia. rose

PA/PR SD			<b>\$296</b> <b>146</b>
-------------	--	--	----------------------------

513



**513ED67**  
2 5/8" (67 mm)  
dia. rose

Function*	US3 US5	US3A US10B US15	US4 US14 US26
-----------	------------	-----------------------	---------------------

PA/PR SD			<b>\$296</b> <b>146</b>
-------------	--	--	----------------------------



**513ED50** \*\* *Shown*  
2" (50 mm)  
dia. rose

PA/PR SD			<b>\$296</b> <b>146</b>
-------------	--	--	----------------------------

\*PA = Passage PR = Privacy SD = Single Dummy

\*\*This rose will not cover 2 1/8" hole.

Suggested retail prices effective February 1, 2023.

# ARC

748



Function\* US3 US3A US4  
US5 US10B US14  
US15 US26



**748BD67**  
2 5/8" (67 mm)  
dia. rose

PA/PR  
SD

**\$296**  
**146**




**748BD50\*\*** *Shown*  
2" (50 mm)  
dia. rose

PA/PR  
SD

**\$296**  
**146**

751



Function\* US3 US3A US4  
US5 US10B US14  
US15 US26



**751ML67** *Shown*  
2 5/8" (67 mm)  
dia. rose

PA/PR  
SD

**\$296**  
**146**




**751ML50\*\***  
2" (50 mm)  
dia. rose

PA/PR  
SD

**\$296**  
**146**

753



Function\* US3 US3A US4  
US5 US10B US14  
US15 US26



**753ED67** *Shown*  
2 5/8" (67 mm)  
dia. rose

PA/PR  
SD

**\$296**  
**146**



**753ED50\*\***  
2" (50 mm)  
dia. rose

PA/PR  
SD

**\$296**  
**146**

\*PA = Passage PR = Privacy SD = Single Dummy

\*\*This rose will not cover 2 1/8" hole.

Suggested retail prices effective February 1, 2023.



# ARC

## ARC Rose Options in Detail

Rose covers are concealed screw mounted and interlock onto a cassette (see items #981 and #982 on page 10).

### 2 1/8" Bore



**BD67**  
**618**  
Beaded

2 5/8" Diameter  
1/2" Projection



**ML67**  
**641**  
Milled

2 5/8" Diameter  
1/2" Projection



**ED67**  
**643**  
Edged

2 5/8" Diameter  
1/2" Projection

### 1 5/8" Bore



**BD50**  
**538**  
Beaded

2" Diameter  
3/8" Projection



**ML50**  
**541**  
Milled

2" Diameter  
3/8" Projection



**ED50**  
**543**  
Edged

2" Diameter  
3/8" Projection


Traditions roses shown on page 20 can also be used with ARC levers and knobs.

Suggested retail prices effective February 1, 2023.

# Prodigy

**TIER 1**

**434**



Shown with "TD" Rose in US3



TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose




SQ = Square Rose

Function*	US3 US10B	US3A <sup>†</sup> US14	US4 US15 US26 TB
-----------	--------------	---------------------------	------------------------

**434** PA/PR SD **\$184**  
**55° Latch (Standard)** **90**

**434** PA/PR SD **\$204**  
**28° Latch (Option)** **90**

**458**



Shown with "TD" Rose in US14



TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose




SQ = Square Rose

Function*	US3 US10B	US3A <sup>†</sup> US14	US4 US15 US26 TB
-----------	--------------	---------------------------	------------------------

**458** PA/PR SD **\$184**  
**55° Latch (Standard)** **90**

**458** PA/PR SD **\$204**  
**28° Latch (Option)** **90**

**565**



Shown with "TD" Rose in US26



TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose




SQ = Square Rose

Function*	US3 US10B	US3A <sup>†</sup> US14	US4 US15 US26 TB
-----------	--------------	---------------------------	------------------------

**565** PA/PR SD **\$184**  
**55° Latch (Standard)** **90**

**565** PA/PR SD **\$204**  
**28° Latch (Option)** **90**

**785**



Shown with "TD" Rose in US10B



TD = Traditional Rose



MD = Modern Rose




AR = Arched Rose



RT = Rectangular Rose



SQ = Square Rose



Function*	US3 US14 US26	US4 US15 TB	US10B
-----------	---------------------	-------------------	-------

**785** PA/PR SD **\$184**  
**28° Latch (Standard)** **90**


\*PA = Passage PR = Privacy SD = Single Dummy

<sup>†</sup>US3A only available for TD rose.

Suggested retail prices effective February 1, 2023.

# Prodigy

895




Specify RH or LH.

Shown with "RT" Rose in TB


- TD = Traditional Rose
- MD = Modern Rose
- AR = Arched Rose
- RT = Rectangular Rose
- SQ = Square Rose

Function*	US3 US14 US26	US4 US15 TB	US10B US14 US15 TB
895 28° Latch (Standard)			
PA/PR			
SD			\$184
			90



## TIER 2

566



Shown with "TD" Rose in US4

- TD = Traditional Rose
- MD = Modern Rose
- AR = Arched Rose
- RT = Rectangular Rose
- SQ = Square Rose

Function*	US3 US10B US15	US4 US14 US26	US5 US14 US26
566 55° Latch (Standard)			
PA/PR			
SD			\$196
			95
566 28° Latch (Option)			
PA/PR			
SD			\$216
			95

936




Shown with "MD" Rose in US15

- TD = Traditional Rose
- MD = Modern Rose
- AR = Arched Rose
- RT = Rectangular Rose
- SQ = Square Rose

Function*	US3 US10B US15	US4 US14 US26	US5 US14 US26
936 55° Latch (Standard)			
PA/PR			
SD			\$196
			95
936 28° Latch (Option)			
PA/PR			
SD			\$216
			95

955



Shown with "AR" Rose in US3

- TD = Traditional Rose
- MD = Modern Rose
- AR = Arched Rose
- RT = Rectangular Rose
- SQ = Square Rose

Function*	US3 US15 US26	US3A <sup>†</sup> US10B US14 US26	US4 US14 US26 TB
955 55° Latch (Standard)			
PA/PR			
SD			\$196
			95
955 28° Latch (Option)			
PA/PR			
SD			\$216
			95

\*PA = Passage PR = Privacy SD = Single Dummy

<sup>†</sup>US3A only available for TD rose.

Suggested retail prices effective February 1, 2023.

# Prodigy

956



Shown with "SQ" Rose in US14



TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose




SQ = Square Rose

Function*	US3 US10B US15	US4 US14 US26	US5 US14 US26
<b>956</b> 55° Latch (Standard)	PA/PR SD	<b>\$196</b> 95	
<b>956</b> 28° Latch (Option)	PA/PR SD	<b>\$216</b> 95	

## TIER 3

912



Shown with "MD" Rose in US26



TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose




RT = Rectangular Rose




SQ = Square Rose

Function*	US3 US14	US4 US15	US10B US26 US26D† TB
<b>912</b> 28° Latch (Standard)	PA/PR SD	<b>\$208</b> 102	



925



Shown with "MD" Rose in US3



TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose




RT = Rectangular Rose



SQ = Square Rose

Function*	US3 US14	US4 US15	US10B US26 US26D† TB
<b>925</b> 28° Latch (Standard)	PA/PR SD	<b>\$208</b> 102	




\*PA = Passage PR = Privacy SD = Single Dummy

†US26D only available for MD, RT & SQ roses.


Suggested retail prices effective February 1, 2023.

# Prodigy

930




Shown with "SQ" Rose in US15



- TD = Traditional Rose
- MD = Modern Rose
- AR = Arched Rose
- RT = Rectangular Rose
- SQ = Square Rose

**930**  
28° Latch  
(Standard)




Function*	US3 US14	US4 US15	US10B US26	TB
PA/PR SD		\$208		102

935



Shown with "MD" Rose in US15



- TD = Traditional Rose
- MD = Modern Rose
- AR = Arched Rose
- RT = Rectangular Rose
- SQ = Square Rose

**935**  
55° Latch  
(Standard)

**935**  
28° Latch  
(Option)

Function*	US3 US14	US4 US15	US10B US26	TB
PA/PR SD		\$208		102
PA/PR SD		\$228		102

## Prodigy Rose Options in Detail

Rose covers are concealed screw mounted and interlock onto a cassette (see item #982 on page 10).



**TD**  
**673**  
Traditional  
2 5/8" Diameter  
1/2" Projection



**MD**  
**679**  
Modern  
2 5/8" Diameter  
1/2" Projection



**AR**  
**674**  
Arched  
2 5/8" W x 3 1/4" H  
1/2" Projection



**RT**  
**675**  
Rectangular  
2 5/8" W x 3" H  
1/2" Projection



**SQ**  
**678**  
Square  
2 5/8" Square  
1/2" Projection

\*PA = Passage PR = Privacy SD = Single Dummy


†US26D only available for MD, RT & SQ roses.

Suggested retail prices effective February 1, 2023.



CLASSICO


59FL



**59FL**  
2<sup>9</sup>/<sub>16</sub>" dia. rose  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

Function*	BAS D ETR	BPS
PA/PR SD	<b>\$379</b> <b>169</b>	<b>\$411</b> <b>186</b>

251FL




Specify RH or LH.

**251FL**  
2<sup>9</sup>/<sub>16</sub>" dia. rose  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

Function*	BAS D ETR	BPS
PA/PR SD	<b>\$377</b> <b>168</b>	<b>\$407</b> <b>184</b>


260FL



**260FL**  
2<sup>9</sup>/<sub>16</sub>" dia. rose  
(covers 2<sup>7</sup>/<sub>8</sub>" hole)

Function*	BAS D ETR	BPS
PA/PR SD	<b>\$505</b> <b>233</b>	<b>\$547</b> <b>254</b>

305RE



**305RE**  
2<sup>7</sup>/<sub>8</sub>" dia. rose  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

Function*	BAS D ETR	BPS
PA/PR SD	<b>\$438</b> <b>198</b>	<b>\$470</b> <b>215</b>

**BAS** = Siena Brass, Lacquered  
**BPS** = Venetian Nickel, Lacquered  
**D** = Florentine Brass, Lacquered  
**ETR** = Etruscan Bronze, Lacquered


\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.




# CLASSICO

309RE




Function*	BAS D ETR	BPS
309RE 2 7/8" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$387 \$420 173 198

331FL




Available for mortise lock only.  
Contact OMNIA for pricing.

332RE



Function*	BAS D ETR	BPS
332RE 2 7/8" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$434 \$493 196 227

340RE



Function*	BAS D ETR	BPS
340RE 2 7/8" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$406 \$437 183 198


**BAS** = Siena Brass, Lacquered  
**BPS** = Venetian Nickel, Lacquered  
**D** = Florentine Brass, Lacquered  
**ETR** = Etruscan Bronze, Lacquered

\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.

# CLASSICO

425FL



Function*	BAS D ETRD	BPS
425FL		
2 <sup>9</sup> / <sub>16</sub> " dia. rose (covers 2 <sup>1</sup> / <sub>8</sub> " hole)	PA/PR SD	<b>\$379</b> <b>\$411</b> <b>169</b> <b>185</b>

**BAS** = Siena Brass, Lacquered  
**BPS** = Venetian Nickel, Lacquered  
**D** = Florentine Brass, Lacquered  
**ETR** = Etruscan Bronze, Lacquered

## CLASSICO Rose Options in Detail

Rose covers are concealed screw mounted and interlock onto a cassette (see item #982 on page 10).



**FL**  
**4320**  
 Floral

2<sup>9</sup>/<sub>16</sub>" Diameter  
 1/2" Projection



**RE**  
**3265**  
 Reeded

2<sup>7</sup>/<sub>8</sub>" Diameter  
 1/2" Projection

\*PA = Passage PR = Privacy SD = Single Dummy

Suggested retail prices effective February 1, 2023.

## Stainless Steel Privacy Bolts

6000



Privacy Bolt Set

US32D


**6000/238****\$137**

2 3/8" backset  
Projection: 1 1/2"  
Rose: 2" dia.

**6000/234****\$137**

2 3/4" backset  
Projection: 1 1/2"  
Rose: 2" dia.

6001



Privacy Bolt Set

US32D

**6001/238****\$137**

2 3/8" backset  
Projection: 1 1/2"  
Rose: 2" dia.

**6001/234****\$137**

2 3/4" backset  
Projection: 1 1/2"  
Rose: 2" dia.

6001S



Privacy Bolt Set

US32D

**6001S/238****\$137**

2 3/8" backset  
Projection: 1 1/2"  
Rose: 2" square

**6001S/234****\$137**

2 3/4" backset  
Projection: 1 1/2"  
Rose: 2" square

ANY TURNPIECE SHOWN UNDER PRIVACY BOLTS CAN ALSO BE USED  
AS THE TURNPIECE FOR MORTISE LOCKSET SECTIONAL TRIM.

*Suggested retail prices effective February 1, 2023.*

# Brass Privacy Bolts

103



Privacy Bolt Set

US3A US3  
US26 US26D

US5A US10B  
US14 US15 SB

**103/238**  
2 3/8" backset  
Projection: 1 3/8"  
Rose: 1 3/4" dia.

**\$128**

**\$131**

**103/234**  
2 3/4" backset  
Projection: 1 3/8"  
Rose: 1 3/4" dia.

**\$128**

**\$131**

065



Privacy Bolt Set

US3A US3  
US26

US5A US10B  
US14 US15 SB

**065/238**  
2 3/8" backset  
Projection: 1 1/8"  
Rose: 2 3/16" x 1 3/8"

**\$103**

**\$108**

**065/234**  
2 3/4" backset  
Projection: 1 1/8"  
Rose: 2 3/16" x 1 3/8"

**\$103**

**\$108**

068



Privacy Bolt Set

US3

US10B US15 SB

**068/238**  
2 3/8" backset  
Projection: 1"  
Rose: 1 3/4" dia.

**\$89**

**\$101**

**068/234**  
2 3/4" backset  
Projection: 1"  
Rose: 1 3/4" dia.

**\$89**

**\$101**

102



Privacy Bolt Set

US3  
US26 US26D

US10B US14  
US15

**102/238**  
2 3/8" backset  
Projection: 1 1/8"  
Rose: 1 3/4" dia.

**\$128**

**\$131**

**102/234**  
2 3/4" backset  
Projection: 1 1/8"  
Rose: 1 3/4" dia.

**\$128**

**\$131**

102S



Privacy Bolt Set

US26  
US26D

US10B  
US14 US15

**102S/238**  
2 3/8" backset  
Projection: 1 1/8"  
Rose: 1 7/16" square

**\$141**

**\$145**

**102S/234**  
2 3/4" backset  
Projection: 1 1/8"  
Rose: 1 7/16" square

**\$141**

**\$145**

ANY TURNPIECE SHOWN UNDER PRIVACY BOLTS CAN ALSO BE USED AS THE TURNPIECE FOR MORTISE LOCKSET SECTIONAL TRIM.

*Suggested retail prices effective February 1, 2023.*



# Brass Privacy Bolts

104



<b>Privacy Bolt Set</b>	<b>US3</b>	<b>US15 SB</b>
<b>104/238</b>	<b>\$145</b>	<b>\$159</b>

2<sup>3</sup>/<sub>8</sub>" backset  
Projection: 1<sup>1</sup>/<sub>8</sub>"  
Rose: 1<sup>3</sup>/<sub>4</sub>" dia.

<b>104/234</b>	<b>\$145</b>	<b>\$159</b>
----------------	--------------	--------------

2<sup>3</sup>/<sub>4</sub>" backset  
Projection: 1<sup>1</sup>/<sub>8</sub>"  
Rose: 1<sup>3</sup>/<sub>4</sub>" dia.

104CL **CLASSICO**



<b>Privacy Bolt Set</b>	<b>BAS BPS D ETR</b>
<b>104CL/238</b>	<b>\$181</b>

2<sup>3</sup>/<sub>8</sub>" backset  
Projection: 1<sup>1</sup>/<sub>8</sub>"  
Rose: 2" dia.

<b>104CL/234</b>	<b>\$181</b>
------------------	--------------

2<sup>3</sup>/<sub>4</sub>" backset  
Projection: 1<sup>1</sup>/<sub>8</sub>"  
Rose: 2" dia.

105



<b>Privacy Bolt Set</b>	<b>US3</b>	<b>SB</b>
<b>105/238</b>	<b>\$145</b>	<b>\$149</b>

2<sup>3</sup>/<sub>8</sub>" backset  
Projection: 1<sup>1</sup>/<sub>8</sub>"  
Rose: 1<sup>3</sup>/<sub>4</sub>" dia.

<b>105/234</b>	<b>\$145</b>	<b>\$149</b>
----------------	--------------	--------------

2<sup>3</sup>/<sub>4</sub>" backset  
Projection: 1<sup>1</sup>/<sub>8</sub>"  
Rose: 1<sup>3</sup>/<sub>4</sub>" dia.

9163



<b>Privacy Bolt Set</b>	<b>US3 US3A US26</b>	<b>US5A US10B US14 US15</b>
-------------------------	--------------------------	---------------------------------

<b>9163/238</b>	<b>\$118</b>	<b>\$125</b>
-----------------	--------------	--------------

2<sup>3</sup>/<sub>8</sub>" backset  
Projection: 1"  
Rose: 1<sup>9</sup>/<sub>16</sub>" x 1<sup>1</sup>/<sub>8</sub>"

<b>9163/234</b>	<b>\$118</b>	<b>\$125</b>
-----------------	--------------	--------------

2<sup>3</sup>/<sub>4</sub>" backset  
Projection: 1"  
Rose: 1<sup>9</sup>/<sub>16</sub>" x 1<sup>1</sup>/<sub>8</sub>"

ANY TURNPIECE SHOWN UNDER PRIVACY BOLTS CAN ALSO BE USED AS THE TURNPIECE FOR MORTISE LOCKSET SECTIONAL TRIM.

Suggested retail prices effective February 1, 2023.


# INTERIOR MORTISE LOCKS

Solid Brass



# Interior Mortise Locks

4036




Interior with lever low shown

**4036**  
Lever  
with Plates

**Function**  
Passage (PA)  
Privacy (PR)  
Single Dummy (SD)

US3	US26	US26D	US10B	US14	US15
			<b>\$490</b>	<b>\$520</b>	
			<b>660</b>	<b>685</b>	
			<b>153</b>	<b>178</b>	

904ED50




Interior with lever high shown

**904ED50**  
Sectional  
Roses  
with Lever

**Function**  
Passage (PA)  
Privacy (PR)  
Single Dummy (SD)

US3	US3A	US10B
	US5A	US14
	US26	US15
	<b>\$422</b>	<b>\$457</b>
	<b>492</b>	<b>527</b>
	<b>98</b>	<b>121</b>

914S50



Interior with lever low shown

**914S50**  
Sectional  
Roses  
with Lever


**Function**  
Passage (PA)  
Privacy (PR)  
Single Dummy (SD)

US26	US10B
US26D	US14
	US15
<b>\$471</b>	<b>\$527</b>
<b>571</b>	<b>627</b>
<b>123</b>	<b>145</b>

Suggested retail prices effective February 1, 2023.

# Interior Mortise Locks

381S50



Exterior with lever high shown

Function	US3A	US10B
	US4	US14
<b>381S50</b> Sectional Roses with Lever	US26	US15
	US26D	
Passage (PA)	<b>\$450</b>	<b>\$490</b>
Privacy (PR)	<b>550</b>	<b>590</b>
Single Dummy (SD)	<b>113</b>	<b>125</b>

943M



Interior with lever low shown

Function	US26	US10B
	US26D	US14
<b>943M</b> Sectional Roses with Lever	US26	US15
	US26D	
Passage (PA)	<b>\$393</b>	<b>\$429</b>
Privacy (PR)	<b>463</b>	<b>499</b>
Single Dummy (SD)	<b>84</b>	<b>107</b>

513ED50



Exterior with knob high shown

Function	US3	US3A	US10B
	US4	US5	US14
<b>513ED50</b> Sectional Roses with Knob	US26	US15	US15
	US26		
Passage (PA)	<b>\$456</b>	<b>\$456</b>	<b>\$456</b>
Privacy (PR)	<b>526</b>	<b>526</b>	<b>526</b>
Single Dummy (SD)	<b>146</b>	<b>146</b>	<b>146</b>

Suggested retail prices effective February 1, 2023.

# Mortise Deadlocks

O41



**Description**

041/N Standard Cyl. x T/P  
041/NAC Double Cylinder

US3	US10B
US26	US15
US26D	SB
<b>\$317</b>	<b>\$326</b>
<b>344</b>	<b>350</b>

O41M



**Description**

041M/N Standard Cyl. x T/P  
041M/NAC Double Cylinder

US3	US10B
US26	US14
US26D	US15
	US32D
<b>\$317</b>	<b>\$326</b>
<b>344</b>	<b>350</b>

O41MS



**Description**

041MS/N Standard Cyl. x T/P  
041MS/NAC Double Cylinder

US26	US10B
US26D	US14
	US15
	US32D
<b>\$352</b>	<b>\$364</b>
<b>380</b>	<b>399</b>

*Suggested retail prices effective February 1, 2023.*



# AUXILIARY DEADBOLTS

Solid Brass or Stainless Steel Trim



OMNIA's line of auxiliary deadbolt kits has many features which ensure a product of high security and style. The designs range from traditional to contemporary to ornate in a selection of finishes to coordinate with other OMNIA hardware offerings. Both the 1" deadbolt throw with sawproof inserts and the armored strike reinforcement with 3" wood screws provide optimal security.



The OMNIA COLDB, MODDB, TRADDB and D9000 Auxiliary Deadbolts are available as OMNIA

+ level smart locks. See page 65 for details.



# Brass Auxiliary Deadbolts

## ARCHDB



**Description/Function**

**Arched "A"**  
2 3/4" h x 2 5/8" w  
(covers 2 1/8" hole)

US3 US4 US10B  
US14 US15  
US26 TB  
**\$184**

## COLDB



**Description/Function**

**Colonial "A"**  
2 1/2" dia.  
(covers 2 1/8" hole)

US3 US3A US4  
US5 US5A US10B  
US14 US15  
US26 SB TB  
**\$184**

**L.COLDBA\***

With Invisible Smart Technology

**\$569**

+ **SMART MODEL**  
PAGE 65

\*Does not come in US5, SB, or TB finishes.

## MODDB



**Description/Function**

**Modern "A"**  
2 5/8" dia.  
(covers 2 1/8" hole)

US3 US4 US10B  
US14 US15  
US26 US26D  
**\$184**

**L.MODDBA\***

With Invisible Smart Technology

**\$569**

+ **SMART MODEL**  
PAGE 65

\*Does not come in TB finish.

## RECTDB



**Description/Function**


**Rectangular "A"**  
2 5/8" square  
(covers 2 1/8" hole)

US3 US4 US10B  
US14 US15  
US26 US26D TB  
**\$184**

Suggested retail prices effective February 1, 2023.

# Brass Auxiliary Deadbolts

## SQRDB



**Description/Function**

**Square "A"**  
2<sup>5</sup>/<sub>8</sub>" square  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

US3 US4 US10B  
US14 US15  
US26 US26D

**\$184**

## TRADDB



**Description/Function**

**Traditional "A"**  
2<sup>5</sup>/<sub>8</sub>" dia.  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

US3 US4 US10B  
US14 US15  
US26 TB

**\$184**

**L.TRADDBA\***

With Invisible Smart Technology

**\$569**

**+ SMART MODEL**  
PAGE 65

\*Does not come in TB finish.

## FLORDB



**Description/Function**

**Floral "A"**  
2<sup>1</sup>/<sub>16</sub>" dia.  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

BAS BPS  
D  
ETR

**\$355 \$368**

**CLASSICO**

## REEDDB



**Description/Function**

**Reeded "A"**  
2<sup>1</sup>/<sub>16</sub>" dia.  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

BAS BPS  
D  
ETR


**\$355 \$368**

**CLASSICO**

*Suggested retail prices effective February 1, 2023.*

# Stainless Steel Auxiliary Deadbolts

## D9000



Description/Function	US32D	PBL PDB PSG PTT
<b>D9000A</b> 2 1/2" dia. (covers 2 1/8" hole) "A"- Cylinder x Thumbturn	<b>\$251</b>	<b>\$339</b>

<b>D9000AC</b> 2 1/2" dia. (covers 2 1/8" hole) "AC"- Cylinder x Cylinder	<b>\$258</b>	
--	--------------	--

<b>L.D9000A</b> With Invisible Smart Technology	<b>\$651</b>	<b>\$781</b>
---	--------------	--------------

**+ SMART MODEL**  
PAGE 65



## D9000S



Description/Function	US32D	PBL PDB PSG PTT
<b>D9000SA</b> 2 5/16" square (covers 2 1/8" hole) "A"- Cylinder x Thumbturn	<b>\$310</b>	<b>\$406</b>

<b>D9000SAC</b> 2 5/16" square (covers 2 1/8" hole) "AC"- Cylinder x Cylinder	<b>\$317</b>	
--	--------------	--



## D9002



Description/Function	US32D
<b>D9002A</b> 2" dia. (will NOT cover 2 1/8" hole) "A"- Cylinder x Thumbturn	<b>\$251</b>

<b>D9002AC</b> 2" dia. (will NOT cover 2 1/8" hole) "AC"- Cylinder x Cylinder	<b>\$258</b>
--	--------------

*Suggested retail prices effective February 1, 2023.*



# MORTISE & DEADBOLT LOCKSETS

Solid Brass or Stainless Steel Trim

OMNIA's locksets with solid brass or stainless steel trim are the locks of choice for optimal security and stunning design. An extensive range of knob and lever styles are available with either mortise or tubular deadbolt lock options.

Built to withstand heavy use, our commercial grade, UL listed, fire rated, mortise locks are precision engineered for security and durability. Available with two backset options (2½" and 2¾"), all of our mortise locks are designed for use with heavyweight knobs or levers, with special springing provided on lever sets.

OMNIA's line of deadbolt locksets provide the ease of installation, while maintaining the stylish look of a mortise lockset.

Unique to all OMNIA deadbolt locksets is the sleek, flush-mounted cylinder design which not only enhances their appearance but provides excellent protection against tampering with the cylinder mechanism. Available with two backset options (2¾" and 2¾").



All OMNIA Deadbolt Locksets are available as OMNIA + level smart locks, except for items D24570, D25430, D25508 and D25748. See page 66.




Made in U.S.A.




## Lockset Options


Mortise with  
Plate Trim




Mortise with  
Round Rose Trim




Mortise with  
Square Rose Trim



Latch by Deadbolt  
Plate Trim



Level Smart Lock,  
Latch by Deadbolt Plate Trim



## Additional Mortise Rose Options

M53/53



2 1/4" Diameter  
5/16" Projection

M54/54



2 1/4" Diameter  
5/16" Projection



Products in this section  
with this red symbol  
are available in our new  
smart lock technology  
powered by level.


*Suggested retail prices effective February 1, 2023.*

# MODERN




## 4036

8 1/4" Overall Length  
2" Width  
2 1/2" Projection




**4036**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		\$694			\$750	
Double Cylinder (AC)		694			750	
Panic – Proof (F)		694			750	
Storeroom (EW) or Classroom (J)		694			750	
Passage (N)		593			643	
Privacy (L)		632			689	
Pair Dummy (PD)		305			355	



**2036**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		\$629			\$674	
Double Cylinder (AC)		629			674	
Panic – Proof (F)		629			674	
Storeroom (EW) or Classroom (J)		629			674	
Passage (N)		490			509	
Privacy (L)		558			601	
Pair Dummy (PD)		172			178	




**2036S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		\$669			\$719	
Double Cylinder (AC)		669			719	
Panic – Proof (F)		669			719	
Storeroom (EW) or Classroom (J)		669			719	
Passage (N)		522			560	
Privacy (L)		601			646	
Pair Dummy (PD)		210			246	




## 4368

8 1/4" Overall Length  
2" Width  
2 1/2" Projection




**4368**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		\$694			\$750	
Double Cylinder (AC)		694			750	
Panic – Proof (F)		694			750	
Storeroom (EW) or Classroom (J)		694			750	
Passage (N)		593			643	
Privacy (L)		632			689	
Pair Dummy (PD)		305			355	



**2368**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		\$629			\$674	
Double Cylinder (AC)		629			674	
Panic – Proof (F)		629			674	
Storeroom (EW) or Classroom (J)		629			674	
Passage (N)		490			509	
Privacy (L)		558			601	
Pair Dummy (PD)		172			178	



**2368S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		\$669			\$719	
Double Cylinder (AC)		669			719	
Panic – Proof (F)		669			719	
Storeroom (EW) or Classroom (J)		669			719	
Passage (N)		522			560	
Privacy (L)		601			646	
Pair Dummy (PD)		210			246	


Suggested retail prices effective February 1, 2023.

# MODERN




## 12036

10 9/16" Overall Length  
2 3/8" Width  
2 1/2" Projection




**12036**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$694</b>			<b>\$750</b>	
Double Cylinder (AC)		<b>694</b>			<b>750</b>	
Panic – Proof (F)		<b>694</b>			<b>750</b>	
Storeroom (EW) or Classroom (J)		<b>694</b>			<b>750</b>	
Passage (N)		<b>593</b>			<b>643</b>	
Privacy (L)		<b>632</b>			<b>689</b>	
Pair Dummy (PD)		<b>305</b>			<b>355</b>	




**2036**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$629</b>			<b>\$674</b>	
Double Cylinder (AC)		<b>629</b>			<b>674</b>	
Panic – Proof (F)		<b>629</b>			<b>674</b>	
Storeroom (EW) or Classroom (J)		<b>629</b>			<b>674</b>	
Passage (N)		<b>490</b>			<b>509</b>	
Privacy (L)		<b>558</b>			<b>601</b>	
Pair Dummy (PD)		<b>172</b>			<b>178</b>	



**2036S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$669</b>			<b>\$719</b>	
Double Cylinder (AC)		<b>669</b>			<b>719</b>	
Panic – Proof (F)		<b>669</b>			<b>719</b>	
Storeroom (EW) or Classroom (J)		<b>669</b>			<b>719</b>	
Passage (N)		<b>522</b>			<b>560</b>	
Privacy (L)		<b>601</b>			<b>646</b>	
Pair Dummy (PD)		<b>210</b>			<b>246</b>	



**D12036**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$482</b>			<b>\$528</b>	
Pair Dummy (PD)		<b>305</b>			<b>355</b>	


**+ SEE SMART MODEL PRICING PAGE 66**

5 1/2" center to center




## 12042

10 9/16" Overall Length  
2 3/8" Width  
2 3/4" Projection



**12042**  
Mortise  
Lockset  
Lever with  
Plates


Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$694</b>			<b>\$750</b>	
Double Cylinder (AC)		<b>694</b>			<b>750</b>	
Panic – Proof (F)		<b>694</b>			<b>750</b>	
Storeroom (EW) or Classroom (J)		<b>694</b>			<b>750</b>	
Passage (N)		<b>593</b>			<b>643</b>	
Privacy (L)		<b>632</b>			<b>689</b>	
Pair Dummy (PD)		<b>305</b>			<b>355</b>	



**2042**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$629</b>			<b>\$674</b>	
Double Cylinder (AC)		<b>629</b>			<b>674</b>	
Panic – Proof (F)		<b>629</b>			<b>674</b>	
Storeroom (EW) or Classroom (J)		<b>629</b>			<b>674</b>	
Passage (N)		<b>490</b>			<b>509</b>	
Privacy (L)		<b>558</b>			<b>601</b>	
Pair Dummy (PD)		<b>172</b>			<b>178</b>	

**For Lever with Square Rose, add \$45.**



**D12042**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$482</b>			<b>\$528</b>	
Pair Dummy (PD)		<b>305</b>			<b>355</b>	

**+ SEE SMART MODEL PRICING PAGE 66**

5 1/2" center to center


Suggested retail prices effective February 1, 2023.

# MODERN




## 12171

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>2</sub>" Projection



**12171**  
Mortise  
Lockset  
Lever with  
Plates


Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$694</b>		<b>\$750</b>	
Double Cylinder (AC)		<b>694</b>		<b>750</b>	
Panic – Proof (F)		<b>694</b>		<b>750</b>	
Storeroom (EW) or Classroom (J)		<b>694</b>		<b>750</b>	
Passage (N)		<b>593</b>		<b>643</b>	
Privacy (L)		<b>632</b>		<b>689</b>	
Pair Dummy (PD)		<b>305</b>		<b>355</b>	



**2171**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$629</b>		<b>\$674</b>	
Double Cylinder (AC)		<b>629</b>		<b>674</b>	
Panic – Proof (F)		<b>629</b>		<b>674</b>	
Storeroom (EW) or Classroom (J)		<b>629</b>		<b>674</b>	
Passage (N)		<b>490</b>		<b>509</b>	
Privacy (L)		<b>558</b>		<b>601</b>	
Pair Dummy (PD)		<b>172</b>		<b>178</b>	

For Lever with Square Rose, add \$45.



**D12171**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$482</b>		<b>\$528</b>	
Pair Dummy (PD)		<b>305</b>		<b>355</b>	


**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center




## 12198

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
3<sup>1</sup>/<sub>4</sub>" Projection  
  
2<sup>3</sup>/<sub>8</sub>" (60 mm)  
dia. knob



**12198**  
Mortise  
Lockset  
Knob with  
Plates


Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$726</b>		<b>\$780</b>	
Double Cylinder (AC)		<b>726</b>		<b>780</b>	
Panic – Proof (F)		<b>726</b>		<b>780</b>	
Storeroom (EW) or Classroom (J)		<b>726</b>		<b>780</b>	
Passage (N)		<b>625</b>		<b>673</b>	
Privacy (L)		<b>667</b>		<b>719</b>	
Pair Dummy (PD)		<b>337</b>		<b>385</b>	



**2198**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Knob

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$661</b>		<b>\$704</b>	
Double Cylinder (AC)		<b>661</b>		<b>704</b>	
Panic – Proof (F)		<b>661</b>		<b>704</b>	
Storeroom (EW) or Classroom (J)		<b>661</b>		<b>704</b>	
Passage (N)		<b>522</b>		<b>555</b>	
Privacy (L)		<b>590</b>		<b>604</b>	
Pair Dummy (PD)		<b>192</b>		<b>228</b>	

For Knob with Square Rose, add \$45.



**D12198**  
Deadbolt  
Lockset  
Knob  
with Plates

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$514</b>		<b>\$574</b>	
Pair Dummy (PD)		<b>351</b>		<b>398</b>	

**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center


Suggested retail prices effective February 1, 2023.

# MODERN



## 12237


10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>2</sub>" Projection



### 12237

Mortise Lockset  
Lever with Plates


Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$694</b>			<b>\$750</b>
Double Cylinder (AC)		<b>694</b>			<b>750</b>
Panic – Proof (F)		<b>694</b>			<b>750</b>
Storeroom (EW) or Classroom (J)		<b>694</b>			<b>750</b>
Passage (N)		<b>593</b>			<b>643</b>
Privacy (L)		<b>632</b>			<b>689</b>
Pair Dummy (PD)		<b>305</b>			<b>355</b>



### 2237

Mortise Lockset  
Sectional Roses (Round)  
with Lever


Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$629</b>			<b>\$674</b>
Double Cylinder (AC)		<b>629</b>			<b>674</b>
Panic – Proof (F)		<b>629</b>			<b>674</b>
Storeroom (EW) or Classroom (J)		<b>629</b>			<b>674</b>
Passage (N)		<b>490</b>			<b>509</b>
Privacy (L)		<b>558</b>			<b>601</b>
Pair Dummy (PD)		<b>172</b>			<b>178</b>



### 2237S

Mortise Lockset  
Sectional Roses (Square)  
with Lever

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$669</b>			<b>\$719</b>
Double Cylinder (AC)		<b>669</b>			<b>719</b>
Panic – Proof (F)		<b>669</b>			<b>719</b>
Storeroom (EW) or Classroom (J)		<b>669</b>			<b>719</b>
Passage (N)		<b>522</b>			<b>560</b>
Privacy (L)		<b>601</b>			<b>646</b>
Pair Dummy (PD)		<b>210</b>			<b>246</b>



### D12237

Deadbolt Lockset  
Lever with Plates

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$482</b>			<b>\$528</b>
Pair Dummy (PD)		<b>305</b>			<b>355</b>


**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center



## 12364


10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>2</sub>" Projection



### 12364

Mortise Lockset  
Lever with Plates

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$694</b>			<b>\$750</b>
Double Cylinder (AC)		<b>694</b>			<b>750</b>
Panic – Proof (F)		<b>694</b>			<b>750</b>
Storeroom (EW) or Classroom (J)		<b>694</b>			<b>750</b>
Passage (N)		<b>593</b>			<b>643</b>
Privacy (L)		<b>632</b>			<b>689</b>
Pair Dummy (PD)		<b>305</b>			<b>355</b>




### 2364

Mortise Lockset  
Sectional Roses (Round)  
with Lever

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$629</b>			<b>\$674</b>
Double Cylinder (AC)		<b>629</b>			<b>674</b>
Panic – Proof (F)		<b>629</b>			<b>674</b>
Storeroom (EW) or Classroom (J)		<b>629</b>			<b>674</b>
Passage (N)		<b>490</b>			<b>509</b>
Privacy (L)		<b>558</b>			<b>601</b>
Pair Dummy (PD)		<b>172</b>			<b>178</b>

**For Lever with Square Rose, add \$45.**



### D12364

Deadbolt Lockset  
Lever with Plates

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$482</b>			<b>\$528</b>
Pair Dummy (PD)		<b>305</b>			<b>355</b>

**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center

*Suggested retail prices effective February 1, 2023.*




# MODERN




## 12368

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>2</sub>" Projection




**12368**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$694</b>			<b>\$750</b>	
Double Cylinder (AC)		<b>694</b>			<b>750</b>	
Panic – Proof (F)		<b>694</b>			<b>750</b>	
Storeroom (EW) or Classroom (J)		<b>694</b>			<b>750</b>	
Passage (N)		<b>593</b>			<b>643</b>	
Privacy (L)		<b>632</b>			<b>689</b>	
Pair Dummy (PD)		<b>305</b>			<b>355</b>	




**2368**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$629</b>			<b>\$674</b>	
Double Cylinder (AC)		<b>629</b>			<b>674</b>	
Panic – Proof (F)		<b>629</b>			<b>674</b>	
Storeroom (EW) or Classroom (J)		<b>629</b>			<b>674</b>	
Passage (N)		<b>490</b>			<b>509</b>	
Privacy (L)		<b>558</b>			<b>601</b>	
Pair Dummy (PD)		<b>172</b>			<b>178</b>	



**2368S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$669</b>			<b>\$719</b>	
Double Cylinder (AC)		<b>669</b>			<b>719</b>	
Panic – Proof (F)		<b>669</b>			<b>719</b>	
Storeroom (EW) or Classroom (J)		<b>669</b>			<b>719</b>	
Passage (N)		<b>522</b>			<b>560</b>	
Privacy (L)		<b>601</b>			<b>646</b>	
Pair Dummy (PD)		<b>210</b>			<b>246</b>	



**D12368**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$482</b>			<b>\$528</b>	
Pair Dummy (PD)		<b>305</b>			<b>355</b>	


**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center




## 12369

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>2</sub>" Projection



**12369**  
Mortise  
Lockset  
Lever with  
Plates


Function	US3A US26	US4 US26D	US10B	US14 US15
Standard (A)		<b>\$720</b>		<b>\$780</b>
Double Cylinder (AC)		<b>720</b>		<b>780</b>
Panic – Proof (F)		<b>720</b>		<b>780</b>
Storeroom (EW) or Classroom (J)		<b>720</b>		<b>780</b>
Passage (N)		<b>619</b>		<b>673</b>
Privacy (L)		<b>661</b>		<b>719</b>
Pair Dummy (PD)		<b>331</b>		<b>385</b>



**2369**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3A US26	US4 US26D	US10B	US14 US15
Standard (A)		<b>\$715</b>		<b>\$749</b>
Double Cylinder (AC)		<b>715</b>		<b>749</b>
Panic – Proof (F)		<b>715</b>		<b>749</b>
Storeroom (EW) or Classroom (J)		<b>715</b>		<b>749</b>
Passage (N)		<b>548</b>		<b>590</b>
Privacy (L)		<b>627</b>		<b>676</b>
Pair Dummy (PD)		<b>196</b>		<b>234</b>

**For Lever with Square Rose, add \$45.**



**D12369**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3A US26	US4 US26D	US10B	US14 US15
Standard (A)		<b>\$508</b>		<b>\$574</b>
Pair Dummy (PD)		<b>345</b>		<b>398</b>

**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center


*Suggested retail prices effective February 1, 2023.*

# MODERN




## 12914

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>2</sub>" Projection




**12914**  
Mortise  
Lockset  
Lever with  
Plates

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$752</b>		<b>\$816</b>	
Double Cylinder (AC)		<b>752</b>		<b>816</b>	
Panic – Proof (F)		<b>752</b>		<b>816</b>	
Storeroom (EW) or Classroom (J)		<b>752</b>		<b>816</b>	
Passage (N)		<b>651</b>		<b>709</b>	
Privacy (L)		<b>693</b>		<b>755</b>	
Pair Dummy (PD)		<b>363</b>		<b>421</b>	




**2914**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$687</b>		<b>\$740</b>	
Double Cylinder (AC)		<b>687</b>		<b>740</b>	
Panic – Proof (F)		<b>687</b>		<b>740</b>	
Storeroom (EW) or Classroom (J)		<b>687</b>		<b>740</b>	
Passage (N)		<b>548</b>		<b>591</b>	
Privacy (L)		<b>616</b>		<b>667</b>	
Pair Dummy (PD)		<b>220</b>		<b>272</b>	



**2914S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>\$727</b>		<b>\$785</b>	
Double Cylinder (AC)		<b>727</b>		<b>785</b>	
Panic – Proof (F)		<b>727</b>		<b>785</b>	
Storeroom (EW) or Classroom (J)		<b>727</b>		<b>785</b>	
Passage (N)		<b>580</b>		<b>626</b>	
Privacy (L)		<b>683</b>		<b>712</b>	
Pair Dummy (PD)		<b>246</b>		<b>290</b>	



**D12914**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US26	US26D	US10B	US14	US15
Standard (A)		<b>540</b>		<b>\$610</b>	
Pair Dummy (PD)		<b>377</b>		<b>434</b>	


**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center




## 12923

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>2</sub>" Projection




**12923**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3A US26	US4 US26D	US10B 14-BN	US15 4-10B
Standard (A)		<b>\$798</b>		<b>\$838</b>
Double Cylinder (AC)		<b>798</b>		<b>838</b>
Panic – Proof (F)		<b>798</b>		<b>838</b>
Storeroom (EW) or Classroom (J)		<b>798</b>		<b>838</b>
Passage (N)		<b>697</b>		<b>731</b>
Privacy (L)		<b>739</b>		<b>777</b>
Pair Dummy (PD)		<b>409</b>		<b>443</b>




**2923**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3A US26	US4 US26D	US10B 14-BN	US15 4-10B
Standard (A)		<b>\$733</b>		<b>\$762</b>
Double Cylinder (AC)		<b>733</b>		<b>762</b>
Panic – Proof (F)		<b>733</b>		<b>762</b>
Storeroom (EW) or Classroom (J)		<b>733</b>		<b>762</b>
Passage (N)		<b>597</b>		<b>613</b>
Privacy (L)		<b>662</b>		<b>689</b>
Pair Dummy (PD)		<b>254</b>		<b>306</b>



**2923S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US3A US26	US4 US26D	US10B 14-BN	US15 4-10B
Standard (A)		<b>\$773</b>		<b>\$807</b>
Double Cylinder (AC)		<b>773</b>		<b>807</b>
Panic – Proof (F)		<b>773</b>		<b>807</b>
Storeroom (EW) or Classroom (J)		<b>773</b>		<b>807</b>
Passage (N)		<b>626</b>		<b>648</b>
Privacy (L)		<b>705</b>		<b>734</b>
Pair Dummy (PD)		<b>286</b>		<b>332</b>




**D12923**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3A US26	US4 US26D	US10B 14-BN	US15 4-10B
Standard (A)		<b>\$586</b>		<b>\$632</b>
Pair Dummy (PD)		<b>423</b>		<b>456</b>

**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center

*Suggested retail prices effective February 1, 2023.*




12923 is also available in these split finishes, where BN and 10B are the barrel finish colors.

# MODERN




## 12943

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>5</sup>/<sub>8</sub>" Projection




**12943**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3	US4	US10B	
	US26	US26D	US14	US15
Standard (A)	\$698		\$758	
Double Cylinder (AC)	698		758	
Panic – Proof (F)	698		758	
Storeroom (EW) or Classroom (J)	698		758	
Passage (N)	597		651	
Privacy (L)	639		697	
Pair Dummy (PD)	309		363	




**2943**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US4	US10B	
	US26	US26D	US14	US15
Standard (A)	\$633		\$682	
Double Cylinder (AC)	633		682	
Panic – Proof (F)	633		682	
Storeroom (EW) or Classroom (J)	633		682	
Passage (N)	494		533	
Privacy (L)	562		609	
Pair Dummy (PD)	168		219	



**2943S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US3	US4	US10B	
	US26	US26D	US14	US15
Standard (A)	\$673		\$727	
Double Cylinder (AC)	673		727	
Panic – Proof (F)	673		727	
Storeroom (EW) or Classroom (J)	673		727	
Passage (N)	526		568	
Privacy (L)	605		654	
Pair Dummy (PD)	196		256	



**D12943**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3	US4	US10B	
	US26	US26D	US14	US15
Standard (A)	\$486		\$552	
Pair Dummy (PD)	323		376	

**+ SEE SMART MODEL PAGE 66**

5 1/2" center to center


Suggested retail prices effective February 1, 2023.

# STAINLESS STEEL




## 12012

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>1</sup>/<sub>2</sub>" Width  
3" Projection



**12012**  
Mortise  
Lockset  
Lever with  
Plates


Function	US32D	PBL PDB PSG PTT
Standard (A)	\$619	\$836
Double Cylinder (AC)	619	836
Panic – Proof (F)	619	836
Storeroom (EW) or Classroom (J)	619	836
Passage (N)	498	762
Privacy (L)	531	795
Pair Dummy (PD)	203	297



**2012**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US32D
Standard (A)	\$590
Double Cylinder (AC)	590
Panic – Proof (F)	590
Storeroom (EW) or Classroom (J)	590
Passage (N)	411
Privacy (L)	533
Pair Dummy (PD)	90

For Lever with Square Rose, add \$44.



**D12012**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US32D
Standard (A)	\$421
Pair Dummy (PD)	203


**+ SEE SMART MODEL PAGE 66**

5 1/2" center to center




## 12022

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>1</sup>/<sub>2</sub>" Width  
2<sup>7</sup>/<sub>8</sub>" Projection




**12022**  
Mortise  
Lockset  
Lever with  
Plates

Function	US32D	PBL PDB PSG PTT
Standard (A)	\$649	\$876
Double Cylinder (AC)	649	876
Panic – Proof (F)	649	876
Storeroom (EW) or Classroom (J)	649	876
Passage (N)	528	792
Privacy (L)	561	825
Pair Dummy (PD)	229	319




**2022**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US32D
Standard (A)	\$621
Double Cylinder (AC)	621
Panic – Proof (F)	621
Storeroom (EW) or Classroom (J)	621
Passage (N)	442
Privacy (L)	564
Pair Dummy (PD)	126



**2022S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US32D
Standard (A)	\$649
Double Cylinder (AC)	649
Panic – Proof (F)	649
Storeroom (EW) or Classroom (J)	649
Passage (N)	461
Privacy (L)	582
Pair Dummy (PD)	159



**D12022**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US32D
Standard (A)	\$451
Pair Dummy (PD)	228

**+ SEE SMART MODEL PRICING PAGE 66**

5 1/2" center to center




Suggested retail prices effective February 1, 2023.

# STAINLESS STEEL




## 12023

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>1</sup>/<sub>2</sub>" Width  
2<sup>5</sup>/<sub>8</sub>" Projection



**12023**  
Mortise  
Lockset  
Lever with  
Plates


Function	US32D
Standard (A)	\$696
Double Cylinder (AC)	696
Panic – Proof (F)	696
Storeroom (EW) or Classroom (J)	696
Passage (N)	575
Privacy (L)	608
Pair Dummy (PD)	280



**2023**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US32D
Standard (A)	\$667
Double Cylinder (AC)	667
Panic – Proof (F)	667
Storeroom (EW) or Classroom (J)	667
Passage (N)	448
Privacy (L)	610
Pair Dummy (PD)	176

For Lever with Square Rose, add \$44.



**D12023**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US32D
Standard (A)	\$495
Pair Dummy (PD)	280


**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center




## 12025

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>1</sup>/<sub>2</sub>" Width  
2<sup>5</sup>/<sub>8</sub>" Projection




**12025**  
Mortise  
Lockset  
Lever with  
Plates

Function	US32D	PBL PDB PSG PTT
Standard (A)	\$718	\$891
Double Cylinder (AC)	718	891
Panic – Proof (F)	718	891
Storeroom (EW) or Classroom (J)	718	891
Passage (N)	597	861
Privacy (L)	630	894
Pair Dummy (PD)	297	385




**2025**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US32D
Standard (A)	\$689
Double Cylinder (AC)	689
Panic – Proof (F)	689
Storeroom (EW) or Classroom (J)	689
Passage (N)	510
Privacy (L)	632
Pair Dummy (PD)	174



**2025S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US32D
Standard (A)	\$718
Double Cylinder (AC)	718
Panic – Proof (F)	718
Storeroom (EW) or Classroom (J)	718
Passage (N)	527
Privacy (L)	651
Pair Dummy (PD)	207



**D12025**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US32D
Standard (A)	\$515
Pair Dummy (PD)	297

**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center



Suggested retail prices effective February 1, 2023.




# STAINLESS STEEL




**12032**

10 9/16" Overall Length  
2 1/2" Width  
2 1/2" Projection




Function	US32D
Standard (A)	\$689
Double Cylinder (AC)	689
Panic – Proof (F)	689
Storeroom (EW) or Classroom (J)	689
Passage (N)	568
Privacy (L)	601
Pair Dummy (PD)	269



Function	US32D
Standard (A)	\$660
Double Cylinder (AC)	660
Panic – Proof (F)	660
Storeroom (EW) or Classroom (J)	660
Passage (N)	481
Privacy (L)	603
Pair Dummy (PD)	152

For Lever with Square Rose, add \$44.



Function	US32D
Standard (A)	\$487
Pair Dummy (PD)	269


**+ SEE SMART MODEL PRICING PAGE 66**

5 1/2" center to center




**12043**

10 9/16" Overall Length  
2 1/2" Width  
2 5/8" Projection




Function	US32D	PBL PDB PSG PTT
Standard (A)	\$718	\$891
Double Cylinder (AC)	718	891
Panic – Proof (F)	718	891
Storeroom (EW) or Classroom (J)	718	891
Passage (N)	597	861
Privacy (L)	630	894
Pair Dummy (PD)	297	385



Function	US32D
Standard (A)	\$689
Double Cylinder (AC)	689
Panic – Proof (F)	689
Storeroom (EW) or Classroom (J)	689
Passage (N)	510
Privacy (L)	632
Pair Dummy (PD)	180

For Lever with Square Rose, add \$44.



Function	US32D
Standard (A)	\$515
Pair Dummy (PD)	297

**+ SEE SMART MODEL PAGE 66**

5 1/2" center to center




Suggested retail prices effective February 1, 2023.

# TRADITIONS




## 11055

10<sup>5</sup>/<sub>8</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>2</sub>" Projection




**11055**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3 US26	US3A SB	US5A	US10B US14	US15
Standard (A)		<b>\$754</b>		<b>\$808</b>	
Double Cylinder (AC)		<b>754</b>		<b>808</b>	
Panic – Proof (F)		<b>754</b>		<b>808</b>	
Storeroom (EW) or Classroom (J)		<b>754</b>		<b>808</b>	
Passage (N)		<b>653</b>		<b>701</b>	
Privacy (L)		<b>695</b>		<b>747</b>	
Pair Dummy (PD)		<b>365</b>		<b>413</b>	



**1055**  
Mortise  
Lockset  
Sectional  
Roses  
(Traditional)  
with Lever

Function	US3 US26	US3A SB	US5A	US10B US14	US15
Standard (A)		<b>\$689</b>		<b>\$732</b>	
Double Cylinder (AC)		<b>689</b>		<b>732</b>	
Panic – Proof (F)		<b>689</b>		<b>732</b>	
Storeroom (EW) or Classroom (J)		<b>689</b>		<b>732</b>	
Passage (N)		<b>550</b>		<b>583</b>	
Privacy (L)		<b>618</b>		<b>659</b>	
Pair Dummy (PD)		<b>224</b>		<b>270</b>	



**D11055**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3 US26	US3A SB	US5A	US10B US14	US15
Standard (A)		<b>\$542</b>		<b>\$602</b>	
Pair Dummy (PD)		<b>379</b>		<b>426</b>	


**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center




## 11432

10<sup>5</sup>/<sub>8</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>7</sup>/<sub>8</sub>" Projection




**11432**  
Mortise  
Lockset  
Knob with  
Plates

Function	US3 US26	US3A SB	US5A	US10B US14	US15
Standard (A)		<b>\$706</b>		<b>\$760</b>	
Double Cylinder (AC)		<b>706</b>		<b>760</b>	
Panic – Proof (F)		<b>706</b>		<b>760</b>	
Storeroom (EW) or Classroom (J)		<b>706</b>		<b>760</b>	
Passage (N)		<b>605</b>		<b>653</b>	
Privacy (L)		<b>647</b>		<b>699</b>	
Pair Dummy (PD)		<b>317</b>		<b>365</b>	



**1432**  
Mortise  
Lockset  
Sectional  
Roses  
(Traditional)  
with Knob

Function	US3 US26	US3A SB	US5A	US10B US14	US15
Standard (A)		<b>\$641</b>		<b>\$684</b>	
Double Cylinder (AC)		<b>641</b>		<b>684</b>	
Panic – Proof (F)		<b>641</b>		<b>684</b>	
Storeroom (EW) or Classroom (J)		<b>641</b>		<b>684</b>	
Passage (N)		<b>502</b>		<b>535</b>	
Privacy (L)		<b>570</b>		<b>611</b>	
Pair Dummy (PD)		<b>180</b>		<b>226</b>	



**D11432**  
Deadbolt  
Lockset  
Knob  
with Plates

Function	US3 US26	US3A SB	US5A	US10B US14	US15
Standard (A)		<b>\$494</b>		<b>\$554</b>	
Pair Dummy (PD)		<b>331</b>		<b>378</b>	

**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center


Suggested retail prices effective February 1, 2023.

# TRADITIONS




## 11442


10<sup>5</sup>/<sub>8</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>2</sub>" Projection



Function	US3	US3A	US5A	US10B	
	US26	US26D	SB	US14	US15
<b>11442</b> Standard (A)			\$692	\$740	
Mortise Lockset			692	740	
Knob with Panic – Proof (F)			692	740	
Storeroom (EW) or Classroom (J)			692	740	
Passage (N)			591	633	
Privacy (L)			633	679	
Pair Dummy (PD)			303	345	



Function	US3	US3A	US5A	US10B	
	US26	US26D	SB	US14	US15
<b>1442</b> Standard (A)			\$627	\$664	
Mortise Lockset			627	664	
Sectional			627	664	
Roses			488	515	
(Traditional) with Knob			556	591	
Pair Dummy (PD)			162	206	




Function	US3	US3A	US5A	US10B	
	US26	US26D	SB	US14	US15
<b>D11442</b> Standard (A)			\$480	\$534	
Deadbolt Lockset			317	358	
Knob with Plates			<b>+ SEE SMART MODEL PRICING PAGE 66</b>		
5 <sup>1</sup> / <sub>2</sub> " center to center					




## 11752


10<sup>5</sup>/<sub>8</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>5</sup>/<sub>8</sub>" Projection



Function	US3	US3A	US5A	US10B	
	US26	US26D	SB	US14	US15
<b>11752</b> Standard (A)			\$668	\$718	
Mortise Lockset			668	718	
Lever with Plates			668	718	
Panic – Proof (F)			668	718	
Storeroom (EW) or Classroom (J)			668	718	
Passage (N)			567	611	
Privacy (L)			609	657	
Pair Dummy (PD)			279	323	



Function	US3	US3A	US5A	US10B	
	US26	US26D	SB	US14	US15
<b>1752</b> Standard (A)			\$603	\$642	
Mortise Lockset			603	642	
Panic – Proof (F)			603	642	
Sectional			603	642	
Roses			464	493	
(Traditional) with Lever			532	542	
Pair Dummy (PD)			140	184	



Function	US3	US3A	US5A	US10B	
	US26	US26D	SB	US14	US15
<b>D11752</b> Standard (A)			\$456	\$512	
Deadbolt Lockset			293	336	
Lever with Plates			<b>+ SEE SMART MODEL PRICING PAGE 66</b>		
5 <sup>1</sup> / <sub>2</sub> " center to center					


Suggested retail prices effective February 1, 2023.

# TRADITIONS



## 11904


10 5/8" Overall Length  
2 3/8" Width  
2 5/8" Projection



### 11904

Mortise Lockset  
Lever with Plates


Function	US3 US5A	US3A US26	US10B US14	US15
Standard (A)		\$720		\$778
Double Cylinder (AC)		720		778
Panic – Proof (F)		720		778
Storeroom (EW) or Classroom (J)		720		778
Passage (N)		619		671
Privacy (L)		661		717
Pair Dummy (PD)		331		383



### 1904

Mortise Lockset  
Sectional Roses (Traditional) with Lever

Function	US3 US5A	US3A US26	US10B US14	US15
Standard (A)		\$655		\$702
Double Cylinder (AC)		655		702
Panic – Proof (F)		655		702
Storeroom (EW) or Classroom (J)		655		702
Passage (N)		516		553
Privacy (L)		584		629
Pair Dummy (PD)		196		304



### D11904

Deadbolt Lockset  
Lever with Plates

Function	US3 US5A	US3A US26	US10B US14	US15
Standard (A)		\$508		\$572
Pair Dummy (PD)		345		396


**+ SEE SMART MODEL PRICING PAGE 66**

5 1/2" center to center



## 24570


10 5/8" Overall Length  
2 7/16" Width  
2 1/2" Projection



### 24570

Mortise Lockset  
Lever with Plates


Function	US3 US5A	US3A US26 SB	US10B US14	US15
Standard (A)		\$783		\$798
Double Cylinder (AC)		783		798
Panic – Proof (F)		783		798
Storeroom (EW) or Classroom (J)		783		798
Passage (N)		667		683
Privacy (L)		688		704
Pair Dummy (PD)		343		391



### 1570

Mortise Lockset  
Sectional Roses (Traditional) with Lever

Function	US3 US5A	US3A US26 SB	US10B US14	US15
Standard (A)		\$672		\$710
Double Cylinder (AC)		672		710
Panic – Proof (F)		672		710
Storeroom (EW) or Classroom (J)		672		710
Passage (N)		520		542
Privacy (L)		588		637
Pair Dummy (PD)		190		240



### D24570

Deadbolt Lockset  
Lever with Plates

Function	US3 US5A	US3A US26 SB	US10B US14	US15
Standard (A)		\$573		\$580
Pair Dummy (PD)		357		\$404

Only available with 3 5/8" center to center.


Suggested retail prices effective February 1, 2023.

# TRADITIONS



## 25430


10 5/8" Overall Length  
2 3/8" Width  
2 3/4" Projection



### 25430

Mortise  
Lockset  
Knob with  
Plates


Function	US3 US26	US3A SB	US10B US14	US15
Standard (A)		<b>\$704</b>		<b>\$742</b>
Double Cylinder (AC)		<b>704</b>		<b>742</b>
Panic – Proof (F)		<b>704</b>		<b>742</b>
Storeroom (EW) or Classroom (J)		<b>704</b>		<b>742</b>
Passage (N)		<b>588</b>		<b>635</b>
Privacy (L)		<b>599</b>		<b>681</b>
Pair Dummy (PD)		<b>305</b>		<b>347</b>



### 1430

Mortise  
Lockset  
Sectional  
Roses  
(Traditional)  
with Knob

Function	US3 US26	US3A SB	US10B US14	US15
Standard (A)		<b>\$651</b>		<b>\$666</b>
Double Cylinder (AC)		<b>651</b>		<b>666</b>
Panic – Proof (F)		<b>651</b>		<b>666</b>
Storeroom (EW) or Classroom (J)		<b>651</b>		<b>666</b>
Passage (N)		<b>494</b>		<b>517</b>
Privacy (L)		<b>578</b>		<b>593</b>
Pair Dummy (PD)		<b>200</b>		<b>232</b>



### D25430

Deadbolt  
Lockset  
Knob  
with Plates

Function	US3 US26	US3A SB	US10B US14	US15
Standard (A)		<b>\$499</b>		<b>\$536</b>
Pair Dummy (PD)		<b>305</b>		<b>360</b>

Only available  
with 3 5/8" center  
to center.

Suggested retail prices effective February 1, 2023.




# ARC



## 11513


10<sup>5</sup>/<sub>8</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>5</sup>/<sub>8</sub>" Projection



### 11513

Mortise Lockset  
Knob with Plates


Function	US3 US26	US3A US26	US4 US14	US10B US15
Standard (A)		\$764		\$820
Double Cylinder (AC)		764		820
Panic – Proof (F)		764		820
Storeroom (EW) or Classroom (J)		764		820
Passage (N)		663		713
Privacy (L)		705		759
Pair Dummy (PD)		375		425



### 1513

Mortise Lockset  
Sectional Roses (Traditional) with Knob

Function	US3 US26	US3A US26	US4 US14	US10B US15
Standard (A)		\$699		\$744
Double Cylinder (AC)		699		744
Panic – Proof (F)		699		744
Storeroom (EW) or Classroom (J)		699		744
Passage (N)		560		595
Privacy (L)		628		671
Pair Dummy (PD)		292		292



### D11513

Deadbolt Lockset  
Knob with Plates

Function	US3 US26	US3A US26	US4 US14	US10B US15
Standard (A)		\$552		\$614
Pair Dummy (PD)		389		438


**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center



## 11753


10<sup>5</sup>/<sub>8</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>7</sup>/<sub>8</sub>" Projection



### 11753

Mortise Lockset  
Lever with Plates


Function	US3 US26	US3A US26	US4 US14	US10B US15
Standard (A)		\$738		\$784
Double Cylinder (AC)		738		784
Panic – Proof (F)		738		784
Storeroom (EW) or Classroom (J)		738		784
Passage (N)		637		677
Privacy (L)		679		723
Pair Dummy (PD)		349		389



### 1753

Mortise Lockset  
Sectional Roses (Traditional) with Lever

Function	US3 US26	US3A US26	US4 US14	US10B US15
Standard (A)		\$673		\$708
Double Cylinder (AC)		673		708
Panic – Proof (F)		673		708
Storeroom (EW) or Classroom (J)		673		708
Passage (N)		534		559
Privacy (L)		602		635
Pair Dummy (PD)		292		292



### D11753

Deadbolt Lockset  
Lever with Plates

Function	US3 US26	US3A US26	US4 US14	US10B US15
Standard (A)		\$526		\$578
Pair Dummy (PD)		363		402

**+ SEE SMART MODEL PRICING PAGE 66**

5<sup>1</sup>/<sub>2</sub>" center to center


Suggested retail prices effective February 1, 2023.

# ARC




## 25508

10<sup>5</sup>/<sub>8</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>3</sup>/<sub>8</sub>" Projection




**25508**  
Mortise  
Lockset  
Knob with  
Plates

Function	US3 US26	US3A US26	US10B US14 US15
Standard (A)		<b>\$764</b>	<b>\$820</b>
Double Cylinder (AC)		<b>764</b>	<b>820</b>
Panic – Proof (F)		<b>764</b>	<b>820</b>
Storeroom (EW) or Classroom (J)		<b>764</b>	<b>820</b>
Passage (N)		<b>663</b>	<b>713</b>
Privacy (L)		<b>705</b>	<b>759</b>
Pair Dummy (PD)		<b>375</b>	<b>425</b>



**1508**  
Mortise  
Lockset  
Sectional  
Roses  
(Traditional)  
with Knob

Function	US3 US26	US3A US26	US10B US14 US15
Standard (A)		<b>\$699</b>	<b>\$744</b>
Double Cylinder (AC)		<b>699</b>	<b>744</b>
Panic – Proof (F)		<b>699</b>	<b>744</b>
Storeroom (EW) or Classroom (J)		<b>699</b>	<b>744</b>
Passage (N)		<b>560</b>	<b>595</b>
Privacy (L)		<b>628</b>	<b>671</b>
Pair Dummy (PD)		<b>292</b>	<b>292</b>



**D25508**  
Deadbolt  
Lockset  
Knob  
with Plates


Function	US3 US26	US3A US26	US10B US14 US15
Standard (A)		<b>\$552</b>	<b>\$614</b>
Pair Dummy (PD)		<b>389</b>	<b>438</b>

Only available  
with 3<sup>5</sup>/<sub>8</sub>" center  
to center.




## 25748

10<sup>5</sup>/<sub>8</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>7</sup>/<sub>8</sub>" Projection




**25748**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3 US26	US3A US26	US10B US14 US15
Standard (A)		<b>\$738</b>	<b>\$784</b>
Double Cylinder (AC)		<b>738</b>	<b>784</b>
Panic – Proof (F)		<b>738</b>	<b>784</b>
Storeroom (EW) or Classroom (J)		<b>738</b>	<b>784</b>
Passage (N)		<b>637</b>	<b>677</b>
Privacy (L)		<b>679</b>	<b>723</b>
Pair Dummy (PD)		<b>349</b>	<b>389</b>



**1748**  
Mortise  
Lockset  
Sectional  
Roses  
(Traditional)  
with Lever

Function	US3 US26	US3A US26	US10B US14 US15
Standard (A)		<b>\$673</b>	<b>\$708</b>
Double Cylinder (AC)		<b>673</b>	<b>708</b>
Panic – Proof (F)		<b>673</b>	<b>708</b>
Storeroom (EW) or Classroom (J)		<b>673</b>	<b>708</b>
Passage (N)		<b>534</b>	<b>559</b>
Privacy (L)		<b>602</b>	<b>635</b>
Pair Dummy (PD)		<b>292</b>	<b>292</b>



**D25748**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3 US26	US3A US26	US10B US14 US15
Standard (A)		<b>\$526</b>	<b>\$578</b>
Pair Dummy (PD)		<b>363</b>	<b>402</b>

Only available  
with 3<sup>5</sup>/<sub>8</sub>" center  
to center.


Suggested retail prices effective February 1, 2023.

# Prodigy




**11895**

10 5/8" Overall Length  
2 3/8" Width  
2 3/4" Projection




**11895**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3	US4	US26	US10B	US14	US15
Standard (A)			<b>\$670</b>		<b>\$710</b>	
Double Cylinder (AC)			<b>670</b>		<b>710</b>	
Panic – Proof (F)			<b>670</b>		<b>710</b>	
Storeroom (EW) or Classroom (J)			<b>670</b>		<b>710</b>	
Passage (N)			<b>569</b>		<b>603</b>	
Privacy (L)			<b>611</b>		<b>649</b>	
Pair Dummy (PD)			<b>281</b>		<b>315</b>	



**1895**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US4	US26	US10B	US14	US15
Standard (A)			<b>\$605</b>		<b>\$634</b>	
Double Cylinder (AC)			<b>605</b>		<b>634</b>	
Panic – Proof (F)			<b>605</b>		<b>634</b>	
Storeroom (EW) or Classroom (J)			<b>605</b>		<b>634</b>	
Passage (N)			<b>466</b>		<b>485</b>	
Privacy (L)			<b>534</b>		<b>561</b>	
Pair Dummy (PD)			<b>180</b>		<b>180</b>	



**D11895**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3	US4	US26	US10B	US14	US15
Standard (A)			<b>\$458</b>		<b>\$504</b>	
Pair Dummy (PD)			<b>295</b>		<b>328</b>	


**+ SEE SMART MODEL PRICING PAGE 66**

5 1/2" center to center




**12912**

10 9/16" Overall Length  
2 3/8" Width  
3" Projection




**12912**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			<b>\$688</b>			<b>\$728</b>	
Double Cylinder (AC)			<b>688</b>			<b>728</b>	
Panic – Proof (F)			<b>688</b>			<b>728</b>	
Storeroom (EW) or Classroom (J)			<b>688</b>			<b>728</b>	
Passage (N)			<b>587</b>			<b>621</b>	
Privacy (L)			<b>629</b>			<b>667</b>	
Pair Dummy (PD)			<b>299</b>			<b>333</b>	




**2912**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			<b>\$623</b>			<b>\$652</b>	
Double Cylinder (AC)			<b>623</b>			<b>652</b>	
Panic – Proof (F)			<b>623</b>			<b>652</b>	
Storeroom (EW) or Classroom (J)			<b>623</b>			<b>652</b>	
Passage (N)			<b>484</b>			<b>503</b>	
Privacy (L)			<b>552</b>			<b>579</b>	
Pair Dummy (PD)			<b>204</b>			<b>204</b>	



**2912S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			<b>\$663</b>			<b>\$697</b>	
Double Cylinder (AC)			<b>663</b>			<b>697</b>	
Panic – Proof (F)			<b>663</b>			<b>697</b>	
Storeroom (EW) or Classroom (J)			<b>663</b>			<b>697</b>	
Passage (N)			<b>516</b>			<b>538</b>	
Privacy (L)			<b>595</b>			<b>624</b>	
Pair Dummy (PD)			<b>204</b>			<b>204</b>	



**D12912**  
Deadbolt  
Lockset  
Lever  
with Plates

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			<b>\$476</b>			<b>\$522</b>	
Pair Dummy (PD)			<b>313</b>			<b>346</b>	

**+ SEE SMART MODEL PRICING PAGE 66**

5 1/2" center to center


*Suggested retail prices effective February 1, 2023.*

# Prodigy




**12925**

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>3</sup>/<sub>4</sub>" Projection




**12925**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			\$688			\$728	
Double Cylinder (AC)			688			728	
Panic – Proof (F)			688			728	
Storeroom (EW) or Classroom (J)			688			728	
Passage (N)			587			621	
Privacy (L)			629			667	
Pair Dummy (PD)			299			333	




**2925**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			\$623			\$652	
Double Cylinder (AC)			623			652	
Panic – Proof (F)			623			652	
Storeroom (EW) or Classroom (J)			623			652	
Passage (N)			484			503	
Privacy (L)			552			579	
Pair Dummy (PD)			204			204	



**2925S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			\$663			\$697	
Double Cylinder (AC)			663			697	
Panic – Proof (F)			663			697	
Storeroom (EW) or Classroom (J)			663			697	
Passage (N)			516			538	
Privacy (L)			595			624	
Pair Dummy (PD)			204			204	



**D12925**  
Deadbolt  
Lockset Lever  
with Plates

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			\$476			\$522	
Pair Dummy (PD)			313			346	


**+** SEE SMART MODEL PRICING PAGE 66

5 1/2" center to center




**12930**

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2 1/2" Projection




**12930**  
Mortise  
Lockset  
Lever with  
Plates

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			\$688			\$728	
Double Cylinder (AC)			688			728	
Panic – Proof (F)			688			728	
Storeroom (EW) or Classroom (J)			688			728	
Passage (N)			587			621	
Privacy (L)			629			667	
Pair Dummy (PD)			299			333	




**2930**  
Mortise  
Lockset  
Sectional  
Roses  
(Round)  
with Lever

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			\$623			\$652	
Double Cylinder (AC)			623			652	
Panic – Proof (F)			623			652	
Storeroom (EW) or Classroom (J)			623			652	
Passage (N)			484			503	
Privacy (L)			552			579	
Pair Dummy (PD)			204			204	



**2930S**  
Mortise  
Lockset  
Sectional  
Roses  
(Square)  
with Lever

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			\$663			\$697	
Double Cylinder (AC)			663			697	
Panic – Proof (F)			663			697	
Storeroom (EW) or Classroom (J)			663			697	
Passage (N)			516			538	
Privacy (L)			595			624	
Pair Dummy (PD)			204			204	



**D12930**  
Deadbolt  
Lockset Lever  
with Plates

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			\$476			\$522	
Pair Dummy (PD)			313			346	

**+** SEE SMART MODEL PRICING PAGE 66

5 1/2" center to center


*Suggested retail prices effective February 1, 2023.*

# Prodigy




## 12935

10<sup>9</sup>/<sub>16</sub>" Overall Length  
2<sup>3</sup>/<sub>8</sub>" Width  
2<sup>3</sup>/<sub>4</sub>" Projection




### 12935 Mortise Lockset Knob with Plates

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			<b>\$708</b>			<b>\$748</b>	
Double Cylinder (AC)			<b>708</b>			<b>748</b>	
Panic – Proof (F)			<b>708</b>			<b>748</b>	
Storeroom (EW) or Classroom (J)			<b>708</b>			<b>748</b>	
Passage (N)			<b>607</b>			<b>641</b>	
Privacy (L)			<b>649</b>			<b>687</b>	
Pair Dummy (PD)			<b>329</b>			<b>353</b>	




### 2935 Mortise Lockset Sectional Roses (Round) with Knob

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			<b>\$643</b>			<b>\$672</b>	
Double Cylinder (AC)			<b>643</b>			<b>672</b>	
Panic – Proof (F)			<b>643</b>			<b>672</b>	
Storeroom (EW) or Classroom (J)			<b>643</b>			<b>672</b>	
Passage (N)			<b>504</b>			<b>523</b>	
Privacy (L)			<b>572</b>			<b>599</b>	
Pair Dummy (PD)			<b>204</b>			<b>204</b>	



### 2935S Mortise Lockset Sectional Roses (Square) with Knob

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			<b>\$683</b>			<b>\$717</b>	
Double Cylinder (AC)			<b>683</b>			<b>717</b>	
Panic – Proof (F)			<b>683</b>			<b>717</b>	
Storeroom (EW) or Classroom (J)			<b>683</b>			<b>717</b>	
Passage (N)			<b>536</b>			<b>558</b>	
Privacy (L)			<b>615</b>			<b>644</b>	
Pair Dummy (PD)			<b>204</b>			<b>204</b>	



### D12935 Deadbolt Lockset Knob with Plates

Function	US3	US4	US26	US26D	US10B	US14	US15
Standard (A)			<b>\$496</b>			<b>\$542</b>	
Pair Dummy (PD)			<b>323</b>			<b>366</b>	

**+ SEE SMART MODEL PAGE 66**

5 1/2" center to center

Suggested retail prices effective February 1, 2023.




# CLASSICO



**53059** Mortise Lockset  
Knob with Plates

13<sup>7</sup>/<sub>8</sub>" Overall Length  
2<sup>7</sup>/<sub>8</sub>" Width  
2<sup>1</sup>/<sub>8</sub>" Projection

Function	BAS D ETR	BPS
Standard (A)	\$1,155	\$1,207
Panic – Proof (F)	1,155	1,207
Passage (N)	994	1,042
Single Dummy (SD)	369	393



**57251** Mortise Lockset  
Lever with Plates

14" Overall Length  
3" Width  
2<sup>3</sup>/<sub>8</sub>" Projection

Function	BAS D ETR	BPS
Standard (A)	\$1,155	\$1,207
Panic – Proof (F)	1,155	1,207
Passage (N)	994	1,042
Single Dummy (SD)	369	393

**BAS** = Siena Brass, Lacquered  
**BPS** = Venetian Nickel, Lacquered  
**D** = Florentine Brass, Lacquered  
**ETR** = Etruscan Bronze, Lacquered

*Suggested retail prices effective February 1, 2023.*

# OMNIA + level

The Beauty of OMNIA with Invisible Smart Technology

Powered by  level



In an industry first, **OMNIA+level** locks bring together iconic designs with the latest smart conveniences. You can now find the perfect lock for any home – without compromising style for smarts. Powered by the Bolt invisible smart lock, the **OMNIA+level** line brings all-new possibilities to some of our best selling locks.



# OMNIA +

## Smart Auxiliary Deadbolts

Auxiliary deadbolts have an adjustable backset, only for 1<sup>3</sup>/<sub>4</sub>" thick doors or thicker.  
All sets provided with US32D faceplate.

### L.COLDBA



Description/Function

**L.COLDBA**  
2<sup>1</sup>/<sub>2</sub>" dia.  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

US3	US3A	US4
US5A	US10B	
US14	US15	US26
<b>\$569</b>		

### L.MODDBA



Description/Function

**L.MODDBA**  
2<sup>5</sup>/<sub>8</sub>" dia.  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

US3	US4	US10B
US14	US15	
US26	US26D	
<b>\$569</b>		

### L.TRADDBA



Description/Function

**L.TRADDBA**  
2<sup>5</sup>/<sub>8</sub>" dia.  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

US3	US4	US10B
US14	US15	US26
<b>\$569</b>		

### L.D9000A



Description/Function

**L.D9000A**  
2<sup>1</sup>/<sub>2</sub>" dia.  
(covers 2<sup>1</sup>/<sub>8</sub>" hole)

US32D	PBL	PDB
	PSG	PTT
<b>\$651</b>		<b>\$781</b>

*Suggested retail prices effective February 1, 2023.*

# OMNIA + level

## Smart Deadbolt Locksets with Plates

All sets provided with US32D faceplate.

### L.D11752



Description

**L.D11752**

5 1/2" Center to Center  
10 5/8" Length x 2 3/8" Width x 2 5/8" Projection

US3 US5A US10B  
US15 US26

**\$847**

### L.D12012



Description

**L.D12012**

5 1/2" Center to Center  
10 9/16" Length x 2 1/2" Width x 3" Projection

US32D

**\$847**

### L.D12043



Description

**L.D12043**

5 1/2" Center to Center  
10 9/16" Length x 2 1/2" Width x 2 5/8" Projection

US32D

**\$847**

### L.D12935



Description

**L.D12935**

5 1/2" Center to Center  
10 9/16" Length x 2 3/8" Width x 2 3/4" Projection

US3 US4 US10B US14  
US15 US26 US26D

**\$847**

### L.D12943



Description

**L.D12943**

5 1/2" Center to Center  
10 9/16" Length x 2 3/8" Width x 2 5/8" Projection

US3 US4 US10B  
US14 US15  
US26 US26D

**\$847**

*Suggested retail prices effective February 1, 2023.*

# OMNIA + level

## Smart Entrance Handlesets

Only for 1<sup>3</sup>/<sub>4</sub>" thick doors or thicker. All sets provided with US32D faceplate.



L.METRO.F043



Description US32D  
**L.METRO.F043** \$999  
**Tubular Deadbolt**  
**Lockset**  
5 1/2" Center to Center



L.URBAN.F012



Description US32D BLACK  
**L.URBAN.F012** \$999 \$1,149  
**Tubular Deadbolt**  
**Lockset**  
5 1/2" Center to Center

*Suggested retail prices effective February 1, 2023.*




# NARROW BACKSET LOCKSETS

## Solid Brass Trim

OMNIA's narrow backset mortise locksets are ideal for use wherever a slim, elegant look is desired. In addition to enhancing any setting where they are employed, these slender designs provide superlative security with a standard mortise cylinder lock. This lock can also be used with OMNIA's standard thru-bolting roses. A perfect blending of classic style in a range of finishes, combined with American made reliability.





## 60231

11<sup>7</sup>/<sub>16</sub>" Overall Length  
1<sup>3</sup>/<sub>4</sub>" Width  
2<sup>7</sup>/<sub>16</sub>" Projection

### Function

Standard (A) with rocker  
Entry (B) without rocker  
Double Cylinder (AC) with rocker  
Double Cylinder (BAC) without rocker  
Passage (N)  
Privacy (L)  
Pair Dummy (PD)

### US3

**\$1,139**  
**1,139**  
**1,159**  
**1,159**  
**891**  
**1,030**  
**456**

### SB

**\$1,183**  
**1,183**  
**1,203**  
**1,203**  
**928**  
**1,070**  
**470**



## 60251

11<sup>7</sup>/<sub>16</sub>" Overall Length  
1<sup>3</sup>/<sub>4</sub>" Width  
2<sup>3</sup>/<sub>8</sub>" Projection

### Function

Standard (A) with rocker  
Entry (B) without rocker  
Double Cylinder (AC) with rocker  
Double Cylinder (BAC) without rocker  
Passage (N)  
Privacy (L)  
Pair Dummy (PD)

### US3

**\$1,179**  
**1,179**  
**1,197**  
**1,197**  
**932**  
**1,072**  
**498**

### SB

**\$1,228**  
**1,228**  
**1,246**  
**1,246**  
**971**  
**1,114**  
**522**

*Suggested retail prices effective February 1, 2023.*



## 64036

8 1/4" Overall Length  
2" Width  
2 1/2" Projection

Function	US3	US26 SB	US108 US15
Standard (A) with rocker	<b>\$927</b>	<b>\$952</b>	<b>\$1,020</b>
Entry (B) without rocker	<b>927</b>	<b>952</b>	<b>1,020</b>
Double Cylinder (AC) with rocker	<b>950</b>	<b>975</b>	<b>1,042</b>
Double Cylinder (BAC) without rocker	<b>950</b>	<b>975</b>	<b>1,042</b>
Passage (N)	<b>715</b>	<b>729</b>	<b>787</b>
Privacy (L)	<b>813</b>	<b>832</b>	<b>895</b>
Pair Dummy (PD)	<b>305</b>	<b>305</b>	<b>355</b>



## 65752

9 1/2" Overall Length  
1 9/16" Width  
2 5/8" Projection

Function	US3	US26 SB	US15
Standard (A) with rocker	<b>\$927</b>	<b>\$952</b>	<b>\$963</b>
Entry (B) without rocker	<b>927</b>	<b>952</b>	<b>963</b>
Double Cylinder (AC) with rocker	<b>950</b>	<b>975</b>	<b>986</b>
Double Cylinder (BAC) without rocker	<b>950</b>	<b>975</b>	<b>986</b>
Passage (N)	<b>715</b>	<b>729</b>	<b>743</b>
Privacy (L)	<b>813</b>	<b>832</b>	<b>841</b>
Pair Dummy (PD)	<b>216</b>	<b>227</b>	<b>242</b>

*Suggested retail prices effective February 1, 2023.*



65895

9 1/2" Overall Length  
1 9/16" Width  
2 3/4" Projection

Function	US3	US26 SB	US15
Standard (A) with rocker	\$927	\$952	\$963
Entry (B) without rocker	927	952	963
Double Cylinder (AC) with rocker	950	975	986
Double Cylinder (BAC) without rocker	950	975	986
Passage (N)	715	729	743
Privacy (L)	813	832	841
Pair Dummy (PD)	216	227	242

All shown trim can also be used with 2 1/2" and 2 3/4" backset mortise locks.

Suggested retail prices effective February 1, 2023.

# POCKET DOOR HARDWARE

Solid Brass or Stainless Steel Trim



OMNIA's solid brass and stainless steel pocket door hardware is ideal for bedroom and bathroom installations. Modern and traditional trim designs complement any décor and either feature concealed mounting screws or are force fit.

The collection includes locking and non-locking configurations featuring push button ejected mortise edge pulls with spring assistance. Privacy is achieved with either a butterfly deadbolt, or a hook bolt. Most trim styles are also available as flushcups for use on pocket, barn and sliding doors.



# Pocket Door Locks & Flushcups

## Lockbodies

1130 1230 1330

Lockbodies for pocket doors are available as part of the sets shown on pages 73-74.

**1130/L**  
Privacy  
or Entry  
with  
Faceplate  
and Strike  
**\$300**




**1230/N**  
Passage  
with  
Faceplate  
and Strike  
**\$222**




**1330/PD**  
Pair  
Dummy  
with  
Faceplate  
Only  
**\$262**




## 7035



Flushcup  
Only  
**7035/O**  
**\$103**




Flushcups (2)  
with 1230/N  
**7035/N**  
**\$412**



Flushcups (2)  
with 1330/PD  
**7035/PD**  
**\$454**




Interior Turnpiece &  
Exterior Emergency Release  
**7035/L (with 1130/L)**  
**\$524**



Interior Turnpiece &  
Exterior Keyed Entry  
**7035/A (with 1130/L)**  
**\$597**

## 7036



Flushcup  
Only  
**7036/O**  
**\$79**



Flushcups (2)  
with 1230/N  
**7036/N**  
**\$385**



Flushcups (2)  
with 1330/PD  
**7036/PD**  
**\$424**



Interior Turnpiece &  
Exterior Emergency Release  
**7036/L (with 1130/L)**  
**\$492**

PRICING SHOWN ABOVE ARE FOR ANY OF THESE AVAILABLE FINISHES.




Suggested retail prices effective February 1, 2023.

\* /O = Flushcup Only /N = Passage Lockbody & 2 Flushcups /PD = Pair Dummy Lockbody & 2 Flushcups /L = Lockbody & Turnpiece w/ Emergency Release /A = Lockbody & Turnpiece w/ Keyed Entry

# Pocket Door Locks & Flushcups

## 7037

Overall Depth 7/16"



Flushcup  
Only  
**7037/0**  
**\$103**




Flushcups (2)  
with 1230/N  
**7037/N**  
**\$412**



Flushcups (2)  
with 1330/PD  
**7037/PD**  
**\$454**




Interior Turnpiece &  
Exterior Emergency Release  
**7037/L (with 1130/L)**  
**\$524**



Interior Turnpiece &  
Exterior Keyed Entry  
**7037/A (with 1130/L)**  
**\$597**

## 7039

Overall Depth 7/16"



Flushcup  
Only  
**7039/0**  
**\$103**



Flushcups (2)  
with 1230/N  
**7039/N**  
**\$412**



Flushcups (2)  
with 1330/PD  
**7039/PD**  
**\$454**



Interior Turnpiece &  
Exterior Emergency Release  
**7039/L (with 1130/L)**  
**\$524**




Interior Turnpiece &  
Exterior Keyed Entry  
**7039/A (with 1130/L)**  
**\$597**

PRICING SHOWN ABOVE ARE FOR ANY OF THESE AVAILABLE FINISHES.



## 7012 **US32D ONLY**

Overall Depth 1/2"



Flushcup  
Only  
**7012/0**  
**\$79**



Flushcups (2)  
with 1230/N  
**7012/N**  
**\$385**



Flushcups (2)  
with 1330/PD  
**7012/PD**  
**\$424**



Interior Turnpiece &  
Exterior Emergency Release  
**7012/L (with 1130/L)**  
**\$471**


7012 is only available in US32D for 1 3/4" thick doors. Trim features exposed screws.

Suggested retail prices effective February 1, 2023.

\*/0 = Flushcup Only /N = Passage Lockbody & 2 Flushcups /PD = Pair Dummy Lockbody & 2 Flushcups /L = Lockbody & Turnpiece w/ Emergency Release /A = Lockbody & Turnpiece w/ Keyed Entry

## Stainless Steel Pocket Door Lock & Trim

3910



**Finger Edge Pull**

1 1/8" diameter or square (outside)  
1" diameter (inside)  
7/8" deep

3911



Round or Square Trim

**US32D**  
**\$150**

Lockbody: 3 15/16" h x 2 11/16" w  
Faceplate: 6 5/16" h x 5/8" w  
Strike: 3 3/16" h x 1 1/16" w  
Backset: 2"

## Solid Brass Pocket Door Lock & Trim

3910S



2 3/16"

3911S



2 3/16"

Round or Square Trim

**US3, US26, SB, US10B, US14, US15,**  
**\$258**

Lockbody: 3 15/16" h x 2 5/8" w  
Faceplate: 6 1/4" h x 3/4" w  
Strike: 3 9/16" h x 3/4" w  
Backset: 2"  
Finger Edge Pull: 2 1/4" h x 1" w x 7/8" d

## Door Edge Pulls

3917

Finger Pull



**US3**  
**US10B**  
**US14**  
**US15**  
**US26**  
**SB**  
**\$20**

3918

Finger Pull



**US32D**  
**\$20**

3919

Finger Pull



**US32D**  
**\$20**

7503/52

Flushcup



**US3, US10B, US14, US15, US26, SB**

**\$51**

**US32D**  
**\$16**

7504/52

Flushcup



**US3, US10B, US14, US15, US26, SB**

**\$51**

**US32D**  
**\$16**

7653

Edge Pull



**US3**  
**US10B**  
**US14**  
**US15**  
**US26**  
**SB**  
**\$42**

*Suggested retail prices effective February 1, 2023.*

# MULTIPOINT TRIM

Solid Brass & Stainless Steel




OMNIA's multipoint trim offers a high-end alternative to the basic trim that comes standard on swinging patio doors. Manufactured using the highest quality brass and stainless steel, the design options complement any aesthetic, be it traditional, modern or ornate.

All of OMNIA's multipoint trim is available in multiple lock configurations: American Cylinder Above (ACA), American Cylinder Below (ACB) and European Cylinder Below (ECB). This line allows for the opportunity to match OMNIA trim on a wider array of interior and exterior doors throughout residential projects.



# 71000 Series




			ACA/ACB Entrance	ECB Entrance	ACA/ACB Patio	ECB Patio	ACA/ACB/ECB Pair Dummy Active (Interior) or Inactive
 <p><b>71055</b> 9<sup>5</sup>/<sub>8</sub>" Overall Specify RH or LH.</p>	US3	\$428	\$523	\$337	\$442	\$313	
	US3A	428	523	337	442	313	
	US5A	493	591	393	502	363	
	US10B	493	591	393	502	363	
	US14	493	591	393	502	363	
	US15	493	591	393	502	363	
	SB	493	591	393	502	363	
 <p><b>71706</b> 9<sup>5</sup>/<sub>8</sub>" Overall</p>	US3	\$373	\$479	\$302	\$398	\$265	
	US3A	373	479	302	398	265	
	US5A	438	548	358	458	321	
	US10B	438	548	358	458	321	
	US14	438	548	358	458	321	
	US15	438	548	358	458	321	
 <p><b>71752</b> 9<sup>5</sup>/<sub>8</sub>" Overall</p>	US3	\$373	\$479	\$302	\$398	\$265	
	US3A	373	479	302	398	265	
	US5A	438	548	358	458	321	
	US10B	438	548	358	458	321	
	US14	438	548	358	458	321	
	US15	438	548	358	458	321	
 <p><b>71895</b> 9<sup>5</sup>/<sub>8</sub>" Overall Specify RH or LH.</p>	US3	\$373	\$479	\$302	\$398	\$265	
	US10B	438	548	358	458	321	
	US14	438	548	358	458	321	
	US15	438	548	358	458	321	
	SB	438	548	358	458	321	
 <p><b>71904</b> 9<sup>5</sup>/<sub>8</sub>" Overall</p>	US3	\$399	\$504	\$327	\$423	\$267	
	US3A	399	504	327	423	267	
	US5A	465	575	384	483	314	
	US10B	465	575	384	483	314	
	US14	465	575	384	483	314	
	US15	465	575	384	483	314	
 <p><b>71944</b> 9<sup>5</sup>/<sub>8</sub>" Overall</p>	US3	\$399	\$504	\$327	\$423	\$271	
	US3A	399	504	327	423	271	
	US5A	465	575	384	483	317	
	US10B	465	575	384	483	317	
	US14	465	575	384	483	317	
	US15	465	575	384	483	317	

All trim available as ACA, ACB, or ECB. Additional lever designs are available for use with all plates.

Suggested retail prices effective February 1, 2023.



# 72000 Series




			ACA/ACB Entrance	ECB Entrance	ACA/ACB Patio	ECB Patio	ACA/ACB/ECB Pair Dummy Active (Interior) or Inactive
	<b>72036</b>	US26	\$372	\$477	\$303	\$398	\$270
	9 <sup>13</sup> / <sub>16</sub> " Overall	US26D	372	477	303	398	270
		US10B	423	529	349	445	310
		US15	423	529	349	445	310
	<b>72042</b>	US26	\$372	\$472	\$303	\$398	\$270
	9 <sup>13</sup> / <sub>16</sub> " Overall	US26D	372	472	303	398	270
	Specify RH or LH.	US10B	423	529	349	445	310
		US15	423	529	349	445	310
	<b>72227</b>	US26	\$434	\$536	\$330	\$447	\$330
	9 <sup>13</sup> / <sub>16</sub> " Overall	US26D	434	536	330	447	330
	Specify RH or LH.	US10B	493	589	366	500	380
		US15	493	589	366	500	380
	<b>72368</b>	US26	\$372	\$472	\$303	\$398	\$270
	9 <sup>13</sup> / <sub>16</sub> " Overall	US26D	372	472	303	398	270
		US10B	423	529	349	445	310
		US15	423	529	349	445	310
	<b>72914</b>	US26	\$438	\$539	\$368	\$462	\$334
	9 <sup>13</sup> / <sub>16</sub> " Overall	US26D	438	539	368	462	334
		US10B	497	602	421	517	383
		US15	497	602	421	517	383
	<b>72943</b>	US26	\$387	\$449	\$317	\$411	\$283
	9 <sup>13</sup> / <sub>16</sub> " Overall	US26D	387	449	317	411	283
		US10B	438	543	362	457	323
		US15	438	543	362	457	323

All trim available as ACA, ACB, or ECB. Additional lever designs are available for use with all plates.

Suggested retail prices effective February 1, 2023.

# 73000 Series



**ACA/ACB  
Entrance**

**ECB  
Entrance**

**ACA/ACB  
Patio**

**ECB  
Patio**

**ACA/ACB/ECB  
Pair Dummy  
Inactive**



**73011**  
11" Overall

**US32D**

**\$354**

**\$294**

**\$236**

**\$258**

**\$180**



**73012**  
11" Overall

**US32D**

**\$354**

**\$294**

**\$236**

**\$258**

**\$180**



**73023**  
11" Overall

**US32D**

**\$428**

**\$370**

**\$309**

**\$335**

**\$254**



**73025**  
11" Overall

**US32D**

**\$447**

**\$390**

**\$327**

**\$354**

**\$273**



**73033**  
11" Overall

**US32D**

**\$423**

**\$367**

**\$305**

**\$335**

**\$250**



**73043**  
11" Overall

**US32D**

**\$447**

**\$340**

**\$327**


**\$354**

**\$273**

All trim available as ACA, ACB, or ECB. Additional lever designs are available for use with all plates.

*Suggested retail prices effective February 1, 2023.*

# 74000 Series



**ACA/ACB  
Entrance**

**ECB  
Entrance**

**ACA/ACB  
Patio**

**ECB  
Patio**

**ACA/ACB/ECB  
Pair Dummy Active  
(Interior) or Inactive**



**74036**  
10 5/8" Overall

US26	\$372	\$472	\$303	\$398	\$270
US26D	372	472	303	398	270
US4	423	529	349	445	310
US5	423	529	349	445	310
US10B	423	529	349	445	310
US15	423	529	349	445	310



**74237**  
10 5/8" Overall

US26	\$372	\$472	\$303	\$398	\$270
US26D	372	472	303	398	270
US4	423	529	349	445	310
US5	423	529	349	445	310
US10B	423	529	349	445	310
US15	423	529	349	445	310



**74368**  
10 5/8" Overall

US26	\$372	\$472	\$303	\$398	\$270
US26D	372	472	303	398	270
US4	423	529	349	445	310
US5	423	529	349	445	310
US10B	423	529	349	445	310
US15	423	529	349	445	310



**74753**  
10 5/8" Overall

US26	\$413	\$475	\$343	\$437	\$309
US26D	413	475	343	437	309
US4	464	569	388	483	349
US5	464	569	388	483	349
US10B	464	569	388	483	349
US15	464	569	388	483	349



**74914**  
10 5/8" Overall

US26	\$438	\$539	\$368	\$462	\$334
US26D	438	539	368	462	334
US4	497	602	421	517	383
US5	497	602	421	517	383
US10B	497	602	421	517	383
US15	497	602	421	517	383



**74943**  
10 5/8" Overall

US26	\$387	\$449	\$317	\$411	\$283
US26D	387	449	317	411	283
US4	438	543	362	457	323
US5	438	543	362	457	323
US10B	438	543	362	457	323
US15	438	543	362	457	323

All trim available as ACA, ACB, or ECB. Additional lever designs are available for use with all plates.

Suggested retail prices effective February 1, 2023.



# ENTRANCE HANDLESETS

Solid Brass or Stainless Steel Trim

OMNIA Entrance Handlesets, an unparalleled collection crafted with uncompromising quality, make for a grand entrance. The mortise lock offers the best security features to be had, and is available in several locking functions, with 2½" or 2¾" backsets. The tubular deadbolt handlesets are for use on doors with 5½" center-to-center holes, at 2¾" backset and 2¾" backset.

Whether modern, traditional or ornate in style, each and every OMNIA Entrance Handleset is beautifully designed and constructed of the finest materials. At OMNIA, design and safety are not exclusive from each other.

**Certain models of OMNIA Metro and Urban Entrance Handlesets are available as OMNIA + level smart locks. See page 67 for details.**












# CLASSICO










## AMAGANSETT



		Function	US3 SB	US15	BAS D ETR	BPS
340	 Interior	Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,731 1,191	\$1,847 1,243
059		Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,588 1,183		\$1,731 1,191	\$1,847 1,243
251		Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,599 1,194	\$1,599 1,194	\$1,731 1,191	\$1,847 1,243
260		Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,682 1,277	\$1,682 1,277	\$1,788 1,248	\$1,910 1,306
305		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,745 1,205	\$1,861 1,257
309		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,731 1,191	\$1,847 1,243
331		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,788 1,248	\$1,910 1,306
332		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,745 1,205	\$1,861 1,257
425		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,731 1,191	\$1,847 1,243

## GEORGICA



		Function	US3 SB	US15	BAS D ETR	BPS
251	 Interior	Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,382 1,009	\$1,382 1,009	\$1,522 938	\$1,632 1,029
059		Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,371 998		\$1,522 938	\$1,632 1,029
260		Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,465 1,092	\$1,465 1,092	\$1,579 995	\$1,695 1,092
305		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,536 952	\$1,646 1,043
309		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,522 938	\$1,632 1,029
331		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,579 995	\$1,695 1,092
332		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,536 952	\$1,646 1,043
340		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,522 938	\$1,632 1,029
425		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,536 952	\$1,646 1,043

Suggested retail prices effective February 1, 2023.

# Stainless Steel Urban Tubular Deadbolt Handleset



## URBAN

Tubular Deadbolt Lockset  
5 1/2" Center to Center

### Interior Trim with 12 Lever

Function*	US32D
F	\$603
PD	297
SDE	216
SDI	88

+ SEE SMART MODEL PAGE 67

**L.URBAN.F012** \$999  
with Invisible  
Smart Technology

### Interior Trim with 43 Lever

Function*	US32D
F	\$654
PD	349
SDE	216
SDI	139



## URBAN PVD

Tubular Deadbolt Lockset  
5 1/2" Center to Center

### Interior Trim with 10 & 12 Lever

Function*	BLACK
F	\$723

+ SEE SMART MODEL PAGE 67

**L.URBAN.F012** \$1,149  
with Invisible  
Smart Technology

### Interior Trim with 22 Lever

Function*	BLACK
F	\$761

### Interior Trim with 25 & 43 Lever

Function*	BLACK
F	\$831

\*F = Panic-Proof PD = Pair Dummy SDE = Single Dummy Exterior SDI = Single Dummy Interior

Suggested retail prices effective February 1, 2023.

# Stainless Steel Metro Tubular Deadbolt Handleset



## METRO

Tubular Deadbolt Lockset  
5½" Center to Center

### Interior Trim with 11 Lever



Function*	US32D
F	\$588
PD	262
SDE	188
SDI	81

### Interior Trim with 12 Lever



Function*	US32D
F	\$588
PD	262
SDE	188
SDI	81

### Interior Trim with 43 Lever



Function*	US32D
F	\$635
PD	309
SDE	188
SDI	128

**+ SEE SMART MODEL PAGE 67**

**L.METRO.F043** \$999  
with Invisible  
Smart Technology

\*F = Panic-Proof PD = Pair Dummy SDE = Single Dummy Exterior SDI = Single Dummy Interior

Suggested retail prices effective February 1, 2023.

# HINGES

## Solid Brass



Designed for medium-weight doors, of average and low-frequency usage, these solid brass hinges are suitable for both light commercial and residential installations. Ideal for use on wood or hollow metal doors and their corresponding frames, our hinges feature a stainless steel, rust-proof pin which is knurled at the top to prevent rising, yet is “free-floating” within the barrel of the hinge. The pin can be easily removed by unthreading each finial and tapping the pin upward. Each hinge set is shipped with standard button tips. Other finial designs are available and are compatible with all hinges regardless of size.



# Solid Brass Hinges

## 985BB



**SINGLE PIECE Pricing**

**985BB/4BTN**

4" x 4" (open size)  
ball bearing,  
button tip hinge

Gauge of Metal	No. of Screw Holes Per Hinge	No. of Hinges Per Box	US3 US10B US26	US4 US14 US26D	US5 US15 SB
.130	8	2		<b>\$67</b>	

*Please specify if machine screws are needed.*



**985BB/45BTN**

4 1/2" x 4 1/2" (open size)  
ball bearing,  
button tip hinge

.134	8	2		<b>\$74</b>	
------	---	---	--	-------------	--

*Please specify if machine screws are needed.*

**Note: Doors equipped with closers should always have ball bearing hinges.**

## 985



**SINGLE PIECE Pricing**

**985/35BTN**

3 1/2" x 3 1/2" (open size)  
plain bearing,  
button tip hinge

Gauge of Metal	No. of Screw Holes Per Hinge	No. of Hinges Per Box	US3 US10B US26	US4 US14 US26D	US5 US15 SB
.123	6	2		<b>\$51</b>	

*Please specify if machine screws are needed.*



**985/4BTN**

4" x 4" (open size)  
plain bearing,  
button tip hinge

.130	8	2		<b>\$60</b>	
------	---	---	--	-------------	--

*Please specify if machine screws are needed.*



**985/45BTN\***

4 1/2" x 4 1/2" (open size)  
plain bearing,  
button tip hinge

.134	8	2		<b>\$69</b>	
------	---	---	--	-------------	--

*Please specify if machine screws are needed.*

*\*Not available in US3A, US5A, US10B and US14 finishes.*

**Note: Doors equipped with closers should always have ball bearing hinges.**

## 985R (5/8" radius)



**SINGLE PIECE Pricing**

**985R/35BTN**

3 1/2" x 3 1/2" (open size)  
5/8" radius corner, plain  
bearing, button tip hinge

Gauge of Metal	No. of Screw Holes Per Hinge	No. of Hinges Per Box	US3 US10B US15	US4 US14 US26	US5 US26
.093	6	2		<b>\$51</b>	



**985R/4BTN**

4" x 4" (open size)  
5/8" radius corner, plain  
bearing, button tip hinge

.093	8	2		<b>\$60</b>	
------	---	---	--	-------------	--

*Suggested retail prices effective February 1, 2023.*



# Solid Brass Finial Options



**Steeple Crown Ball Acorn Urn**

**(PAIR Pricing)**

**US3 US3A US4 US5A  
US10B US14 US15  
US26 US26D SB**

**Product # Description**



**085/ACN2 Acorn Finial Pair**

**\$19**



**085/BAL2 Ball Finial Pair**

**\$19**



**085/CRN2 Crown Finial Pair**

**\$19**



**085/STP2 Steeple Finial Pair**

**\$19**



**085/URN2 Urn Finial Pair**

**\$19**

*Suggested retail prices effective February 1, 2023.*

# Solid Brass Cremone Bolts

432CR



Set includes a knob with 5" h x 1 1/2" w x 1/2" d cremone mechanism, a bottom rod of 40" and a top rod of 72", plus a set of three guides and two strikes. Specify either mortise, universal, or endpiece strike.

**US3**  
**\$369**

123



**Mortise Strike**  
**US3**  
**\$15**

242



**Guide or Endpiece Strike**  
**US3**  
**\$13**

124



**Universal Strike**  
**US3**  
**\$16**

2057



Furnished with knob and 7 3/16" h x 1 1/2" w x 5/8" d cremone mechanism, a bottom rod of 40" and a top rod of 72", plus a set of four guides (two large and two small), and two strikes (one endpiece strike and one mortise strike).

**US3**  
**\$1,188**



**Guide or Endpiece Strike**  
**US3**  
**\$70**



**Large Guide**  
**US3**  
**\$116**



**123 Mortise Strike**  
**US3**  
**\$15**

4100



**Slide Bolt**

	<b>US3</b>	<b>SB</b>
<b>4100/B</b> 14 1/4" oa. 1" throw 1 3/4" w	<b>\$383</b>	<b>\$394</b>
<b>4100/D</b> 10 5/8" oa. 1" throw 1 3/4" w	<b>\$366</b>	<b>\$378</b>

*Suggested retail prices effective February 1, 2023.*

OMNIA

PRODUCT DATA  
& HOW-TO-ORDER

# MODERN Latchsets Product Data

FOR PRODUCTS  
SHOWN ON  
PAGES 5-10.

## Knob & Lever Latchsets

- Will fit 2 1/8" bore.
- For residential and commercial use.  
*Consult with OMNIA for commercial applications.*
- 2 3/8" and 2 3/4" backsets available.
- Supplied for 2 3/8" backset and 1 3/8" door thickness unless otherwise specified.
- All lever latchsets meet ADA accessibility requirements.
- Each set consists of solid brass knobs or levers, concealed screw finished roses, metal thru-bolting rose cassette, latch, strike, dust box, faceplate, spindle, all necessary mounting screws, installation template and instructions.

## Concealed Screw Roses

Modern	2 9/16" dia. x 3/8" proj.
Square	2 9/16" sq. x 7/16" proj.
Modern 50	2" dia. x 3/8" proj.
Square 50	2" sq. x 3/8" proj.

## Tubular Latch Features

- All dimensions are standard to fit existing bores for replacement installations.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No. 013 "T" strike supplied as a standard or No. 014 "Full Lip" strike as an option. No. 019 4 7/8" ASA strike also available (**add \$15 to cost of latchset**). Specify when ordering.
- Critical interior parts are made of solid brass.
- For over fifty-five years OMNIA's latches have been opening and closing millions of doors all around the world.
- 28° rotation to retract latch.



## Knob Latches

105KPA38:	2 3/8" backset, passage knob latch
105KPA34:	2 3/4" backset, passage knob latch
106KPR38:	2 3/8" backset, privacy knob latch
106KPR34:	2 3/4" backset, privacy knob latch


## Lever Latches

105LPA38:	2 3/8" backset, passage lever latch
105LPA34:	2 3/4" backset, passage lever latch
106LPR38:	2 3/8" backset, privacy lever latch
106LPR34:	2 3/4" backset, privacy lever latch

*The above part numbers should be used when ordering latch only. Specify finish of faceplate.*




All OMNIA lever latchsets meet ADA accessibility requirements.



SPECIFY 2 3/8" OR 2 3/4" BACKSET.

DRAWINGS NOT TO SCALE



# MODERN Latchsets Product Data

## Functions

- **PA – Passage:** Latch operates by lever (or knob) from either side of door.
  - **PR – Privacy:** Latch operates by lever from either side of door. Push button on interior rose engages privacy; emergency release hole is on exterior rose. Turning inside lever will release privacy and retract latchbolt. For bathroom or bedroom.
  - **SD – Single Dummy:** Lever trim on one side of the door only. Surface mounted. For pair dummy, order two single dummies.
- (SEE PD & SD ILLUSTRATIONS ON PAGE 93)

Dummy applications not recommended for commercial use.


## Latchset Components

- A – Door Knob/Lever (2)
- B – Set Screws (2)
- C – Nylon Threaded Washer (2)
- D – Finished Rose (2)
- Ea – Metal Spring Assist Sub-Rose
- Eb – Metal Spring Assist Sub-Rose
- F – Spindle (Teardrop groove positioned towards set screw)
- G – Tubular Latch
- H – Privacy Locking Block Machine Screw
- I – Privacy Locking Block Locking Stopper
- J – Privacy Locking Block
- K – Tubular Latch Faceplate
- L – Tubular Latch Strike Plate
- M – Tubular Latch Dust Box
- N – Thru-Bolt Machine Screws With Locking Washer (2)
- O – Privacy Locking Pin (For Privacy Only)
- P – Washer Installation Tool
- Q – Emergency Release Key

## Sub-Rose Cassette Features

Metal sub-roses feature self-aligning thru-bolts. Spring-assisted outside and inside. Three spring tensions are available: Knob Strength, Lever Strength and Heavy Duty Lever Strength.


- #981/K Sub-Rose Cassette: Knob Strength Spring
- #981 Sub-Rose Cassette: Lever Strength Spring
- #982/K Sub-Rose Cassette: Knob Strength Spring
- #982 Sub-Rose Cassette: Lever Strength Spring
- #982/PD Sub-Rose Cassette: Pair Dummy



**Component parts Ea and Eb as shown below for 2" (50mm) rose.**

**Component parts Ea and Eb as shown below.**

DRAWINGS NOT TO SCALE





# MODERN Latchsets Product Data

FOR PRODUCTS SHOWN ON PAGES 5-10.


PRODUCT DATA

## Roses

### Single Dummy Rose

#### Surface Mounted, Concealed Screws

No screws are exposed. Shipped unassembled.




DRAWINGS NOT TO SCALE

### Pair Dummy Rose Options


#### Surface Mounted, Concealed Screws

No screws are exposed. Shipped unassembled. Order two single dummies.



#### Dummy for 2 1/8" Bore, Concealed Screws

No screws are exposed. Shipped unassembled. Please contact OMNIA for additional cost.




Applies to:

**MODERN**  
**TRADITIONS**  
**CLASSICO**  
**ARC**  
*Prodigy (levers only)*


## FINISH CODES




**3**  
Polished Brass, Lacquered



**10B**  
Black, Oil-Rubbed, Lacquered



**14**  
Polished Nickel Plated, Lacquered



**15**  
Satin Nickel Plated, Lacquered



**26**  
Polished Chrome Plated



**26D**  
Satin Chrome Plated

## How to Order Modern

EXAMPLE:

PASSAGE/PRIVACY

All sets shipped standard for 2 3/8" backset and 1 3/8" door thickness and T strike.

Design	Rose Option	Latch	Strike	Function	Finish
<b>943</b>	<b>M</b>	<b>238</b>	<b>T</b>	<b>PA</b>	<b>15</b>
Lever or Knob Item #	M = Round S = Square M50 = 2" Round S50 = 2" Square	238 = 2 3/8" Backset 234 = 2 3/4" Backset 0 = Single Dummy	T = "T" Strike F = Full Lip Strike	See Function Codes (Page 92)	See Finish Codes (Above)

Product order number would be **943M/238T.PA15** or **943M/0.SD15** for a single dummy.

# STAINLESS STEEL & PVD Latchsets

## Product Data

### Stainless Steel Latchsets

- Will fit 2 1/8" bore.
- 2 3/8" and 2 3/4" backsets available.
- Supplied for 2 3/8" backset and 1 3/8" door thickness unless otherwise specified.
- All lever latchsets meet ADA accessibility requirements.

### Latch Features

- 28° retraction.
- 8 mm hub.
- Adjustable faceplate/armor plate for beveled doors.
- Built-in privacy feature with automatic release by inside lever or depression of latch nose.
- All dimensions are standard to fit existing bores for replacement installations.
- No. 013 "T" strike supplied as a standard or No. 014 "Full Lip" strike as an option at no extra charge. No. 019 4 7/8" ASA strike also available for an additional charge. Specify when ordering.

### Concealed Screw Roses

Self-aligning, spring-assisted roses.

- 2 7/16" dia. x 3/8" proj. Shipped standard.
- 2 7/16" square x 3/8" proj. or 2" dia. x 7/16" proj. optional. (To achieve a privacy function with a 2" dia. rose, a separate mortise privacy bolt must be ordered.)

### Functions

- **PA – Passage:** Latch operates by lever from either side of door. Uses 8 mm solid spindle.
- **PR – Privacy:** Latch operates by lever from either side. Push button on interior rose engages privacy; emergency release hole is on exterior rose. Turning inside lever will release privacy and retract latchbolt. For bathroom or bedroom. Uses 8 mm split spindle.
- **SD – Single Dummy:** Trim on one side of door only. For pair dummy, order two single dummies.

### Passage Latches (8 mm hub)

107LPA38: 2 3/8" backset  
Passage lever latch

107LPA34: 2 3/4" backset  
Passage lever latch

### Privacy Latches (8 mm hub)

108LPR38: 2 3/8" backset  
Privacy lever latch

108LPR34: 2 3/4" backset  
Privacy lever latch

*The above part numbers should be used when ordering latches only.*




All OMNIA lever latchsets meet ADA accessibility requirements.

### Finish Options


- US32** Polished Stainless Steel
- US32D** Satin Stainless Steel

### Care of Product

OMNIA's Stainless Steel requires minimal attention and will not tarnish or corrode under normal circumstances. However, exposure to certain chemical or environmental conditions may promote surface oxidation. Please be aware that this is not a defect in the stainless steel but a reaction on the surface of the finish to the chemical environment which can be removed with stainless steel polish, or an abrasive pad.



**SPECIFY 2 3/8" OR 2 3/4" BACKSET.**



**DRAWINGS NOT TO SCALE**


**NO. 019  
"ASA" STRIKE –  
OPTIONAL  
(Add \$20 to  
latchset price)**

# STAINLESS STEEL & PVD Latchsets

## Product Data

### Latchset Component List

- A - Door Levers (2)
- B - Set Screws (2)
- C - Spindle (Teardrop groove positioned towards set screw)
- Da - Finished Rose
- Db - Nylon Sub-Rose
- E - Thru-bolt Screws (2)
- F - Privacy Locking Block Machine Screw
- G - Privacy Locking Block Locking Stopper
- H - Privacy Locking Block
- I - Tubular Latch
- J - Tubular Latch Faceplate
- K - Tubular Latch Strike Plate
- L - Tubular Latch Dust Box
- Ma - Nylon Sub-Rose
- Mb - Finished Rose
- N - Privacy Locking Pin



### FINISH CODES



**32**  
Polished  
Stainless  
Steel



**32D**  
Satin  
Stainless  
Steel

### How to Order Stainless Steel

#### EXAMPLE: PASSAGE/PRIVACY

*All sets shipped standard for 2 3/8" backset and 1 3/8" door thickness and T strike.*

Design	Rose Option	Latch	Strike	Function	Finish
<b>12</b>		<b>238</b>	<b>T</b>	<b>PA</b>	<b>32D</b>
Lever Item #	Only for: S = Square M52 = 2" Round	238 = 2 3/8" Backset 234 = 2 3/4" Backset 0 = Single Dummy	T = "T" Strike F = Full Lip Strike	See Function Codes (Page 94)	See Finish Codes (Above)

**Product order number would be 12/238T.PA32D or 12/0.SD32D for a single dummy.**

# TRADITIONS Latchsets Product Data

## Knob & Lever Latchset Tubular Latch Features

- Small roses will NOT fit 2 1/8" bore.
- For residential and commercial use. **Consult with OMNIA for commercial applications.**
- 2 3/8" (standard) and 2 3/4" backsets available.
- Supplied for 2 3/8" backset and 1 3/8" door thickness unless otherwise specified.
- All lever latchsets meet ADA accessibility requirements.
- Each set consists of solid brass knobs or levers, surface mounted roses, latch, strike, dust box, faceplate, spindle, all necessary mounting screws, installation template and instructions.





All OMNIA lever latchsets meet ADA accessibility requirements.

- 28° rotation to retract latch.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No. 013 "T" strike supplied as a standard, or No. 014 "Full Lip" strike as an option. Specify when ordering.
- For over fifty-five years, OMNIA's latches have been opening and closing millions of doors all around the world.

### Functions


- **PA – Passage:** Latch operates by knob or lever from either side of door.
- **PR – Privacy:** For sets with 1 3/4" and 2 3/16" dia. roses, a separate mortise privacy bolt must be ordered. Locks by privacy bolt with turnpiece on inside; emergency release on outside privacy rose.
- **SD – Single Dummy:** Trim on one side of door only. Surface mounted. Knob or lever with rose. For pair dummy, order two single dummies.



## Latchset Component List

(For sets with 1 3/4" and 2 3/16" dia. roses)

- |  |                                |
|--|--------------------------------|
| 1 – Door Knob/Lever (2)                                    | 7 – Tubular Latch Faceplate    |
| 2 – Set Screws (2)   | 8 – Tubular Latch Strike Plate |
| 3a – Finished Rose (2)                                     | 9 – Tubular Latch Dust Box     |
| 3b – Unfinished Brass Sub-Rose (2)                         | 10 – Nylon Washers (2)         |
| 4 – Wood Screws (6)  |                                |
| 5 – Tubular Latch  |                                |
| 6 – Spindle (teardrop groove positioned towards set screw) |                                |



### FINISH CODES

- |  |  |
|--|--|
|  | <b>3</b><br>Polished Brass, Lacquered          |
|  | <b>3A</b><br>Polished Brass, Unlacquered       |
|  | <b>5A</b><br>Antique Bronze, Unlacquered       |
|  | <b>10B</b><br>Black, Oil-Rubbed, Lacquered     |
|  | <b>14</b><br>Polished Nickel Plated, Lacquered |
|  | <b>15</b><br>Satin Nickel Plated, Lacquered    |
|  | <b>26</b><br>Polished Chrome Plated            |

## How to Order Traditions

### EXAMPLE:

All sets shipped standard for 2 3/8" backset and 1 3/8" door thickness and T strike.

### PASSAGE/PRIVACY

Design	Rose Option	Handing	Door Thickness & Backset*	Strike*	Function	Finish
<b>752</b>	<b>/ 00</b>		<b>A</b>	<b>F</b>	<b>PA</b>	<b>3A</b>
Lever or Knob Item #	00 = Standard 45 = 1 3/4" Dia. 55 = 2 3/16" Dia. RT = Rectangle	R = Right L = Left	A = 1 3/8" x 2 3/4" B = 1 3/4" x 2 3/8" C = 1 3/4" x 2 3/4"	F = Full Lip Strike (Insert only if needed)	See Function Codes (Above)	See Finish Codes (Above)

\*If door is standard 1 3/8" x 2 3/8" then enter nothing for Door Thickness/Backset and Strike.

Product order number would be **752/00AF.PA3A** or **752/00.SD3A** for a single dummy.

# ARC Latchsets Product Data

FOR PRODUCTS  
SHOWN ON  
PAGES 21-23.

PRODUCT DATA

## Knob & Lever Latchset

- 2 3/8" (standard) and 2 3/4" backsets available.
- Supplied for 1 3/8" door thickness as standard. The minimum door thickness is 1 1/4"; the maximum door thickness is 2 1/2" (please specify).
- All lever latchsets meet ADA accessibility requirements.

Each set consists of solid brass knobs or levers, concealed screw finished roses, metal thru-bolting spring-assisted rose cassette, latch, strike, dust box, faceplate, spindle, all necessary mounting screws, installation template and instructions.




Latchsets with any of the smaller roses are available with a push-button privacy function just like the larger roses.

## Latchset Component List

- A – Door Knob/Lever (2)
- B – Set Screw (2)
- C – Nylon Threaded Washer (2)
- D – Finished Rose (2)
- Ea – Metal Spring Assist Sub-Rose
- Eb – Metal Spring Assist Sub-Rose
- F – Spindle (Teardrop groove positioned towards set screw)
- G – Tubular Latch
- H – Privacy Locking Block Machine Screw
- I – Privacy Locking Block Locking Stopper
- J – Privacy Locking Block
- K – Tubular Latch Faceplate
- L – Tubular Latch Strike Plate
- M – Tubular Latch Dust Box

- N – Thru-Bolt Machine Screws With Locking Washer (2)
- O – Washer Installation Tool
- P – Privacy Locking Pin (Privacy ONLY)
- Q – Emergency Release Key



## FINISH CODES

- 3** Polished Brass, Lacquered
- 3A** Polished Brass, Unlacquered
- 4** Satin Brass, Lacquered
- 5** Antique Brass, Lacquered
- 10B** Black, Oil-Rubbed Lacquered
- 14** Polished Nickel Plated, Lacquered
- 15** Satin Nickel Plated, Lacquered
- 26** Polished Chrome Plated

**SMALL ROSES WILL NOT FIT 2 1/8" BORE.**

**ALL ROSES ARE CONCEALED SCREW MOUNTED.**



All OMNIA lever latchsets meet ADA accessibility requirements.

## Tubular Latch Features

- 28° rotation to retract latch.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No.013 "T" strike supplied as standard or No.014 "Full Lip" strike as an option. (Please specify.)
- Critical interior parts are made of solid brass.
- For over five decades, OMNIA's latches have been opening and closing millions of doors all around the world.

## Functions

- **PA – Passage:** Latch operates by knob or lever from either side of door.
- **PR – Privacy:** Push pin provided for privacy inside room. Emergency release hole for outside room. Emergency release key also provided.
- **SD – Single Dummy:** Trim on one side of door only. Concealed screw roses for surface mounting. Knob or lever with rose. For pair dummy, order two single dummies.

## How to Order ARC

### EXAMPLE:

All sets shipped standard for 2 3/8" backset and 1 3/8" door thickness and T strike.

Design	Rose Option	Rose Size	Latch	Strike	Function	Finish
<b>751</b>	<b>ML</b>	<b>50</b>	<b>238</b>	<b>F</b>	<b>PA</b>	<b>15</b>
Lever or Knob Item#	BD = Beaded ED = Edged ML = Milled	50 = 50 mm 67 = 67 mm	238 = 2 3/8" Backset 234 = 2 3/4" Backset 0 = Single Dummy	T = "T" Strike F = Full Lip Strike	See Function Codes (Above)	See Finish Codes (Above)

Product order number would be **751ML50/238F.PA15** or **751ML50/0.SD15** for a single dummy.



# Prodigy Latchsets Product Data

## Knob & Lever Latchsets

- 2<sup>3</sup>/<sub>8</sub>" (standard) and 2<sup>3</sup>/<sub>4</sub>" backsets available.
- Supplied for both 1<sup>3</sup>/<sub>8</sub>" and 1<sup>3</sup>/<sub>4</sub>" door thickness as standard. The minimum door thickness is 1<sup>1</sup>/<sub>4</sub>" and the maximum door thickness is 2<sup>1</sup>/<sub>2</sub>" (please specify).
- All lever latchsets meet ADA accessibility requirements.
- Each set consists of solid brass knobs or levers, thru-bolted rose mechanisms, latch, strike, faceplate, spindle, all necessary mounting screws, installation template and instructions.

## Tubular Latch Features

- 55° rotation to retract latch. (For knobs)
- 28° rotation to retract latch. (For levers)






- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No.014 "Full Lip" strike supplied as standard or No. 013 "T" strike as an option. (Specify.)
- For over fifty-five years, OMNIA's latches have been opening and closing millions of doors all around the world.

## Functions

- **PA – Passage:** Latch operates by knob or lever from either side of door.
- **PR – Privacy:** Push pin provided for privacy inside room. Emergency release hole for outside room. Emergency release key also provided.
- **SD – Single Dummy:** Trim on one side of door only. Surface mounted. Knob or lever with rose. For pair dummy, order two single dummies.



All OMNIA lever latchsets meet ADA accessibility requirements.




DRAWINGS NOT TO SCALE

## Latchset Component List

- A – Door Knob/Lever (2)
- B – Set Screws (2)
- C – Nylon Threaded Washers (2)
- D – Finished Rose
- E – Metal Spring Assist Sub-Rose
- F – Tubular Latch
- G – Tubular Latch Faceplate
- H – Tubular Latch Strike Plate
- I – Metal Spring Assist Sub-Rose
- J – Privacy Locking Block Machine Screw (For Privacy ONLY)
- K – Privacy Locking Block Locking Stopper (For Privacy ONLY)
- L – Privacy Locking Block (For Privacy ONLY)
- M – Thru-Bolt Machine Screws with Locking Washer (2)
- N – Finished Rose
- O – Privacy Locking Pin (For Privacy ONLY)
- P – Washer Installation Tool
- Q – Emergency Release Key

### (55° Latch Parts)

- R – Adaptor R
- S – Spindle (Teardrop groove positioned towards set screw)
- T – Tubular Latch
- U – Tubular Latch Faceplate
- V – Adaptor V



# Prodigy Latchsets Product Data

FOR PRODUCTS SHOWN ON PAGES 24-27.

## FINISH CODES




**3**  
Polished Brass, Lacquered



**3A**  
Polished Brass, Unlacquered\*



**US4**  
Satin Brass, Lacquered



**5**  
Antique Brass, Lacquered\*\*




**10B**  
Black, Oil-Rubbed, Lacquered




**14**  
Polished Nickel Plated, Lacquered



**15**  
Satin Nickel Plated, Lacquered



**26**  
Polished Chrome Plated



**26D**  
Satin Chrome Plated\*\*\*



**TB**  
Tuscan Bronze, Lacquered

\***3A** Only available for 434, 458, 565 & 955 with Traditional rose.

\*\***5** Only available for 566, 936, 955 and 956.

\*\*\***26D** Only available for 912, 925, 930 & 935 with Modern, Rectangular or Square rose.

## How to Order Prodigy

### EXAMPLE: PASSAGE/PRIVACY

All sets shipped standard for 2 3/8" backset and 1 3/8" door thickness and Full Lip strike.

Design	Rose Option	Levers Only*	Latch	Strike	Function	Finish
<b>895</b>	<b>AR</b> /	<b>X</b>	<b>238</b>	<b>F</b>	<b>PA</b>	<b>15</b>
Lever or Knob Item#	TD = Traditional MD = Modern AR = Arched RT = Rectangular SQ = Square		238 = 2 3/8" Backset 234 = 2 3/4" Backset	F = Full Lip Strike T = "T" Strike	See Function Codes (Page 98)	See Finish Codes (Above)


\*Also include an "X" when ordering knobs with a 28° latch.

Product order number would be **895AR/X238F.PA15**  
or **895AR/R.SD15** for a single dummy.

# CLASSICO Latchsets Product Data

## Knob & Lever Latchsets

- 2<sup>3</sup>/<sub>8</sub>" (standard) and 2<sup>3</sup>/<sub>4</sub>" backsets available.
- Supplied for 2<sup>3</sup>/<sub>8</sub>" backset and 1<sup>3</sup>/<sub>8</sub>" door thickness unless otherwise specified.
- Rose diameters:  
3265 (reeded) = 2<sup>7</sup>/<sub>8</sub>" dia.  
4320 (floral) = 2<sup>9</sup>/<sub>16</sub>" dia.
- All lever latchsets meet ADA accessibility requirements.
- Each set consists of solid brass knobs or levers, thru-bolted rose mechanisms, finished rose covers, latch, strike, faceplate, spindle, all necessary mounting screws, installation template and instructions.



 All OMNIA lever latchsets meet ADA accessibility requirements.

## Tubular Latch Features

- 28° to retract latch rotation.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No. 013 "T" strike supplied as a standard or No. 014 "Full Lip" strike as an option. Specify when ordering.


## Functions

- **PA – Passage:** Latch operates by knob or lever from either side of door.
- **PR – Privacy:** Push pin provided for privacy inside room. Emergency release hole for outside room. Emergency release key also provided.
- **SD – Single Dummy:** Trim on one side of door only. Surface mounted. Knob or lever with rose. For pair dummy, order two single dummies.



## Latchset Component List

- A – Door Knob/Lever (2)
- B – Set Screws (2)
- Ca – Finished Rose
- Cb – Metal Spring Assist Sub-Rose
- D – Thru-Bolt Machine Screws with Locking Washer (2)
- E – Spindle (Teardrop groove positioned towards set screw)
- F – Privacy Locking Block Machine Screw
- G – Privacy Locking Block Locking Stopper
- H – Privacy Locking Block
- I – Tubular Latch
- J – Tubular Latch Faceplate
- K – Tubular Latch Strike Plate
- L – Tubular Latch Dust Box
- Ma – Metal Spring Assist Sub-Rose
- Mb – Finished Rose
- N – Nylon Threaded Washers (2)
- O – Privacy Locking Pin
- P – Washer Installation Tool
- Q – Emergency Release Key



DRAWINGS NOT TO SCALE

## FINISH CODES

- BAS**  
Siena Brass, Lacquered
- BPS**  
Venetian Nickel, Lacquered
- D**  
Florentine Brass, Lacquered
- ETR**  
Etruscan Bronze, Lacquered



## How to Order Classico

### EXAMPLE:

All sets shipped standard for 2<sup>3</sup>/<sub>8</sub>" backset and 1<sup>3</sup>/<sub>8</sub>" door thickness and T strike.

### PASSAGE/PRIVACY

Design	Rose Option	Latch	Strike	Thickness	Function	Finish
<b>251</b>	<b>FL /</b>	<b>238</b>	<b>T</b>	<b>38</b>	<b>PA</b>	<b>ETR</b>
Lever or Knob Item #	FL = Floral RE = Reeded	238 = 2 <sup>3</sup> / <sub>8</sub> " Backset 234 = 2 <sup>3</sup> / <sub>4</sub> " Backset	T = "T" Strike F = Full Lip Strike	38 = 1 <sup>3</sup> / <sub>8</sub> " 34 = 1 <sup>1</sup> / <sub>4</sub> "	See Function Codes (Above)	See Finish Codes (Above)


Product order number would be **251FL/238T38.PA.ETR** or **251FL/L.SD.ETR** for a single dummy.

# Interior Mortise Locks Product Data


## 3500/3600 Series Specifications

Lever locks come standard with HUB ADJUST feature, to keep levers level.

- **Case:**  $\frac{3}{4}$ " thick heavy gauge steel.
- **Armor Front:** Adjustable bevel. Made from brass, bronze or stainless steel.
- **Latch Bolt:**  $\frac{7}{16}$ " throw. Brass or stainless steel for standard locks or magnetic latch locks.
- **Deadbolt:**  $\frac{1}{2}$ " throw. Brass or stainless steel.
- **Thumbturn Hub:**  $\frac{3}{16}$ " (5 mm) on the diamond.
- For interior doors.
- Passage and privacy functions available.
- 3500 (knob) and 3600 (lever) series with a vertical spacing of  $2\frac{7}{8}$ " between the lever and turnpiece.
- Standard lever high. Optional lever low (must specify).
- $2\frac{1}{2}$ " standard backset (for door stiles starting at 3")  
Other backsets available upon request.




DRAWINGS NOT TO SCALE



## Functions


### PA – Passage

Latchbolt operates by lever, either side.



### PR – Privacy

Latchbolt operates by knob or lever, either side. Deadbolt operates by turnpiece inside and optional emergency key outside.



## FINISH CODES

FINISH	DESCRIPTION	CODE
US3	Polished Brass, Lacquered	3
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	4
US5	Antique Brass, Lacquered	5
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished, Nickel Plated, Lacquered	14
US15	Satin, Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	26
US26D	Satin Chrome Plated	26D

## How to Order Interior Mortise Locks

EXAMPLE:

Design	Rose Option	Function	Handing	Finish
<b>368</b>	<b>M</b> / <b>IML</b>	<b>PA</b>	<b>R</b>	<b>10B</b>
Lever or Knob Item #	M = Round S = Square M50 = 2" Round S50 = 2" Square	(Interior Mortise Lock) PA = Passage PR = Privacy	L = Left-Handed R = Right-Handed	See Finish Codes (Left)

Product order number would be **368M/IML.PA.R10B**  
or **368M/0.SD10B** for a single dummy.

Design	Rose Option	Rose Size	Function	Handing	Finish
<b>753</b>	<b>ED</b>	<b>50</b> / <b>IML</b>	<b>PA</b>	<b>R</b>	<b>4</b>
Lever or Knob Item #	BD = Beaded ED = Edged ML = Milled	50 = 50 mm 67 = 67 mm	(Interior Mortise Lock) PA = Passage PR = Privacy	L = Left-Handed R = Right-Handed	See Finish Codes (Left)


Specify lever high or lever low when ordering.

Product order number would be **753ED50/IML.PA.R4**  
or **753ED50/0.SD4** for a single dummy.

# Mortise Deadlocks Product Data

## Specifications

- **Backset:** Available with 2<sup>3</sup>/<sub>4</sub>" backset standard. 2<sup>1</sup>/<sub>2</sub>" backset special order only.
- **Doors:** 1<sup>3</sup>/<sub>4</sub>" thick with 4<sup>1</sup>/<sub>2</sub>" minimum stile as standard. For doors over 1<sup>3</sup>/<sub>4</sub>" thick, please specify door thickness.
- **Case:** Heavy wrought steel with zinc dichromate finish for corrosion resistance. 4" w x 3" h
- **Front:** Adjustable armored steel front, with 1<sup>1</sup>/<sub>8</sub>" w x 4<sup>5</sup>/<sub>8</sub>" h solid brass or stainless steel faceplate for all lock bodies.
- **Deadbolt:** 1" proj. x 5/8" thick x 1<sup>1</sup>/<sub>16</sub>" h full throw stainless steel.
- **Springs:** High carbon steel.
- **Strike:** Solid brass or stainless steel strike plate. 1<sup>1</sup>/<sub>8</sub>" w x 3<sup>1</sup>/<sub>2</sub>" h
- **Cylinder:** Solid brass from bar stock. Made in USA. Schlage® "C" keyway supplied as standard, with two OMNIA nickel silver keys. When applicable, cylinder collars are supplied with compression spring. Available on special orders with a variety of other keyways and key combinations.
- **Keying:** Specify Keyed Alike (KA) when needed. Master/Grand/Construction keying available at additional cost.





# Auxiliary Deadbolts Product Data

## Specifications



- Available in 2<sup>3</sup>/<sub>8</sub>" or 2<sup>3</sup>/<sub>4</sub>" backsets. Please specify backset at time of order.
- Available for 1<sup>3</sup>/<sub>8</sub>" or 1<sup>3</sup>/<sub>4</sub>" thick doors. Please specify door thickness at time of order. **For doors 2" thick or thicker, please call OMNIA for additional charges that may apply.**
- Suitable for most pre-existing bores for cylindrical locks.
- Supplied with Schlage® "C" keyway as a standard. Available on special order with a variety of other keyways and key combinations.
- Deadbolt employs a rim cylinder for ease of re-keying and key changes.

## Lock Functions

- **A** – Activated by key outside and turnpiece inside.
- **AC** – Activated by key only from either side.  
(For stainless steel auxiliary deadbolts only.)

## Supplied With:

- 2<sup>3</sup>/<sub>4</sub>" x 1<sup>1</sup>/<sub>8</sub>" x 3<sup>3</sup>/<sub>16</sub>" armored strike reinforcement.
- All parts shown in schematics below.



## Auxiliary Deadbolt Component List

Shown as "A" Function

- A – Rim Cylinder
- B – Standoffs
- C – Outside Collar
- D – Deadbolt Latch
- E – Inside Rim Cylinder Mounting Plate
- F – Rim Cylinder Hardened Thru-Bolt Screws
- G – Inside Turnpiece and Rose
- H – Inside Mounting Screws (2)
- I – #8 x 1" Sheet Metal Screws (2)
- J – Deadbolt Faceplate
- K – Deadbolt Stabilizer

## FINISH CODES

FINISH	DESCRIPTION	CODE
US3	Polished Brass, Lacquered	3
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	4
US5	Antique Brass, Lacquered	5
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished, Nickel Plated, Lacquered	14
US15	Satin, Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	26
US26D	Satin Chrome Plated	26D
US32D	Satin Stainless Steel	32D

FINISH	DESCRIPTION	CODE
SB	Shaded Bronze, Lacquered	SB
TB	Tuscan Bronze, Lacquered	TB
BAS	Siena Brass, Lacquered	BAS
BPS	Venetian Nickel, Lacquered	BPS
D	Florentine Brass, Lacquered	D
ETR	Etruscan Bronze, Lacquered	ETR
PBL	PVD Black	PBL
PDB	PVD Dark Bronze	PDB
PSG	PVD Satin Gold	PSG
PTT	PVD Titanium	PTT

## How to Order Auxiliary Deadbolts

EXAMPLE:

**Design**  
**MODDB**

**Function**  
**A**

**Door Thickness**  
**34**

**Backset**  
**38**

**Finish**  
**26**

A = Key Outside x Turnpiece Inside  
AC = Key Both Sides (for Stainless Steel Auxiliary Deadbolt only)

38 = 1<sup>3</sup>/<sub>8</sub>" Thick  
34 = 1<sup>3</sup>/<sub>4</sub>" Thick

38 = 2<sup>3</sup>/<sub>8</sub>" Backset  
34 = 2<sup>3</sup>/<sub>4</sub>" Backset

See Finish Codes (Above)

Product order number would be **MODDBA34.38.26**

# Mortise Locksets Product Data

## Mortise & Deadbolt Solid Brass Backplates (except where noted)


<b>1000 Series</b>	Traditional Roses	2 <sup>5</sup> / <sub>8</sub> " diameter x 9 <sup>9</sup> / <sub>16</sub> "	<b>12000 Series</b>	Stainless Steel Backplates	10 <sup>9</sup> / <sub>16</sub> " x 2 <sup>1</sup> / <sub>2</sub> " x 5 <sup>5</sup> / <sub>16</sub> "
<b>2000 Series</b>	Modern Roses	2 <sup>9</sup> / <sub>16</sub> " diameter x 3 <sup>3</sup> / <sub>8</sub> "	<b>24000 Series</b>	Roped Backplates	10 <sup>5</sup> / <sub>8</sub> " x 2 <sup>7</sup> / <sub>16</sub> " x 3 <sup>3</sup> / <sub>8</sub> "
<b>2000S Series</b>	Square Roses	2 <sup>9</sup> / <sub>16</sub> " square x 7 <sup>1</sup> / <sub>16</sub> "	<b>25000 Series</b>	Beaded Backplates	10 <sup>5</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>8</sub> " x 5 <sup>5</sup> / <sub>16</sub> "
<b>4000 Series</b>	Modern Backplates	8 <sup>1</sup> / <sub>4</sub> " x 2" x 1 <sup>1</sup> / <sub>4</sub> "	<b>53000 Series</b>	Ornate Backplates	13 <sup>7</sup> / <sub>8</sub> " x 2 <sup>7</sup> / <sub>8</sub> " x 3 <sup>3</sup> / <sub>8</sub> "
<b>11000 Series</b>	Traditional Backplates	10 <sup>5</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>8</sub> " x 5 <sup>5</sup> / <sub>16</sub> "	<b>57000 Series</b>	Ornate Backplates	14" x 3" x 3 <sup>3</sup> / <sub>8</sub> "
<b>12000 Series</b>	Brass Backplates	10 <sup>9</sup> / <sub>16</sub> " x 2 <sup>3</sup> / <sub>8</sub> " x 5 <sup>5</sup> / <sub>16</sub> "			

## Mortise Locksets



Available with two backset options — 2<sup>1</sup>/<sub>2</sub>" or 2<sup>3</sup>/<sub>4</sub>". Please specify when ordering.

- **Backset:** Available with two backset options: 2<sup>1</sup>/<sub>2</sub>" or 2<sup>3</sup>/<sub>4</sub>". Please specify backset on order.
- **For Doors:** 1<sup>3</sup>/<sub>4</sub>" thick as standard. For doors over 1<sup>3</sup>/<sub>4</sub>" thick, please specify door thickness.
  - 2<sup>1</sup>/<sub>2</sub>" b.s.: with 3<sup>7</sup>/<sub>8</sub>" minimum stile
  - 2<sup>3</sup>/<sub>4</sub>" b.s.: with 4<sup>1</sup>/<sub>2</sub>" minimum stile
- **Case:** Heavy wrought steel with zinc dichromate finish for corrosion resistance.
  - 2<sup>1</sup>/<sub>2</sub>" b.s.: 3<sup>5</sup>/<sub>8</sub>" x 6<sup>1</sup>/<sub>16</sub>" x 1<sup>5</sup>/<sub>16</sub>"
  - 2<sup>3</sup>/<sub>4</sub>" b.s.: 3<sup>15</sup>/<sub>16</sub>" x 6<sup>1</sup>/<sub>16</sub>" x 1<sup>5</sup>/<sub>16</sub>"
- **Front:** Adjustable armored steel front, with 8" x 1<sup>1</sup>/<sub>4</sub>" solid brass faceplate for all lock bodies. Finished to match trim.
- **Latchbolt:** Two-piece anti-friction design made from solid brass. Both lock bodies with 1" x 5<sup>5</sup>/<sub>8</sub>" x 3<sup>3</sup>/<sub>4</sub>" full throw.
- **Deadbolt:**
  - 2<sup>1</sup>/<sub>2</sub>" b.s.: 1<sup>3</sup>/<sub>16</sub>" x 9<sup>9</sup>/<sub>16</sub>" x 1" full throw solid brass with sawproof insert.
  - 2<sup>3</sup>/<sub>4</sub>" b.s.: 1<sup>1</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>2</sub>" x 1" full throw stainless steel.
- **Springs:** High carbon steel.
- **Strike:** Solid brass curved lip strike. 4<sup>7</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>4</sub>" x lip 1<sup>1</sup>/<sub>4</sub>" to center. Finished to match trim. Dust box supplied as standard. Extended lip strikes available.
- **Hand:** When ordering specify right or left hand, and reverse bevel if applicable. Reversing instructions available.
- **Cylinder:** Solid brass from bar stock. Made in USA. Schlage® "C" keyway supplied as a standard, with two OMNIA nickel silver keys. When applicable, cylinder collars are supplied with compression spring. Available on special order with a variety of other keyways and key combinations.
- **Keying:** Specify Keyed Alike (KA) when needed. Master / Grand / Construction keying available at additional cost.
- **Safety Standards:** 2<sup>1</sup>/<sub>2</sub>" and 2<sup>3</sup>/<sub>4</sub>" b.s.: UL Listed 3 Hour (R13846). Grade 1 certified to ANSI/BHMA A156.13.2005 standard — exceeding 5 million cycles at independent third party test facility.



# Mortise Locksets Product Data

## Mortise Locksets


Available with two backset options — 2½" or 2¾". Please specify when ordering.

All lever entry sets provide a lever outside and a lever inside with matching rose or backplate. If the outside trim is a lever with plate, the inside trim will match. If the outside trim is a lever with rose, the inside trim will be a lever with rose. The same is true for sets employing knobs. For additional trim options, see our Latchsets section.

## Functions


### A – Standard Entry ANSI# F08

Latchbolt operates by knob or lever from either side except when outside trim is locked by stopbutton; then opens by key outside, by knob or lever inside. Deadbolt activated by key outside and by turnpiece inside.




### AC – Double Cylinder Entry

Latchbolt operates by knob or lever from either side except when outside trim is locked by stopbutton; then opens by key outside, by knob or lever inside. Deadbolt activated only by key from either side.




### F – Panic-Proof Entry ANSI# F12

Latchbolt operates by knob or lever from either side except when outside trim is locked by stop button. Deadbolt activated by key outside and turnpiece inside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.




### EW – Storeroom ANSI# F07

Latchbolt operates by knob or lever inside and by key outside. The outside knob or lever is rigid. Auxiliary latchbolt deadlocks latchbolt.




### J – Classroom ANSI# F05

Latchbolt operates by knob or lever either side except when outside knob or lever is locked or unlocked by key in the cylinder. Auxiliary latchbolt deadlocks latchbolt.




### N – Passage

Latchbolt operates by knob or lever either side.



### L – Privacy ANSI# F02

Latchbolt operates by knob or lever either side. Deadbolt by turnpiece inside and emergency key outside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.



Additional lock functions are available, including electrification. Please contact OMNIA for pricing and availability.

**Commercial Installations:** Please specify when ordering locksets for commercial use. Dummy applications are *not* recommended for commercial use.

Made  
In  
U.S.A.



All OMNIA lever latchsets meet ADA accessibility requirements.

## Sectional Trim Mortise Locksets


When ordering mortise locksets with sectional trim, please note: Locks in the **1000 Series**, will be supplied with the rose as shown with that specific model knob or lever in the Latchset section of this catalog (traditional, beaded, ornate or roped). Locks in the **2000 Series**, will be supplied with the modern rose as shown with that specific knob or lever in the Latchset section of this catalog. Locks in the **2000S Series** will be supplied with the square rose as shown below.

### 1000 Series



1055  
Shown

### 2000 Series



2943  
Shown

### 2000S Series



2036S  
Shown

# Mortise Locksets Product Data

## FINISH CODES

FINISH	DESCRIPTION	ORDERING CODE
US3	Polished Brass, Lacquered	1
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	US4
US5	Antique Brass, Lacquered	5
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished, Nickel Plated, Lacquered	14
US15	Satin, Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	2
US26D	Satin Chrome Plated	3
US32D	Satin Stainless Steel	32D
SB	Shaded Bronze, Lacquered	4
BAS	Siena Brass, Lacquered	BAS
BPS	Venetian Nickel, Lacquered	BPS
D	Florentine Brass, Lacquered	D
ETR	Etruscan Bronze, Lacquered	ETR
PBL	PVD Black	PBL
PDB	PVD Dark Bronze	PDB
PSG	PVD Satin Gold	PSG
PTT	PVD Titanium	PTT

## How to Order Mortise Locksets

### EXAMPLE: ACTIVE

Plate	Design	Function	Backset	Handing	Finish
<b>11</b>	<b>055</b>	<b>A</b>	<b>00</b>	<b>L</b>	<b>15</b>
Product Series # (example: 11000 = 11)	Lever or Knob Item #	See Function Codes (Page 105)	00 = 2¾" Backset 0025 = 2½" Backset	L = Left-Handed R = Right-Handed	See Finish Codes (Above)

Product order number would be **11055A00L15** or **11055SD00L15** for a single dummy.

**For doors over 1¾" thick, please specify door thickness.**  
**For doors 2" thick or thicker, please call OMNIA for additional charges that may apply.**

# Deadbolt Locksets Product Data

## Tubular Deadbolt with Mortise Cylinder

- Available with backset of 2<sup>3</sup>/<sub>8</sub>" or 2<sup>3</sup>/<sub>4</sub>".
- Supplied for 2<sup>3</sup>/<sub>8</sub>" backset and 1<sup>3</sup>/<sub>4</sub>" door thickness unless otherwise specified.
- Fits narrow stiles of less than 4".
- For 2<sup>3</sup>/<sub>8</sub>" backset, stile width can be as narrow as 3<sup>5</sup>/<sub>8</sub>".
- For 2<sup>3</sup>/<sub>4</sub>" backset, stile width can be as narrow as 4".
- Suitable for most pre-existing bores for cylindrical locks.
- Full 1" throw deadbolt.
- Supplied with Schlage® "C" keyway as a standard. Available on special order with a variety of other keyways and key combinations.
- Deadbolt employs standard mortise cylinder for ease of re-keying and key changes.

## Finish Codes

Deadbolt locksets are available in the same finishes as our Mortise Locksets. See page 106 for Finish Codes grid.

## Tubular Latch Features


- All dimensions are standard for most replacement installations.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass.
- Critical interior parts are made of solid brass.
- For over fifty-five years OMNIA's latches have been opening and closing millions of doors all around the world.

Specify either 2<sup>3</sup>/<sub>8</sub>" or 2<sup>3</sup>/<sub>4</sub>" backset.

## Functions


- **A – Standard Deadbolt Locksets:** Latchbolt operates by knob or lever from either side. Deadbolt activated by key outside and turnpiece inside.
- **AC – Double Cylinder Deadbolt Locksets:** Latchbolt operates by knob or lever from either side. Deadbolt activated only by key from either side.

Auxiliary deadbolt kits (with collar) are also available. See pages 39-41.




DRAWINGS NOT TO SCALE

## HIGH SECURITY DEADBOLT



## HEAVY DUTY TUBULAR LATCH



## How to Order Deadbolt Locksets

### EXAMPLE:

	Plate	Design	Function	Center-to-Center*	Backset	ACTIVE Finish
<b>D</b>	<b>11</b>	<b>055</b>	<b>A</b>	<b>55</b>	<b>34</b>	<b>15</b>
(For all Deadbolts)	Series #	Lever or Knob Item #	A = Key Outside x Turnpiece Inside AC = Key Both Sides	00 = 3 <sup>5</sup> / <sub>8</sub> " C.C. 55 = 5 <sup>1</sup> / <sub>2</sub> " C.C.	38 = 2 <sup>3</sup> / <sub>8</sub> " Backset 34 = 2 <sup>3</sup> / <sub>4</sub> " Backset	See Finish Codes (Page 106)

\* 11000 & 12000 plates only available with 5<sup>1</sup>/<sub>2</sub>" center-to-center. 24000 & 25000 plates only available with 3<sup>5</sup>/<sub>8</sub>" center-to-center.

Product order number would be **D11055A55.34.15** or **D11055SD55L15** for a single dummy.



# OMNIA + level Product Data

## Level Bolt Technical Specifications

- **Sizes:** 2 3/4" or 2 3/8" backset (Level Bolt has an adjustable backset)
- **Power requirements:** 1 CR2 lithium 3-volt battery
- **Battery life:** 1 year (under typical conditions)
- **Audio:** multi-tone chimes
- **Wireless:** Bluetooth Low Energy
- **Operating temperature:** -20° to 60° C
- **Weather resistance:** IPX4 water resistance
- **Testing:** testing to ANSI grade 1/A standards
- **Languages:** English
- **Requirements:** iOS or Android device
- **Remote connectivity:** Apple HomeKit and Amazon Sidewalk

### Auxiliary Deadbolt

- Will work on 1 3/4" thick doors or thicker.

### Deadbolt with Plate

- Will work on 1 3/8" thick doors or thicker.

## FINISH CODES

FINISH	DESCRIPTION	ORDERING CODE
US3	Polished Brass, Lacquered	3
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	4
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished Nickel Plated, Lacquered	14
US15	Satin Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	26
US26D	Satin Chrome Plated	26D
US32D	Satin Stainless Steel	32D
PBL	PVD Black	PBL
PDB	PVD Dark Bronze	PDB
PSG	PVD Satin Gold	PSG
PTT	PVD Titanium	PTT

## How to Order OMNIA + level Products

### EXAMPLE of SMART AUXILIARY DEADBOLT:

	Design	Function	Door Thickness	Finish
<b>L</b>	<b>TRADDB</b>	<b>A</b>	<b>134</b>	<b>26</b>
<i>Supplied with Level Bolt Smart Lock</i>	<i>Auxiliary Deadbolt Item #</i>	<i>A = Key Outside x Turnpiece Inside</i>	<i>134 = 1 3/4" Thick</i>	<i>See Finish Codes (Above)</i>

Product order number would be **L.TRADDBA134.26**

### EXAMPLE of SMART DEADBOLT LOCKSETS WITH PLATE:

	Plate	Design	Function	Backset	Strike	Finish	
<b>L</b>	<b>D</b>	<b>12</b>	<b>943</b>	<b>238</b>	<b>T</b>	<b>15</b>	
<i>Supplied with Level Bolt Smart Lock</i>	<i>Deadbolt</i>	<i>11 = 11000 Plate 12 = 12000 Plate</i>	<i>Lever or Knob Item #</i>	<i>A = Key Outside x Turnpiece Inside</i>	<i>238 = 2 3/8" Backset 234 = 2 3/4" Backset</i>	<i>T = "T" Strike F = Full Lip Strike</i>	<i>See Finish Codes (Above)</i>

Product order number would be **L.D12943A.238T.15**

### EXAMPLE of SMART ENTRANCE HANDLESET:

	Design	Function	Design	Backset	Strike	Finish
<b>L</b>	<b>URBAN</b>	<b>F</b>	<b>12</b>	<b>238</b>	<b>F</b>	<b>32D</b>
<i>Supplied with Level Bolt Smart Lock</i>	<i>Metro or Urban</i>	<i>F = Panic Proof Entry (Key Outside x Turnpiece Inside)</i>	<i>Lever Item #</i>	<i>238 = 2 3/8" Backset 234 = 2 3/4" Backset</i>	<i>T = "T" Strike F = Full Lip Strike</i>	<i>See Finish Codes (Above)</i>

Product order number would be **L.URBAN.F12.238F.32D**

# Narrow Backset Locksets

## Product Data

### Narrow Backset Mortise Lock Specifications

- **Backsets:** Available with two backset options – 1 1/2" and 2". Other backset options available. Please specify when ordering. Available for levers only. Specify right hand or left hand. Not reversible.

### Solid Brass Backplates

- 60000 Series** 1 17/16" x 1 3/4" x 1/4" proj.
- 64000 Series** 8 1/4" x 2" x 1/4" proj.
- 65000 Series** 9 1/2" x 1 9/16" x 3/8" proj.


**Case:** Heavy gauge plated steel.

- 1 1/2" b.s.: 6 1/16" x 2 5/16" x 3/4"
- 2" b.s.: 6 1/16" x 2 13/16" x 3/4"


Accommodates thru-bolted roses.

- **Front:** Adjustable armored steel front, with 8" x 1 1/4" solid brass faceplate for both bodies. Finished to match trim.
- **Latchbolt:** Solid brass with 1/2" x 1" x 1/2" throw.
- **Deadbolt:** Solid brass with 1/2" x 3/4" x 1" throw.
- **Strike:** Solid brass curved lip strike. 4 7/8" x 1 1/4" x lip 1 1/4" to center. Finished to match trim. Dust box

Same strike supplied with both 1 1/2" & 2" b.s. locks.



Extended lip strikes are available.



DRAWINGS NOT TO SCALE

Made in U.S.A.

supplied as standard. Extended lip strikes available.

- **Cylinder:** Solid brass from bar stock. Made in USA. Schlage® "C" keyway supplied as a standard, with two OMNIA nickel silver keys. When applicable, cylinder collars are supplied with compression spring.


Available on special order in a variety of keyways and key combinations.

- **Keying:** Specify Keyed Alike (KA) when needed. Master / Grand / Construction Keying available at additional cost.

### Functions


#### B – Entry

Shipped Standard  
Latchbolt by lever either side. Deadbolt by key outside and turnpiece inside. No locking rocker switch; hubs always operable.




#### A – Single Cylinder

Latchbolt by lever either side except when outside lever is locked by the rocker switch in the front; then by key outside, lever inside. Deadbolt by key outside and turnpiece inside.




#### L – Privacy

Latchbolt by lever either side. Deadbolt by turnpiece inside and emergency key outside.




#### BAC – Entry Double Cylinder

Latchbolt by lever either side. Deadbolt by key either side. No locking rocker switch; hubs always operable.




#### AC – Double Cylinder

Latchbolt by lever either side except when the outside lever is locked by the rocker switch in the front; then by key outside, lever inside. Deadbolt by key either side.



#### N – Passage

Latchbolt by lever either side.



## How to Order Narrow Backset Locksets

EXAMPLE:

Plate  
**60**

Series #

Design  
**231**

Lever Item #

Function  
**A**

See Function Codes Above

Backset  
**15**

15 = 1 1/2" Backset  
20 = 2" Backset

Handing  
**L**

L = Left-Handed  
R = Right-Handed

ACTIVE

Finish  
**I**

See Finish Codes (Page 106)\*

\*See individual product entries for available finishes.

Product order number would be **60231A15L1** or **60231SD00L1** for a single dummy.

# Pocket Door Hardware Product Data

(For Items 7012, 7035, 7036, 7037 and 7039)


## Pocket Door Lockset Specifications

- **Backset:** 2 1/2"
- **For Door Thickness:** 1 3/4" thick as a standard, adjustable for 1 3/8" thick. For doors thicker than 2 1/4", contact customer service for availability and additional cost. **(7012 can only be used on 1 3/4" thick doors.)**
- **Case:** 1130/L (Privacy) and 1330/PD (Pair Dummy): 6 3/4" high x 3 9/16" deep. 1230/N (Passage): 3 7/8" high x 3 7/16" deep. Stamped from heavy wrought steel with zinc dichromate finish for corrosion resistance.
- **Front:** Armored steel front adjustable for beveled doors, with an 8" x 1" solid brass faceplate. (1230/N: 5 1/2" x 1" solid brass faceplate.) Finished to match trim.
- **Deadbolt:** 1/2" thick x 1 1/4" high x 1" throw, stainless steel, finished with US32D or PVD US4.
- **Pull:** 1/2" thick x 2" high x 1 1/4" throw, stainless steel, finished with US32D or PVD US4. Push button ejected with spring assistance.
- **Strike:** Stainless steel for US32D or brass and plated finish to match trim. Black plastic dust box supplied as a standard.
- **Cylinder:** Solid brass from bar stock, Schlage® "C" keyway with two OMNIA nickel silver keys.

ALL MOUNTING SCREWS ARE SUPPLIED WITH SETS.

## Functions

- **L – Privacy:** Flushcups (2) with emergency release outside x thumbturn inside, and includes lockbody
- **A – Entry:** Flushcups (2) with cylinder outside x thumbturn inside, and includes lockbody. (1 3/4" minimum door thickness)
- **N – Passage:** Flushcups (2) blank, and includes lockbody
- **PD – Pair Dummy:** Flushcups (2) blank, and includes lockbody
- **0 – Flushcup Only:** Flushcup (1) blank













## Function Codes

- /0 after style # = Flushcup only
- /N after style # = Lockbody with two flushcups
- /L after style # = Lockbody with turnpiece and emergency release
- /A after style # = Lockbody with turnpiece and keyed entry
- /PD after style # = Lockbody with two flushcups

See our website for all lockbody dimensions and schematics.

## FINISH CODES

 <b>3</b> Polished Brass, Lacquered	 <b>3A</b> Polished Brass, Unlacquered	 <b>US4</b> Satin Brass, Lacquered	 <b>5</b> Antique Brass, Lacquered	 <b>10B</b> Black, Oil-Rubbed, Lacquered
 <b>14</b> Polished Nickel Plated, Lacquered	 <b>15</b> Satin Nickel Plated, Lacquered	 <b>26</b> Polished Chrome Plated	 <b>26D</b> Satin Chrome Plated	 <b>32D</b> Stainless Steel <i>(Only available for 7012)</i>

7012 model is only available in US32D.

## How to Order Pocket Door Hardware

### EXAMPLE:

*(Only for: 7012, 7035, 7036, 7037 and 7039)*

**Design**  
**7035**  
Item #

/

**Function**  
**L**  
See Function Codes (Above)

.

**Finish**  
**26**  
See Finish Codes (Above)

Product order number would be  
**7035/L.26**

# Multipoint Trim Product Data




## American Cylinder Above (ACA)

Solid Brass Designs

Stainless Steel

71000 & 72000 Dimensions  
73000 Differs in height only\*

74000 Dimensions






## American Cylinder Below (ACB)

Solid Brass Designs

Stainless Steel

71000 & 72000 Dimensions  
73000 Differs in height only\*

74000 Dimensions






## European Cylinder Below (ECB)

Solid Brass Designs

Stainless Steel

71000 & 72000 Dimensions  
73000 Differs in height only\*

74000 Dimensions



## Turnpiece & Cylinder Components

### American Cylinder Above (ACA) & American Cylinder Below (ACB)



**No. 103**  
Ships standard with 71000 plate for American Cylinder.



**No. 102**  
Ships standard with 72000 or 74000 plate for American Cylinder.



**No. 6000**  
Ships standard with 73000 plate for American Cylinder.



**No. 1599**  
**American Cylinder**



**American Cylinder Collar**  
MPCH/RA (Rect.)  
MPCH/OA (Oval)

### European Cylinder Below (ECB)



**No. 805/41**  
**European Cylinder**  
Turnpiece only for patio function



**No. 805/82**  
**European Cylinder**  
Turnpiece cylinder by key for entrance



**European Cylinder Collar**  
MPCH/RP (Rect.)  
MPCH/OP (Oval)


# Multipoint Trim Product Data

## Functions

### ENTRY – ACA or ACB, with American Cylinder

Set includes:


- |  |   |
|--|---|
| (2) Backplates   | (1) American Cylinder with a lazy tailpiece |
| (1) Cylinder Collar mounted 3 5/8" (92 mm) c.c. above or below the lever handles | (1) Turnpiece                               |
| (2) Levers with spindles   | (2) Thru-bolt screws                        |



Active levers both sides. Key outside, by turnpiece inside.

### PAT – Patio Function for ACA or ACB

- |                          |                      |
|--------------------------|----------------------|
| (2) Backplates           | (1) Turnpiece        |
| (2) Levers with spindles | (2) Thru-bolt screws |




Active levers both sides. Turnpiece inside.

### ENTRY – ECB, with European (Profile) Cylinder

Set includes:


- |  |  |
|--|--|
| (2) Backplates   | (1) European Profile Cylinder with key outside, turnpiece inside |
| (2) Cylinder Collars mounted 3 5/8" (92 mm) c.c. below the lever handles | (2) Thru-bolt screws   |
| (2) Levers with spindles   |  |



Active levers both sides. Key outside, by turnpiece inside.

### PAT – Patio Function for ECB

- |                          |                        |
|--------------------------|------------------------|
| (2) Backplates           | (1) Turnpiece Cylinder |
| (2) Levers with spindles | (2) Thru-bolt screws   |




Active levers both sides. Turnpiece inside.

### PDA – Pair Dummy Active for ACA, ACB or ECB

Set includes:

- |                          |
|--------------------------|
| (2) Backplates           |
| (2) Levers with spindles |
| (2) Thru-bolt screws     |

Active lever inside, by inactive lever outside.




PDA\*

### PD – Pair Dummy for ACA, ACB or ECB

Set includes:

- |                          |
|--------------------------|
| (2) Backplates           |
| (2) Levers with spindles |
| (2) Thru-bolt screws     |

Inactive levers both sides.



PD\*

\*Drawing shows ACA only. Also available as ACB or ECB.

Thru-Bolting Mounting Screws are in a fixed location and cannot be modified. In some cases, new thru-bolting holes are required to be drilled at 8 1/2" (216 mm) c.c. (9 1/2" (242 mm) c.c. for 73000 plate). In most cases, our backplates will cover any existing thru-bolting holes. Our trim is intended to replace standard trim shipped by most door manufacturers.

## Backplate Dimensions

### 71000 SERIES

- 9 3/8" (244 mm) Long
- 1 3/4" (44 mm) Wide
- 1/2" (12.5 mm) Projection
- 8 1/2" (216 mm) c.c. Thru-Bolting

### 72000 SERIES

- 9 13/16" (250 mm) Long
- 2" (50 mm) Wide
- 1/2" (12.5 mm) Projection
- 8 1/2" (216 mm) c.c. Thru-Bolting

### 73000 SERIES

- 11" (280 mm) Long
- 1 5/8" (40 mm) Wide
- 7/16" (10 mm) Projection
- 9 1/2" (242 mm) c.c. Thru-Bolting

### 74000 SERIES

- 10 5/8" (270 mm) Long
- 2 1/8" (55 mm) Wide
- 3/8" (19 mm) Projection
- 8 3/4" (222 mm) c.c. Thru-Bolting

## How to Order Multipoint Trim

### EXAMPLE:

<i>Plate</i>	<i>Design</i>	<i>Function</i>	<i>Handing</i>	<i>Finish</i>
<b>71</b>	<b>055</b>	<b>ACA</b>	<b>L</b>	<b>15</b>
<small>Series #</small>	<small>Lever Item #</small>	<small>See Function Codes Above</small>	<small>L = Left-Handed R = Right-Handed</small>	<small>See Finish Codes (Page 106)*</small>

\*See individual product entries for available finishes.

Product order number would be **71055ACAL.15**



# Entrance Handlesets Product Data

## (Brass)

### Solid Brass Mortise Lock Handleset Specifications

- **Backset:** 2 1/2" or 2 3/4". (2 1/2" b.s. shipped standard.)
- **Doors:** 3 7/8" minimum stile for 2 1/2" b.s. lock. 4 3/8" minimum stile for 2 3/4" b.s. lock. 1 3/4" thick as a standard. For doors over 1 3/4" thick, specify door thickness.
- **Case:** 2 1/2" b.s.: 3 5/8" x 6 1/16" x 1 5/16"  
2 3/4" b.s.: 3 15/16" x 6 1/16" x 1 5/16"  
Heavy wrought steel with zinc dichromate finish for corrosion resistance.
- **Front:** Armored steel front, adjustable for beveled conditions. With 8" x 1 1/4" solid brass faceplate. Finished to match trim.
- **Latchbolt:** 1" x 5/8" x 3/4" full throw. Solid brass with anti-friction design. US4 finish only.
- **Deadbolt:** 1 3/16" x 9/16" x 1" full throw. Solid brass, one-piece component with saw-proof insert. US4 finish only.
- **Springs:** High carbon steel.
- **Strike:** Solid brass curved lip strike. 4 7/8" x 1 1/4" x lip 1 1/4" to center. Finished to match trim. Dust box shipped with set.

### Backplate Dimensions

#### Amagansett

Exterior: 21" x 2 7/8" x 3/8"

Interior: 13 7/8" x 2 7/8" x 3/8"

#### Georgica

Exterior: 22 1/8" x 3" x 3/8"

Interior: 14" x 3" x 3/8"


Conforms to requirements of ANSI / BHMA A156.13 Series 1000.




- **Hand:** Fully reversible. When ordering specify right hand or left hand, and if reverse bevel is needed.
- **Cylinder:** Solid brass from bar stock. Made in USA. Supplied with Schlage® "C" keyway as a standard and two OMNIA nickel silver keys. Ship standard Keyed Different (KD). Specify Keyed Alike (KA) when needed. Special keying available upon request.
- **Hubsize:** .290" (7 mm or 3/8") hub. Broached on the square position. Hub is on one side of the lock only.

### Lock Function Options


- **A – Standard:** Latchbolt operates by knob or lever inside, thumbpiece outside except when outside trim is locked by rocker switch; then opens by key outside, by knob or lever inside. Deadbolt activated by key outside and turnpiece inside.



- **AC – Double Cylinder:** Latchbolt operates by knob or lever inside, thumbpiece outside except when outside trim is locked by rocker switch; then opens by key outside, by knob or lever inside. Deadbolt activated only by key from either side.




- **F – Panic Proof:** Latchbolt operates by knob or lever inside, thumbpiece outside, except when outside trim is locked by rocker switch. Deadbolt activated by key outside and turnpiece inside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.



Other functions available on request.

*Dummy applications not recommended for commercial use.*

DRAWINGS NOT TO SCALE



Same strike supplied with both 2 1/2" and 2 3/4" b.s. locks.

# Entrance Handlesets Product Data (Brass)

## FINISH CODES

FINISH	DESCRIPTION	ORDERING CODE
US3	Polished Brass, Lacquered	1
US15	Satin Nickel Plated, Lacquered	15
SB	Shaded Bronze, Lacquered	4
BAS	Siena Brass, Lacquered	BAS
BPS	Venetian Nickel, Lacquered	BPS
D	Florentine Brass, Lacquered	D
ETR	Etruscan Bronze, Lacquered	ETR

## How to Order Brass Entrance Handlesets

### EXAMPLE: ACTIVE

<i>Set Name</i> <b>GEORGICA</b> <small>Amagansett or Georgica</small>	<i>Function</i> <b>A</b> <small>See Function Codes (Page 113)</small>	<i>Interior Trim</i> <b>059</b> <small>See 3-Digit Interior Trim Option (Page 83)</small>	<i>Handing</i> <b>R</b> <small>L = Left-Handed R = Right-Handed</small>	<i>Finish</i> <b>BAS</b> <small>See Finish Codes (Above)</small>
---	---	---	---	--

**Product order number would be *GEORGICA.A059RBAS* or *GEORGICA.PD059RBAS* for a pair dummy.**

**2 1/2" backset shipped standard. Specify 2 3/4" backset when ordering.**

**For doors over 1 3/4" thick, please specify door thickness.**

**For doors 2" thick or thicker, please call OMNIA for additional charges that may apply.**

# Deadbolt Handlesets Product Data

## (Stainless Steel Metro & Urban Tubular Sets)

Available in two backsets – 2<sup>3</sup>/<sub>8</sub>" or 2<sup>3</sup>/<sub>4</sub>" (2<sup>3</sup>/<sub>8</sub>" backset shipped standard). Please specify when ordering.

### Features

- Our stainless steel tubular deadbolt handlesets each consist of a set of exterior trim, lever interior trim as selected, extra heavy duty tubular latch designed for levers and spindle, deadbolt assembly, cylinder, all necessary mounting screws and template.
- **Backset:** Available with two backset options – 2<sup>3</sup>/<sub>8</sub>" or 2<sup>3</sup>/<sub>4</sub>" (2<sup>3</sup>/<sub>8</sub>" backset shipped standard). Please specify when ordering.

### Lock & Trim Functions

- **F – Panic Proof:** Latchbolt operates by knob or lever inside, thumbpiece outside except when outside trim is locked by rocker switch. Deadbolt activated by key outside and turnpiece inside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.
- **PD – Pair Dummy:** Dummy trim is non-operating and is mounted on the inside and outside of the door. Shipped pre-assembled.
- **SDE – Single Dummy Exterior:** Dummy trim is non-operating and is mounted on the outside of the door. Thumbpiece is also non-operating. Shipped pre-assembled.
- **SDI – Single Dummy Interior:** Dummy trim is non-operating and is mounted on the inside of the door. Shipped pre-assembled.

### FINISH CODES

FINISH	DESCRIPTION	CODE
US32D	Satin Stainless Steel	32D
PBL*	PVD Black	PBL
PDB*	PVD Dark Bronze	PDB
PSG*	PVD Satin Gold	PSG
PTT*	PVD Titanium	PTT


\*Only available for Urban

### Metro Dimensions

5<sup>1</sup>/<sub>2</sub>" center to center  
Exterior (Top Plate) & Interior:  
 10<sup>1</sup>/<sub>4</sub>" x 2<sup>9</sup>/<sub>16</sub>" x 7<sup>1</sup>/<sub>16</sub>"  
Exterior (Bottom Rose): 2<sup>1</sup>/<sub>16</sub>" dia.  
Overall Exterior: 16<sup>7</sup>/<sub>8</sub>" length x 3<sup>5</sup>/<sub>16</sub>" proj.  
Overall Interior: 10<sup>1</sup>/<sub>4</sub>" length x 2<sup>7</sup>/<sub>8</sub>" proj.

### Urban Dimensions

5<sup>1</sup>/<sub>2</sub>" center to center  
Exterior (Top Plate) & Interior:  
 10<sup>1</sup>/<sub>2</sub>" x 2<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>16</sub>"  
Exterior (Bottom Rose): 2" square  
Overall Exterior: 16<sup>3</sup>/<sub>4</sub>" length x 2<sup>3</sup>/<sub>8</sub>" proj.  
Overall Interior: 10<sup>1</sup>/<sub>2</sub>" length x 2<sup>5</sup>/<sub>8</sub>" proj.



## How to Order Deadbolt Handlesets

### EXAMPLE: ACTIVE

Design	Function	Interior Trim	Backset	Finish
<b>URBAN</b>	<b>F</b>	<b>012</b>	<b>38</b>	<b>32D</b>
Urban or Metro	See Function Codes Above	3-Digit Interior Trim Option (See Pages 84-85)	38 = 2 <sup>3</sup> / <sub>8</sub> " Backset 34 = 2 <sup>3</sup> / <sub>4</sub> " Backset	See Finish Codes (Above)

Product order number would be **URBAN.F012.38.32D**  
 or **URBAN.PD012.32D** for a pair dummy.

For doors over 1<sup>3</sup>/<sub>4</sub>" thick, please specify door thickness.

For doors 2" thick or thicker, please call OMNIA for additional charges that may apply.

# Hinges Product Data

## (For Standard Weight Hinges)

Available in standard weight with either ball or plain bearings to satisfy most applications. The hinges are all manufactured from solid brass extrusions, providing higher degrees of strength and tolerance.

### General Information

- All hinges are shipped assembled with pins installed.
- Standard weight hinges are available in **ball bearing** or **plain bearing**.
- **Doors equipped with closers should always have ball bearing hinges.**
- Mounting templates are available. Do not use the hinges to make cut outs on metal doors and frames.
- Hinges are supplied with wood screws standard. **Machine screws are available upon request.**

### Suggested Location of Hinges

- **Top Hinge:** 5" from jamb rabbet to top edge of hinge barrel.
- **Bottom Hinge:** 10" from bottom edge of hinge barrel to finished floor.
- **Middle Hinge:** Centered between the top and bottom hinges.

*The above are U.S. standard procedures.*

### How to Determine Proper Hinge Height

Thickness of Door	Width of Door	Height of Hinges
1 3/8"	to 32"	3 1/2"
1 3/8"	Over 32" to 37"	4"
1 3/4"	to 36"	4" or 4 1/2"
1 3/4"	Over 36" to 48"	4 1/2"
2"-2 1/2"	Over 42"	4 1/2"*

\*Minimum 4 hinges recommended.

### Number of Hinges Required on Doors

Door Height	# Hinges Required
To 60"	2 Hinges
61" to 90"	3 Hinges
91" to 120"	4 Hinges

### Finial Options

All finials, both top and bottom, screw in separately into the barrel. Hinges are shipped with button tips as standard on all orders. Pairs of acorn, ball, crown, steeple and urn finials are available at an additional cost. See page 88 for item numbers and prices.

Use the abbreviations below to specify your finial choice.

STYLE	FINIAL CODE
Button	BTN <i>Shipped standard</i>
Acorn	ACN
Ball	BAL
Crown	CRN
Steeple	STP
Urn	URN

### FINISH CODES

OMNIA hinges are available in all of our popular finishes. Use the symbols below to specify the finish.

FINISH	DESCRIPTION	CODE
US3	Polished Brass, Lacquered	3
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	4
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished Nickel Plated, Lacquered	14
US15	Satin Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	26
US26D	Satin Chrome Plated	26D
SB	Shaded Bronze, Lacquered	SB

## How to Order Hinges

### EXAMPLE:

Style	Size	Finial	Finish
<b>985</b>	<b>/ 4</b>	<b>BTN</b>	<b>. 14</b>
985 = Plain Bearing 985BB = Ball Bearing	35 = 3 1/2"* 4 = 4" 45 = 4 1/2"	See Finial Codes (Above)	See Finish Codes (Above)

\*Only available for Plain Bearing.

Product order number would be **985/4BTN.14**

# Lock / Latch Components

## TUBULAR LATCHES *(with Faceplates)*

### Passage Sets

Product Code	Description	Hub Size	Price
105KPA38	2 $\frac{3}{8}$ " b.s. Passage knob latch	7 mm hub	<b>\$50</b>
105LPA38	2 $\frac{3}{8}$ " b.s. Passage lever latch	7 mm hub	<b>\$50</b>
107LPA38	2 $\frac{3}{8}$ " b.s. Passage lever latch	8 mm hub	<b>\$50</b>
105KPA34	2 $\frac{3}{4}$ " b.s. Passage knob latch	7 mm hub	<b>\$50</b>
105LPA34	2 $\frac{3}{4}$ " b.s. Passage lever latch	7 mm hub	<b>\$50</b>
107LPA34	2 $\frac{3}{4}$ " b.s. Passage lever latch	8 mm hub	<b>\$50</b>

### Privacy Sets

Product Code	Description	Hub Size	Price
106KPR38	2 $\frac{3}{8}$ " b.s. Privacy knob latch	7 mm hub	<b>\$55</b>
106LPR38	2 $\frac{3}{8}$ " b.s. Privacy lever latch	7 mm hub	<b>\$55</b>
108LPR38	2 $\frac{3}{8}$ " b.s. Privacy lever latch	8 mm hub	<b>\$55</b>
106KPR34	2 $\frac{3}{4}$ " b.s. Privacy knob latch	7 mm hub	<b>\$55</b>
106LPR34	2 $\frac{3}{4}$ " b.s. Privacy lever latch	7 mm hub	<b>\$55</b>
108LPR34	2 $\frac{3}{4}$ " b.s. Privacy lever latch	8 mm hub	<b>\$55</b>

## STRIKES & FACEPLATES *(Specify Function)*

Product Code	Description	Price
009	Faceplate for tubular latch	<b>\$10</b>
012	Faceplate for 2 $\frac{1}{2}$ " & 2 $\frac{3}{4}$ " b.s. mortise lock. Specify function	<b>\$30</b>
013	"T" strike for tubular latch	<b>\$6</b>
014	"Full Lip" strike for tubular latch	<b>\$6</b>
015	Strike for 2 $\frac{1}{2}$ " & 2 $\frac{3}{4}$ " b.s. mortise lock. Specify function	<b>\$35</b>
015/A-EL	Strike with 1 $\frac{1}{2}$ " extended lip for 2 $\frac{1}{2}$ " & 2 $\frac{3}{4}$ " b.s. mortise lock	<b>\$64</b>
015/A-EL2	Strike with 2" extended lip for 2 $\frac{1}{2}$ " & 2 $\frac{3}{4}$ " b.s. mortise lock	<b>\$64</b>
019	Strike for tubular latch, 4 $\frac{7}{8}$ " ASA	<b>\$30</b>

## SURFACE MOUNTED ROSES

Product Code	Rose Type	Description	Price
592/45	Traditional rose	1 $\frac{3}{4}$ " dia.	<b>\$25</b>
592/45D	Traditional rose	1 $\frac{3}{4}$ " dia. - dummy	<b>\$36</b>
592/55	Traditional rose	2 $\frac{3}{16}$ " dia.	<b>\$28</b>
592/55D	Traditional rose	2 $\frac{3}{16}$ " dia. - dummy	<b>\$40</b>
592B/45	Beaded rose	1 $\frac{3}{4}$ " dia.	<b>\$26</b>
592B/45D	Beaded rose	1 $\frac{3}{4}$ " dia. - dummy	<b>\$37</b>
592B/55	Beaded rose	2 $\frac{3}{16}$ " dia.	<b>\$28</b>
592B/55D	Beaded rose	2 $\frac{3}{16}$ " dia. - dummy	<b>\$40</b>
597/45	Modern rose	1 $\frac{3}{4}$ " dia.	<b>\$26</b>
597/45D	Modern rose	1 $\frac{3}{4}$ " dia. - dummy	<b>\$41</b>
836/00	Rectangular rose	2" h x 1 $\frac{5}{8}$ " w	<b>\$33</b>

## TURNPIECES WITH ROSES

Product Code	Description	Price
065/00	Beaded turnpiece 1 $\frac{1}{4}$ " x $\frac{3}{4}$ "	<b>\$35</b>
068/05	Ornate turnpiece 1 $\frac{7}{16}$ " x $\frac{13}{16}$ "	<b>\$36</b>
102/04	Modern turnpiece 1 $\frac{1}{2}$ " x $\frac{1}{4}$ "	<b>\$42</b>
102/624	Modern turnpiece w/ Square rose 1 $\frac{1}{2}$ " x $\frac{1}{4}$ "	<b>\$49</b>
103/04	Modern turnpiece 1 $\frac{3}{4}$ " x $\frac{1}{2}$ "	<b>\$40</b>
104/04	Hamptons turnpiece $\frac{15}{16}$ " x $\frac{13}{16}$ "	<b>\$93</b>
105/04	Classico turnpiece $\frac{15}{16}$ " x $\frac{13}{16}$ "	<b>\$93</b>
9163/35TP	Traditional turnpiece 1 $\frac{3}{8}$ " x $\frac{13}{16}$ "	<b>\$48</b>

## CASSETTES

Product Code	Description	Price
401/PA62.32D	Stainless Steel Cassette including rose cover (Passage)	<b>\$26</b>
401S/PA62.32D	Stainless Steel Cassette including square rose cover (Passage)	<b>\$52</b>
402/PR62.32D	Stainless Steel Cassette including rose cover (Privacy)	<b>\$26</b>
402S/PR62.32D	Stainless Steel Cassette including square rose cover (Privacy)	<b>\$52</b>
981	Small Cassette Adapter Levers 7 mm	<b>\$27</b>
981/8	Small Cassette Adapter Levers 8 mm	<b>\$27</b>
982/LP	Large Cassette Adapter Low Profile (Standard) Levers 7 mm	<b>\$27</b>
982/LP-8	Large Cassette Adapter Low Profile Levers 8 mm	<b>\$27</b>
982/LP-K	Large Cassette Adapter Low Profile (Standard) Knobs 7 mm	<b>\$27</b>

Suggested retail prices effective February 1, 2023.



# Lock / Latch Components

## MORTISE LOCK BODIES

(with Faceplate & Strike)

Product Code	Description	Function	Price
001500A*	2½" b.s. handle set x knob	"A" function	<b>\$328</b>
001500EW*	2½" b.s. handle set x knob	"EW" function	<b>\$328</b>
001500F*	2½" b.s. handle set x knob	"F" function	<b>\$328</b>
001500J*	2½" b.s. handle set x knob	"J" function	<b>\$328</b>
001600A*	2½" b.s. handle set x lever	"A" function	<b>\$328</b>
001600EW*	2½" b.s. handle set x lever	"EW" function	<b>\$328</b>
001600F*	2½" b.s. handle set x lever	"F" function	<b>\$328</b>
001600J*	2½" b.s. handle set x lever	"J" function	<b>\$328</b>
001700A*	2½" b.s. knob x knob	"A" function	<b>\$328</b>
001700EW*	2½" b.s. knob x knob	"EW" function	<b>\$328</b>
001700F*	2½" b.s. knob x knob	"F" function	<b>\$328</b>
001700J*	2½" b.s. knob x knob	"J" function	<b>\$328</b>
001700L*	2½" b.s. knob x knob	"L" function	<b>\$328</b>
001700N*	2½" b.s. knob x knob	"N" function	<b>\$328</b>
001800A*	2½" b.s. lever x lever	"A" function	<b>\$328</b>
001800EW*	2½" b.s. lever x lever	"EW" function	<b>\$328</b>
001800F*	2½" b.s. lever x lever	"F" function	<b>\$328</b>
001800J*	2½" b.s. lever x lever	"J" function	<b>\$328</b>
001800L*	2½" b.s. lever x lever	"L" function	<b>\$328</b>
001800N*	2½" b.s. lever x lever	"N" function	<b>\$328</b>
002200A*	2¾" b.s. knob x knob	"A" function	<b>\$328</b>
002200EW*	2¾" b.s. knob x knob	"EW" function	<b>\$328</b>
002200F*	2¾" b.s. knob x knob	"F" function	<b>\$328</b>
002200J*	2¾" b.s. knob x knob	"J" function	<b>\$328</b>
002200L*	2¾" b.s. knob x knob	"L" function	<b>\$328</b>
002200N*	2¾" b.s. lever x lever	"N" function	<b>\$328</b>
002300A*	2¾" b.s. lever x lever	"A" function	<b>\$328</b>
002300EW*	2¾" b.s. lever x lever	"EW" function	<b>\$328</b>
002300F*	2¾" b.s. lever x lever	"F" function	<b>\$328</b>
002300J*	2¾" b.s. lever x lever	"J" function	<b>\$328</b>
002300L*	2¾" b.s. lever x lever	"L" function	<b>\$328</b>
002300N*	2¾" b.s. lever x lever	"N" function	<b>\$328</b>
008400A	1½" b.s. lever x lever	"A" function	<b>\$615</b>
008400B	1½" b.s. lever x lever	"B" function	<b>\$545</b>
008400N	1½" b.s. lever x lever	"N" function	<b>\$531</b>
008400L	1½" b.s. lever x lever	"L" function	<b>\$545</b>
008500A	2" b.s. lever x lever	"A" function	<b>\$615</b>
008500B	2" b.s. lever x lever	"B" function	<b>\$545</b>
008500N	2" b.s. lever x lever	"N" function	<b>\$531</b>
008500L	2" b.s. lever x lever	"L" function	<b>\$545</b>

**\*PLEASE SPECIFY HAND WHEN ORDERING**

## MORTISE CYLINDERS FOR 2½" & 2¾" B.S. LOCKS†

Product Code	Size	Price
801/00	1 <sup>5</sup> / <sub>16</sub> "	<b>\$55</b>
801/01	1"	<b>\$55</b>
801/02	1 <sup>1</sup> / <sub>8</sub> "	<b>\$55</b>
801/03	1 <sup>1</sup> / <sub>4</sub> "	<b>\$55</b>
801/04	1 <sup>1</sup> / <sub>2</sub> "	<b>\$51</b>
801/05	1 <sup>3</sup> / <sub>4</sub> "	<b>\$197</b>
801/06	2"	<b>\$214</b>

† Specify the following:

- Keyed Alike or Keyed Different
- Mortise or Deadbolt
- Function

Suggested retail prices effective February 1, 2023.

# Spindle / Set Screws / Washers

## SPINDLES

Product Code	Description	Price
DS129/7-1"	7 mm dummy spindle for plates	\$11
DS129/8-1"	8 mm dummy spindle for plates	\$11
DSP-1SM	7 mm dummy subplate and spindle for small format roses	\$7
006HS/2.625"	2 <sup>5</sup> / <sub>8</sub> " long mortise handle set spindle	\$11
007/3	3" 7 mm square spindle for passage	\$7
007/3-1/2	3 <sup>1</sup> / <sub>2</sub> " 7 mm square spindle for passage	\$7
007/4	4" 7 mm square spindle for passage	\$6
007/4-1/2	4 <sup>1</sup> / <sub>2</sub> " 7 mm square spindle for passage	\$6
007/5	5" 7 mm square spindle for passage	\$7
007X8MS/50	7 mm x 8 mm spindle for mortise or multi-point 7 mm lever	\$10
007X8MS/50 w/ conical spring	7 mm x 8 mm x 50 mm spindle w/ spring for mortise locks 7 mm lever to 8 mm hub	\$10
007X8MS/635 w/ conical spring	7 mm x 8 mm x 63.5 mm spindle w/ spring for mortise locks 7 mm lever to 8 mm hub	\$22
007X8MS/80 w/ conical spring	7 mm x 8 mm x 80 mm spindle w/ spring for mortise locks 7 mm lever to 8 mm hub	\$25
007X8MS/110 w/ conical spring	7 mm x 8 mm x 110 mm spindle w/ spring for mortise locks 7 mm lever to 8 mm hub	\$27
007SW/3	3" 7 mm swivel spindle for privacy	\$8
007SW/3.25	3 <sup>1</sup> / <sub>4</sub> " 7 mm swivel spindle for privacy	\$8
007SW/3.5	3 <sup>1</sup> / <sub>2</sub> " 7 mm swivel spindle for privacy	\$8
007SW/3.75	3 <sup>3</sup> / <sub>4</sub> " 7 mm swivel spindle for privacy	\$8
007SW/4	4" 7 mm swivel spindle for privacy	\$7
007SW/4.25	4 <sup>1</sup> / <sub>4</sub> " 7 mm swivel spindle for privacy	\$7
007SW/4.5	4 <sup>1</sup> / <sub>2</sub> " 7 mm swivel spindle for privacy	\$7
007SW/4.75	4 <sup>3</sup> / <sub>4</sub> " 7 mm swivel spindle for privacy	\$8
007SW/5	5" 7 mm swivel spindle for privacy	\$8
007SW/5.5	5 <sup>1</sup> / <sub>2</sub> " 7 mm swivel spindle for privacy	\$8
008MS/49	49 mm long x 8 mm sq. half spindle w/ conical spring for mortise 8 mm lever	\$9
008MS/70	70 mm long x 8 mm sq. half spindle w/ conical spring for mortise 8 mm lever	\$13
008/3-1/2	3 <sup>1</sup> / <sub>2</sub> " 8 mm solid spindle for passage	\$7
008/4	4" 8 mm solid spindle for passage	\$7
008/4-1/2	4 <sup>1</sup> / <sub>2</sub> " 8 mm solid spindle for passage	\$7
008SW/3.5	3 <sup>1</sup> / <sub>2</sub> " 8 mm solid spindle for privacy	\$8
008SW/4	4" 8 mm solid spindle for privacy	\$8
008SW/4.5	4 <sup>1</sup> / <sub>2</sub> " 8 mm solid spindle for privacy	\$8
008SW/5	5" 8 mm solid spindle for privacy	\$8

## SET SCREWS

Product Code	Description	Price
002.02.CP	1/4" long 1/4" - 20 stainless steel cone point set screw	\$2

## TOOLS

Product Code	Description	Price
HX5/64	5/64" hex key wrench for deadbolts	\$2
HX1/8	1/8" hex key wrench for door trim	\$2
HX1/8TH	1/8" hex key wrench w/plastic "T" handle	\$35

## NYLON WASHERS FOR KNOBS & LEVERS

### For Inactive/Dummy Sets (00, 67, 50)

Product Code	Description	Price
027-GLD	Gold	\$4
027-SLVR	Silver	\$4
027-BLK	Black	\$4

### For Active Sets (00, 67, 50)

Product Code	Description	Price
027L-GLD	Gold	\$4
027L-SLVR	Silver	\$4
027L-BLK	Black	\$4

Suggested retail prices effective February 1, 2023.

# OMNIA TERMS & CONDITIONS OF SALE

(as of February 1, 2023)

## WARRANTIES

### Limited Mechanical Warranty

OMNIA Industries, Inc. ("OMNIA") offers to the original owner a Limited Warranty that all OMNIA products shall be free of mechanical abnormality for the duration that the original owner inhabits the residence in which the product was originally installed.

#### Exclusions

Any OMNIA product having an abnormality due to improper installation, forced entry, failure to exercise normal maintenance or against the consequences of uses for which our products were not designed is not covered by this warranty. Additionally, if an OMNIA product or component part is used with a product that is not ours or a component part (such as an OMNIA lock or latch with non-OMNIA knobs, levers, escutcheons and roses), any warranty shall be null and void. Warranty does not cover normal wear and tear.

## FINISH WARRANTIES

(Includes General Maintenance)

### Stainless Steel

OMNIA warrants its stainless steel finish shall be free from abnormalities in material and workmanship from tarnishing or rusting for either five (5) years from date of purchase for interior use or one (1) year from the date of purchase on exterior doors only for the duration that the original owner inhabits the residence in which the product was originally installed. Exposure to certain chemical or environmental conditions may promote surface oxidation. Please be aware that this is not an abnormality in the stainless steel but a reaction on the surface of the finish to the chemical environment which can be removed with a stainless steel polish or an abrasive pad. **Surface oxidation is not considered an abnormality in the product.**

### Stainless Steel PVD

The OMNIA PVD finishes use an advanced finishing technology (Physical Vapor Deposition) to create a finish highly resistant to the effects of weather and normal use. For OMNIA products purchased with PVD finishes, OMNIA warrants the finish shall be free from abnormalities in materials and workmanship from tarnishing, flaking or pitting for the **Lifetime** of the applicable product for the duration that the original owner inhabits the residence in which the product was originally installed. Although the OMNIA PVD finishes are highly resistant to the effects of weather and normal use, they do require periodic maintenance. A build-up may occur if it is not performed, which may create a haze or darker look to the finish. This is neither tarnish nor an abnormality in the PVD finish. OMNIA PVD finishes can be maintained simply by wiping with a soft cloth and glass cleaner; or as an alternative, a non-abrasive metal polish which can be purchased at any hardware store. Rubbing alcohol may also be used to clean the surface of PVD finishes. **DO NOT use metal polishes that contain abrasives.**

### Remaining Finishes

OMNIA warrants its finishes (excluding unlacquered finishes, stainless steel and

stainless steel PVD) shall be free from abnormalities in materials and workmanship from tarnishing, flaking or pitting for either five (5) years from date of purchase for interior use, or one (1) year from the date of purchase for use on exterior doors only for the duration that the original owner inhabits the residence in which the product was originally installed. Only use a damp cloth to clean surface of finish to remove dirt and grime. **DO NOT use household cleaners and/or chemicals.**

#### Exclusions

Any OMNIA product having an abnormality due to neglect, misuse, abuse or unreasonable or extraordinary use or lack of normal maintenance is not covered by this warranty. In addition, any OMNIA product having an abnormality due to use of paints, solvents or other chemicals is not covered by this warranty. Discontinued products will not be covered by any warranty. Finishes will not be warranted for any OMNIA product installed on an exterior metal door.

**FOR ALL WARRANTIES, PLEASE NOTE:** OMNIA is not responsible for labor charges related to installation, repair or replacement of any product under this warranty. OMNIA's liability under this warranty shall not exceed the sale price of the product.

## PRICES

Prices are subject to change without notice. Invoices will reflect prices in effect at the time of shipment. OMNIA is not responsible for errors and/or omissions which may appear in any printed material. Orders held by OMNIA because of credit status may be repriced to pricing in effect on date of order release by OMNIA Credit Department.

## RETURNED GOODS

Products must be returned within 60 days of original invoice date. There is a minimum 25% restock fee, plus a freight charge, for all unused and undamaged items returned in original condition. All returns must be accompanied with a completed Return Goods Form (RGF). Any return which exceeds \$1,000 net requires prior authorization. If a factory defect is claimed, please contact OMNIA for replacement or authorization. Any credit due will be determined upon inspection. Reordered or replacement materials will be billed when shipped. Returns will be credited after inspection and approval. All returns must be shipped freight prepaid. COD returns will be refused. Special order or discontinued items will not be accepted for return.

## ORDERS & SPECIFICATIONS

OMNIA has the right to not accept orders in part or whole if the quantity, finishes or prices requested are not suitable. Packing, weights, measurements and designs are subject to change without notice. All special factory orders are non-cancelable, non-returnable and non-refundable.

## ORDER CHANGES

If there are items not readily available, OMNIA will ship and backorder. Items temporarily out of stock will be backordered and so indicated on invoice. Backorders must be canceled prior to shipment of product. Orders canceled after

shipment from OMNIA will incur freight charges and a 25% restocking charge. Address changes after shipment will incur freight charges.

## DISCONTINUED ITEMS & D/O

OMNIA may discontinue product or alter specifications at any time without prior notification or obligation. D/O designates a product which will continue to be available as long as inventory remains, after which the product will be discontinued. This program is intended to help our customers anticipate future needs and to avoid bidding or taking orders on parts which may not be available in sufficient quantities when needed.

## SHIPMENTS

Smaller orders, shipments destined outside the US borders, and **all specially quoted contract orders are shipped FOB Cedar Grove, NJ.** Cremona bolt orders do not qualify for prepaid shipments. Freight charges will apply to contract orders. Please refer to job quote. There will be a handling fee in addition to freight charges. (Drop ship orders incur a higher handling fee.) In certain instances, a fee for insurance coverage may be added. OMNIA will select the quickest and best routes available. Consignee assumes risk of loss or damage after shipments have been delivered to carrier. Claims must be filed with the transportation company. We cannot accept consignee or third party billing for any shipment.

## OPEN ACCOUNTS

Established accounts will be maintained on open account terms as long as payments are kept current. New accounts must submit proper trade and bank references.

## SAMPLE PROGRAM

### Cabinet Hardware

Samples of cabinet pulls up to 6" and cabinet knobs up to 1 1/4" dia. are available free of charge with a \$10 shipping fee for each item ordered. A maximum of 3 samples can be ordered. If ordering more than one sample, the additional samples must all be different part numbers.

### Door Hardware

Single dummy samples of door knobs and levers with a list price value up to \$75 are available free of charge with a \$20 shipping fee for each item ordered. For single dummy samples with a list price value of \$76 and over, there is a \$30 shipping fee for each item ordered.

For each sample ordered, you will receive a discount coupon in the amount of the shipping fee. For each \$100 list purchase made through an authorized OMNIA dealer, you may apply one discount coupon. Since there is no charge for the product samples themselves, they cannot be returned to OMNIA for product credit.

If you are interested in a sample of a product other than cabinet hardware or single dummies, please contact OMNIA for shipping costs.

An Authorized OMNIA dealer may request a complete **Dealer Terms & Conditions** by emailing [info@OMNIAindustries.com](mailto:info@OMNIAindustries.com).



In addition to the selection of latchsets and locksets shown in this catalog, OMNIA also offers beautifully crafted decorative cabinet hardware and architectural hardware. For a comprehensive view of all of our lines, please visit our website at:

**[www.OMNIAindustries.com](http://www.OMNIAindustries.com)**





# OMNIA

SINCE 1964

5 Cliffside Drive • Box 330  
Cedar Grove, New Jersey 07009  
Phone 973.239.7272  
orders@OMNIAindustries.com  
[www.OMNIAindustries.com](http://www.OMNIAindustries.com)

